The background of the entire page is a classic marbled paper pattern, often referred to as a 'stone' or 'shell' pattern. It consists of irregular, rounded shapes in various shades of gray, black, and white, creating a complex, organic texture. A white rectangular box is positioned in the upper left quadrant of the page, containing the following text:


All notes whether checked or not, copied into
'N.E.Birds, Systematic Notes, W.Brewster,
Vols.1, 11. 111, 1885-1882.'" Some of the notes
are somewhat abbreviated or changed in form.

Ornithological Notes on New
England Birds


William Brewster

Mar. 27th 1868

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
Y



A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
Y



Arch - little 258

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
Y

B.

- Bunting - Snow 29
 Bird - Snow. 33.
 Bird - Cedar. 35 - 164
 Bird - Blue. 43
 Blackbird - Red Winged. 45.
 Blackbird - Rusty. 49.
 Blackbird - Crow. 57.
 Blackbird - Cow. 63.
 Bunting - Reed. 139.
 Bobolink - 139.
 Bird - Cat. 145
 Bunting - Towhee, 169
 Bittern - American. 197
 Bittern - Least. 285.
 Bunting - Horned 342.
 Bunting - Horned 342.

- Creeper - American Brown, 39.
 Crow - Common, 53.
 Cuckoo - Yellow Billed, 141.
 Coot - Common, 231.
 Crossbill - Common, 239.
 Crossbill - White-winged, 225.
 Chatterer - Bohemian, 114.

C

D

E

F

G

H

I

J

K

L

M

N

O

P

Q

R

S

T

U

V

W

Y

D

- Duck - Wood. 75.
 Duck - Gadwall. 151.
 Diver - Great Northern. 251
 Duck - Surf. 271.
 Dove - Turtle. 295.
 Duck - Dusky. 299. - 75.
 Duck - Ruddy. 301. - 300 - 286
 Duck - Velvet. 303.
 Duck - American Coot. 305.
 Duck - Buffle-headed. 313.
 Duck - Canvas-back. 317.
 Duck - Golden Eye. 319.
 Duck - Lesser Scaup 92
 " Long-tailed 160.

E

Eagle - Bald. 59

E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
Y

F

- Finch - Purple. 41.
 Finch - Gold. 81, 90, 345
 Finch - Grass. 83
 Flycatcher - Least. 135
 Flycatcher - Tyrant. 189.
 Flycatcher - Wilson's Black Cap. 219.
 Flycatcher - Canada. 227.
 Flycatcher - Great Crested. 229.
 Flycatcher - Olive Sided. 217
 Finch - Pine 307.
 Finch - Sharp-tailed 312.
 " Lincoln's 180

- Gull - Herring. 61.
 Goose - Canada 107
 -Grosbeak - Rose Breasted. 155.
 Godwit - Tall Tale. 249.
 Gull - Bonaparte's. 265.
 Godwit - Great Marbled. 273.
 Grebe - Pied Billed. 295.
 Gallinule - Florida. 309.
 Grouse - Ruffed 315
 Grosbeak - Pine. 321
 Gull - Great Black-backed. 331.
 Goldfinch - Common American. 345. Et. G.

G

H

I

J

K

L

M

N

O

P

Q

R

S

T

U

V

W

X

Y

H.

- Hawk Marsh. 73
 Heron - Night. 57
 Heron - Great Blue 89.
 Hawk - Sparrow. 13.
 Hawk - Fish. 77
 Hawk - Sharp-shinned. 125.
 Hummingbird - Ruby Throated. 149.
 Hawk - Night. 207.
 Heron - Green. 173.
 Hawk - Broad-winged 241.
 Hawk - Pigeon. 297.
 Hawk - Red-tailed. 327.
 Hawk - Cooper's 447
 " Duck 60
 " Gos. 132.
 " Red shouldered 184
 " Rough legged 175

II.

I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
Y

Jay - Blue. 335.
" Canada 108

K

Kingfisher - Belted. 41.

K
L
M
N
O
P
Q
R
S
T
U
V
W
Y

L.

Lark - Meadow. 47.
Lark - Tit. 51.
Loon - 251.
Lark - Shore. 343.

M

Martin - Purple. 149
 Merganser - Hooded. 287.
 Merganser - Buff-breasted. 337.

M
 N
 O
 P
 Q
 R
 S
 T
 U
 V
 W
 Y

Nuthatch - White-breasted. 341.
Nuthatch - Red bellied 142.



Oriole - Baltimore, 143.
 Oriole - Orchard, 233.
 Owl - Mottled, 341.
 Owl - Barred, 52.
 " Short-eared, 288.
 " Great-horned, 186.
 " Long-eared, 230.

O
 P
 Q
 R
 S
 T
 U
 V
 W
 Y

P

- Pewee - Common. 77
 Pewee - Least. 135
 Plover - Semipalmated. 243.
 Plover - Piping. 265.
 Plover - Golden. 269.
 Plover - Killdeer. 279
 Pigeon - Passenger. 289.
 Plover. Black-bellied 122 - 140.
 Petrel Leach's 216.

Mail American. 11.

Q
R
S
T
U
V
W
Y

R.

Rail - Virginian.	109
Rail - Carolina.	157.
Robin - Ground.	169.
Redpoll - Lesser.	329.
Robin - American	350.

S.

- Sparrow - Tree. 31.
 Sparrow - Song. 37.
 Swallow - White Bellied. 55.
 Snipe - Wilson's. 65-66-64-68-234-236-242
 Sparrow - Fox colored. 67
 Sparrow - Chipping. 99.
 Sparrow - Savannah. 101
 Sparrow - Swamp. 103
 Sparrow - Field. 113
 Swallow - Barn. 115.
 Swallow - Cliff. 119
 Sparrows - White Throated. 121.
 Sandpiper - Bartram's. 127
 Swallows - Bank. 129.
 Sandpiper - Spotted 133.
 Swallow - Chimney. 147
 Snipe - Red Breasted. 245.
 Sandpiper - Pectoral. 247.
 Sandpiper - Solitary. 253
 Sandpiper - Least. 255
 Sandpiper - Semipalmated 257.
 Sandpiper - Sandling. 259
 Sandpiper - Ash Colored. 275
 Shrike - Great Northern. 339
 Sandpiper - Stilt. 267.
 " - Bonaparte's 281.
 Sparrow - White crowned 286
 Sandpiper - Purple 354

- Thrush - Migratory 27
 Teal - Green Winged. 85.
 Teal - Blue Winged. 153
 Thrush - Water. 165.
 Thrush - Tawny. 167
 Thrush - Golden Crowned. 179.
 Thrush - Wood. 183.
 Tanager - Scarlet. 203.
 Turnstone - 261
 Tern - Common. 277.
 Tern - Black. 283.
 Tattler - Yellow Shank. 141.
 " " " " 341 - 348
 Thrush - Hermit. 24.
 Thrush - Brown. 349
 Tern - Least. 314
 Titmouse - Hudson's bay. 204.
 Tern - Procel 280.
 " Arctic 284

U

V

W

Y

- Vireo - White Eyed. 143.
Vireo - Yellow Throated. 177.
Vireo - Solitary. 181.
Vireo - Warbling. 187.
Vireo - Red Eyed. 201

W

Wren	- Golden breasted.	25
Woodpecker	- Golden Winged.	69.
Woodcock	- American.	74.
Warbler	- Yellow Pump.	105
Warbler	- Yellow Red poll.	111.
Warbler	- Pine Creeping.	117.
Wren	- Ruby Crowned.	123.
Warbler	- Black & White Creeping.	131
Warbler	- Yellow.	137.
Warbler	- Maryland Ground.	155.
Warbler	- Chestnut Sided.	159.
Warbler	- Black Throated Green.	161
Warbler	- Nashville.	168.
Wren	- House.	171.
Warbler	- Prairie.	195.
Warbler	- Ground.	205.
Warbler	- Black Poll.	209.
Warbler	- Cape May.	211.
Warbler	- Black Throated Blue.	213.
Warbler	- Blue Yellou Backed.	175.
Whip Poor Will,		221.
Warbler	- Mourning.	223.
Warbler	- Black & Yellow.	225.
Wren	- Short Billed Marsh.	235.
Wren	- Long Billed Marsh.	237.
Warbler	- Abundant. (<i>D. striata</i>)	241.
Woodpecker	- Hairy.	323.
Wren	- Winter.	333.
"		
"		
"		
"		
Warbler	- Golden winged	332
"	- Pycniclided	353
"	- Baybreasted	130.

24

* Vermil. Thrush

Turdus Pallasii

1869

Oct. 18 Saw quite a number of them to day.

" 26th Saw numbers of them.

Nov. 12th Still abundant!

" 10th Saw several.

" 22 Shot two, [one in Pine Swamp, Belmont, the other in Walcutt's]

Dec 10 Took one to day. The snow has been lying on the ground to the depth of a foot for over a week, and the weather lately intensely cold.

1870

April 16th Saw several.

" 9th Seen to day at Newtonville (C. J. M.)

Sept. 28 Took one.

Oct. 1 A general arrival.

" 21 Saw immense numbers of them during the day: in fact every little thicket seemed full of them.

1871

April 21 A general arrival: probably stragglers arrived much earlier.

" 29 Extremely abundant everywhere.

Nov. 3 Still abundant.

1868 Golden Crested Wren.
Regulus satrapa

- Mar. 1 Heard one.
 " 5 Saw several.
 " 10 Heard one.
 April 10 Saw one but they are getting scarce.
 " 12 Heard one.
 " 27 Shot a male & saw several more.
 " 28 Heard several.
 Aug 1 Saw several in the Franconia Notch, N. H.

1869

- Feb. 17 They have remained with us throughout the winter; saw several to day.
 " 110 Saw one to day & daily the rest of the winter.
 Oct. 1 Saw several.

1870

- Jan. 4th Saw several.
 " 28 Saw three or four.
 Mar. 21st Heard several.
 April 8th Heard several males singing this morning. Their notes though few and simple were very sweet, and much indeed like those of *Helminthophila*, *Ruficapilla*.
 " 22nd The males were abundant everywhere this morning and nearly all in full song.
 July & Aug. Franconia Notch. Common; most particular to the low, stunted, growth of spruce & fir, on the mountain sides.
 Sept. 19 Saw several.
 1871.
 Sept. 15 Several were seen.

Migratory Thrush.

Turdus Migratorius

1870

- Mar 23rd Saw them passing Northward all day, flying in small, close flocks. Only a few scattered birds passed the winter with us.
- " 24th They frequent the asparagus beds and cedar thickets in large flocks but they do not seem to scatter through the fields, and are all probably bound farther North.
- " 31st They are beginning to disperse through the fields and orchards, or rather, what perhaps is more likely, our birds are arriving and taking possession, once more of their accustomed haunts and the Northern birds are leaving.
- April 1st Heard the first male sing this morning.
- " 2nd Singing everywhere: not nearly all our birds, however have come as yet.
- " 8th Have all or nearly all, arrived and settled down for the season.
- July & Aug. *Scolecocia* notch: quite frequent, nest & young 20
- Nov. 7 Still abundant.
- Dec. 31 Took on so much imaciated that it was hardly able to fly: its crop contained a few barberries and *Scolecocia* berries.

1871

- Mar. 6 The first, a single male in the open fields
- " 10 Three or four.
- " 11 Abundant everywhere this morning, in the orchards and fields and apparently already paired.
- " 13 Several males seen, heard singing this morning. F. S. H.
- June 30 They are now sitting on their second broods and the males sing at all hours of the day, but they have already begun to resort to the swamps at evening in considerable numbers.
- Oct. 30 Saw several flocks migrating S.
- Dec. 13 Six in the ~~cedar~~ cedars in Belmont.
- " 25 Heard one flying over our place in E.
- 1872
- Jan. 12 Saw three in Belmont in cedar grove with one *A. cedrorum*.

1868

Migratory Thrush - *Turdus migratorius*

- Mar. 7 Heard one
- " 15 They have scattered through the fields, and this evening several of them were sitting on the tops of our Linden trees, answering each other but I have not heard them sing as yet.
- " 17 Heard the first old male singing.
- " 21 The ground yesterday was bare & the grass green but nearly two feet of snow fell today, so that the Robins suffered a good deal from the cold & the want of food.
- " 24 There are very few of them around.
- " 27 The males were singing on all sides this evening and I think that numbers of them arrived today.
- " 31 They have all arrived.
- April 11 About nine inches of snow fell today; by noon the ground was bare in the meadows and in the woods. The Robins collected in large flocks; I think that in some places I must have seen as many as fifty at once all actively engaged in searching for food.
- May 19 The Robins are nearly all sitting on their eggs; shot an albino female today, of a light gray color, it was accompanied by several others of the usual color.
- July 4 Saw numbers this evening in flocks of six or seven passing over to their roosting places in the swamps.
- " 5 Heard one singing this evening; he would utter a few notes, then stop and in a few minutes begin again as though too much oppressed by the heat to make a more vigorous effort.
- " 14 The weather is now cooler and the Robins may be heard singing at almost any time of the day.
- " 31 Saw several in the Franconia Notch, N. H.
- Aug. 9 Saw a very white albino in Arlington.
- Sept. 27 The numbers of the Robins are fast diminishing now but they are still numerous. They pass over every evening to their roosting places in the swamps in large scattered bodies, and as they approach their destination they dive downward with frantically closed wings, and after darting through the bushes

which skirt the swamp, they alight among the thickest foliage of the swamp maples: here they remain until the dawn when they return again to the fields and gardens.

Oct. 31 Saw a flock of several hundreds in Lexington: they kept much closer together than they usually do, and when flying looked more like blackbirds than Robins.

Dec. 28 came upon a flock of about thirty in Watertown. With the exception of the occasional utterance of one or other of their call notes they were silent.

1869

Feb. 24 Saw one this morning.

" 27 Shot one this morning.

Mar. 8 Saw about a dozen.

" 22 Saw several.

" 25 While watching an old male to day just as the sun was setting, he suddenly began to sing, first in a low pensive strain, then full and clear until the woods around seemed filled with his melody, then uttering a low note he plunged headlong from the top of the oak upon which he had been sitting, and disappeared in the thick underbrush.

Oct. 25 Saw several immense flocks, apparently composed of flight birds.

Nov. 16th Saw several flocks.

Dec. 8th Saw one.

" 15 Heard one plainly.

1870

Feb. 20th Saw one to day.

Mar. 18th Two were seen to day.

" 22nd Saw a large flock flying Northward.

(Vide Page 26)

1868 Snow Bunting *Plectrophanes Nivalis*.

- Mar. 7 Saw five flying.
 Oct. 27 Heard several this morning.
 " 31 Saw a large flock in ball's tone.

1869

- Jan. 2nd Saw a flock of about fifty flying.
 " 14 Saw a small flock.
 " 30 Heard several at Concord.
 Feb. 22 Saw as many as a dozen flocks during a morning's excursion.
 Mar. 12 Found large numbers of them on Charles river marsh. Large flocks were continually coming and going. On the ground they ran about nimbly, appearing and disappearing among the piles of seaweed and drift-wood like so many sandpipers.
 " 21 Saw a single bird.
 Nov. 1st Heard one
 " 9 Saw a small flock.
 " 22nd Saw several.
 Dec. 8 Saw a flock.
 " 29 Saw a small flock of half-a-dozen or so.

1870

- Mar. 18th Saw one to day: They have not been nearly so abundant as usual this winter.
 " Saw a flock of about twenty this afternoon
 Nov. 3 Saw a single bird; saw them at intervals singly, until the first snow in the latter part of Dec. when they suddenly appeared in large flocks, lightish when the snow had drifted away: very restless in cold days, more tame and lothsome in warmer, clearer weather.

1871.

- Jan 2nd Saw several flocks

1871

Jan 4 Saw numbers at Chocoma beach: fed on the wet beach, also on the washed up masses of ice at high water mark: three perched on the roof of a deserted house where they remained for some time.

Jan 7 Saw the last 'nest day very wild and snow almost entirely disappeared; and up to to-day (16th) have not seen a bird. 20th saw flying over high.

" 27 " Have just had a heavy snow storm: saw several large flocks

" 30 " Heavy snow storm yesterday covering everything up. Immense flocks of these birds suddenly appeared. One flock of a thousand or more in a large weed grown field; feeding greedily and quite tame. When fired at rose in doubtless to the tops of some upright birch oaks, settling on every branch & twig, where their flight their own of their wings hitting against the branches was like the crashing fall of a heavy tree. Creaking over the field when about to light; just as they gave the last turn the whole flock by some given signal would utter this harsh harsh like chatter so perfectly simultaneously, that it was quite deafening; the wing broken birds always raise a short distance to some little hillock, and then standing in an upright attitude kept in a constant piping; when caught they bit with all the strength of their bills which however, was not great.

Feb. 11 Saw two single birds; ^{the last} about two inches of snow just fallen.

Oct. 30 Saw two small flocks.

1872

Nov. 29 Have been quite scarce this winter; single bird the last on ground at Grantville (H.W.V.)

1868

Tree Sparrow
Spizella monticola.

- Mar. 7 Saw a small flock.
 " 22 Saw several small flocks.
 " 25 Heard several males sing.
 " 28 Heard numbers of males singing.
 Oct. 23 Saw several to day for the first time this autumn.
 " 31 They are becoming quite numerous.

1869

- Jan. 9 Saw several small companies of them, but they do not seem to be as abundant this winter as usual.
 " 19 Saw numbers of them to day.
 Mar. 20 Saw several.
 " 24 Heard a number of males sing.
 " 26 Heard one to day probably the same.
 Nov. & Dec. Plentiful as usual.
 1870
 Jan. 11th Saw a large flock.
 " 17 Took an albino to day. Heard several males sing very finely.
 Mar. 10th They seem to be much scarcer now than they were in Jan. and Feb. Saw about a dozen to day.
 " 19th Saw a flock of about twenty.
 " 23rd Saw several small flocks.
 April 2nd Have seen none for the past week and I think it probable that our birds have left us, while those wintering further South have not as yet arrived.
 " 7th Heard several males singing this morning.
 " 10 Still continue scarce. Jan. 27 - Jan. 31
 Nov. & Dec. Saw them occasionally.

1871

- Jan. & Feb. Not nearly so abundant as usual but still frequent.
 Mar. 29 Abundant everywhere in large flocks; males sing at all times of the day.
 April 7 Now abundant. As I ever saw them before males sing at all times of the day.

1871

April 12 Still very abundant.

" 24 Heard a male singing at Concord the last.

Oct. 25 Saw in a flock of this species one individual
nearly white.

" 28 Heard several old males in full song.

1868

Trow Bird

Junco Hyemalis.

- Mar. 8 Saw three popping about the roots of some evergreens.
- " 17 Saw several large flocks, the males all singing.
- " 22 Saw several flocks.
- May 8 Saw one to day: they were very scarce now however.
- Aug 6 Saw numbers on the summit of Cannon Mt. one of the highest of the Franciscan range.
- Sept. 19 Saw several in this vicinity.
- Dec. 19 Saw several to day.

~~Feb~~

1869

- Feb. 27 Saw numbers of them. They have been comparatively scarce this winter.
- April 23 They were very numerous this spring & have now nearly disappeared.
- May 18 They were again in pairs in a few places.

Nov. 2nd They are now extremely plentiful, much more so than common.

1870

- Jan. 9th Saw several.
- " 20th Saw a very large flock.
- " 28 Saw a flock of half-a-dozen or so.
- " 30th Saw numbers.
- Mar. 23rd Saw a small flock that has, during the whole winter, frequented a certain little sheltered grove of fir trees: none of those that have wintered South have reached us as yet.
- April 7th Beginning to arrive from the South in small companies: males all in full song.
- July & Aug. Franciscan notch, very numerous

1876

- Sept. 12 1100 York; Kinnelon, N.C. One of the most common birds in the country.
 Sept. 12 1000 Cambridge, Mass. First Sept. 12
 Sept. 12 continued abundant till Dec. when their numbers began to diminish. Saw them at intervals through the latter months.

1877

- Jan. 10 Saw several. It this season always confined to the evergreen thickets. Jan. 27
 Jan. 30, Feb. 20 Mar. 4, several
 Mar. 4 A flock of a dozen or more, the males in full song; do not think forward that the migration has started as yet.
 Mar. 21 Now very numerous in large flocks, composed of both sexes, the males in full song.
 " 29 Exceptionally abundant everywhere, in flocks of sometimes hundreds made up partly of *C. monticola* and *P. iliaca*, the males of all three species frequently singing in concert.
 April 7 Have been extremely numerous but are now rapidly leaving us.
 " 25 Saw a female in Cambridge, probably the last.
 Sept. 23 Saw three.

1872

- Apr. 2 Present locally through the winter. Large arrival of Spring to day

1868

Cedar Bird

35

Ampelis Cedrorum

- Mar. 8 Saw a flock of nine
 " 14 Shot two. One possessed the wing spots, the wing of the other were plain. They were alone and kept together. When one was shot, the survivor showed considerable sorrow for the loss of its companion.
- July 11 They now frequent the shores of Fresh pond perching on the overhanging branches of trees, and on the ice houses. They collect there in such numbers that on a cloudy day, frequently as many as thirty may be seen in the air at once darting about after insects, while numbers are perched on the trees around. With their characteristic greediness they gnat themselves with insects, so that their crops are filled almost to bursting.
- Aug 2 Saw numbers of them among the *Tranmeria* mts.
- Sept. 24 They are very common visitors to a large wild cherry tree on our place which is at present covered with fruit.

1869

- Feb. 21st A small flock was seen to day. (H. Lane)
- " 24 Saw a flock of about fifty near an asparagus bed, on the berries of which they subsist principally at this season.
- Mar. 1st Saw several flocks.
- " 8 Saw a large flock.
- " 19

1870

- Mar. 2nd Heard a flock to day. They usually arrive much earlier.
- " 24th Saw upwards of a hundred during the day. They were all in flocks and seemed to be everywhere.

Mar. 22nd Saw numbers of large flocks during the day; They come in numbers to a red cedar tree, which grows near the house, and feed greedily upon the berries.

" 24th Saw several very large flocks.

April 7th Still with us in large flocks

" 23rd Still abundant in large flocks.

July to Aug. 13. *Empidonax* notth. very abundant; perching on the tops of the "stubs", and making well cut after insects.

Sept. 24th Fort Belknap. No. M. apparently all had departed for the Southward as we did not observe it anywhere.

" 17 Cambridge. Saw a large flock; Sept. 28

Oct. 1 Up to this time have remained abundant; saw several flocks to day.

1871.

Jan. 15th Flock of three at Pelmont, feeding on cedar berries; all very high plumed birds and in good condition: a remarkably early arrival.

" 20th Flock of a dozen or more at Watstown. Jan. 25th flock of twelve. Jan. 27th two flocks.

" 30th Are now very abundant, for the most part in flocks of a dozen or fifteen; very fond of busking in the sun sitting in the tops of the tallest deciduous trees. Feed entirely on cedar berries quite ignoring the asparagus beds which a month later will be their constant resort. The whole crop and neck of one bird killed was so filled with berries that the neck was stretched nearly half as long as the body.

Feb. 6th Have commenced feeding on the asparagus berries but still seem to prefer the cedar. Out of twenty one specimens two had the tail ~~very~~ just, eighteen the wings, while three wanted those appendages entirely.

Feb. 11 Have now almost deserted the cedars for the aspar. beds heard several to day while flying give utterance repeatedly to a loud mellow twitter almost precisely like that of *Hirundo* *hirundo*; this I have heard before but on one occasion - when pursuing a *Citrus* winged bird.

- 1868
 Mar. 4 Heard one singing for the first time.
 " 12 They were singing on every bush pile and
 in almost every sheltered valley.
 " 14 Witnessed a fight between two males of this
 species: After chasing each other for some
 time they closed, and fell to the ground
 together: They struggled violently together for
 some time, and at length lay nearly motion-
 less, apparently tired out, but each still
 retaining his hold: after resting for nearly a
 minute they renewed their struggles until
 at last they rolled together into a small pool
 of water, which effectually separated them.
 " 15 Nearly if not all of them have arrived.
 " 21 They are much troubled to find food today as we
 had a heavy fall of snow last night.
 Aug 7 Saw numbers, both adults & young in *Tranversia* N. 16

1869

- Jan 24 Heard one of these birds today and I have observed
 them several times before, this winter.
 Feb 22 At daybreak this morning the old males were
 singing on all sides. They are the first that I
 have heard.
 Mar. 14 Although the birds are still common, I have not heard
 any singing since.
 " 16 Heard an old male singing.
 " 24 Heard them singing everywhere, and numbers must
 have arrived since yesterday.
 Nov. 23 Still quite numerous.
 " 25 Saw several.
 Dec. 7th Saw one
 " 20th Saw two and took one.

1870

- Jan. 9th Saw two.

1870

- Jan. 11th Saw one to day.
 " 17th Saw one
 " 28 Heard a male apparently practicing for
 the coming spring, as some of his notes were
 rather confused and broken.

Mar. 2nd Heard and saw a male. His
 singing was so very imperfect that
 he must have been a young bird.

" 10th Saw and heard one, probably the
 same, as that seen on the 2nd.

" 23rd Singing everywhere this morning: the
 borders of the roads, the fence corners, and
 the briary thickets generally, seemed absolutely
 alive with them. Thousands must have
 arrived within the last few days.

April 8th They seem to have all arrived, and settled down
 for the season.

July 8th Franconia notch. Not frequent.

Sept. 25 10th Forks of Kennebec. No. Quite frequent.

Sept. 26 Cambridge. Abundant as usual.

Nov. 10th Cambridge, saw two. Dec. 31st

1871

Jan. 4 Chatham beach; and a short distance back
 from the sea shore.

" 18 Two at Belmont. Jan. 20th one;

" 30 Heard one. Feb. 16th two were shot. (S. P. A.) Feb. 22nd

Mar. 3 The first of the migration have arrived; heard a ♂
 singing. Mar. 5 a general arrival; males singing everywhere.

" 6 Very abundant; rarely sing after 10 A.M.

1872

Mar. 27 Were seen at frequent intervals through the winter. To day
 the first spring migrants arrived; saw six or seven; heard only
 faintly.

" 29 Gen. arrival at Guntwite; flock of 30 seen, H. Guntwite.

1868 American Brewer Creeper.

Mar. 10 Heard one. *Certhia americana*

" 14 Saw one and heard it sing several times. The song was intermediate between the 2nd note of the Pit Lark and the common spring song of the Black & White Creeper. I heard a Brewer Creeper several years ago, sing after a somewhat similar manner.

Aug. 1 Heard one in the Franconia notch N. H.

Oct. 24 Saw one in this vicinity to day for the first time this Autumn.

1869

Feb. 7 Saw one to day.

Mar. 14 Heard one sing this morning very finely. The song was loud and clear, very much like that of the Tree Sparrow, but rather shorter.

" 8 Shot one to day.

" 14 Heard one singing very finely this morning. Its notes were very full and clear, and not unlike those of the male Tree Sparrow.

Oct. 1st Saw several to day.

Nov. & Dec. Plentiful

1870

Jan. 9th Saw several.

" 26th Saw three or four.

" 28 Saw one.

" 30 Saw three.

Mar. 10th Saw one.

April 10th Still with us.

July & Aug. Franconia notch. Abundant. Aug. 1st took the young just out of the nest.

Sept. 19 Saw three. Oct. Nov. Dec. Abundant.

1871

Jan. Feb. Saw them at intervals. Mar. 6

Mar. 6 Heard a male sing

1871

- April 27 Saw one probably the last, in Cambridge.
" 29 One was shot in Belmont the last of the season.
Sept. 21 The first (by R. Dean)
18

1868

Purple Finch.

41

Capodacus Purpureus

- Mar. 11 Heard a male sing most splendidly.
 " 23 They are singing on all sides in spite of the snow which is over a foot deep.
 " 27 The males have begun to sing while floating in the air.
 July 14 The males are now silent.
 Sept. 25 They have been common all along. Saw several to day.
 Dec. 19 Saw several in the plain plumage of the females.
 " 26 Saw several to day.

1869

- Nov. 19 Saw a large flock

1870

- Mar. 19th Heard a male singing most splendidly from the top of a cedar tree.
 " 31st Heard several males singing.
 April 2nd During the first two hours of daylight the males are singing on all sides, floating in the air with outstretched and quivering wings, or perched on some commanding tree top.
 " 7th Abundant everywhere.
 Sept. 2 to 10. Took 3 *Parus*. Saw several.

1871

- Jan 11 Single male taken in Watertown. (J. F. H. Weston)
 Mar. 19 Several males seen and heard at Concord. Mass. S. F. J.
 " 23 Heard a male sing at Concord.

1872

- Apr. 4 Gen. arriv. in full song. Cambridge.

u
u
u
u

A
1
Fe
M

1868

Blue Bird.

43

Sialia Sialis

- Mar. 11 Two males (the first at Cambridge) were seen here to day (By R. Deane)
 " 13 Saw one myself to day.
 " 14 Saw the first pair, of which the female is used several of my boxes. Saw about forty during the day: they were mostly males.
 " 21 Heavy fall of snow: Singing of the Blue Birds persisted.
 " 22 They are reduced to great extremities: they have collected around the sources of small brooks and places where the snow has blown off and I watched a number of them feeding on the berries of the Red cedar and poisoning themselves in the manner of the Cedar Tit.
 " 24 They are very scarce.
 April 7 About six inches of snow fell to day: consequently the Blue Birds together with the Robins, Grackles, Song Sparrows and other spring birds, are in great distress.
 Sept. 26 They are as common as usual this autumn. Heard two old males singing splendidly to day.

1869

- Feb. 24 Saw the first one of the season to day, a beautiful male.
 Mar. 3 Saw Blue Bird male, to day
 " 14 Found a pair this morning, inspecting my boxes and olive jars; the female is the first that I have seen.
 " 19 One was heard singing to day, but they are by no means common as yet.
 " 20 Saw a flock of six or seven.
 " 24 They are getting very abundant.
 Nov. 15 Saw the last one to day.

1870

- Feb. 14th Seen at Washing D. C. to day (D. C. French)
 Mar. 24th Saw a pair in Waterbury. They are remarkably late in the year as I never know the three Blackbirds to arrive sooner before
 " 25th Saw a pair.

April 2nd Very abundant everywhere.
 " 5th Began to build in. or. of my boxes this morning.

1871

Mar. 1 Saw flock of fourteen or fifteen in Belmont; they were so restless, that I found it impossible to count them accurately, but there were certainly over a dozen of both sexes, the males however in ascendancy over the females. Perfectly silent they flew from fence to fence and from orchard to orchard in a impatient, hovering mood, frequently lighting on the ground for a moment, and then moving again in a general South Westward direction.

Mar. 2 Saw a flock of five the males in full song

" 3 " " " " fifteen.

" 4 A pair entered several of my boxes; a general arrival.

" 6 Are now abundant everywhere in the fields and orchards either single males, or in pairs.

Nov. 10 Saw two the last.

1872

Mar. 22 Flock of four on S. exposed hillside in Belmont; silent and all ♀.

" 25 Several seen at different points

1868

Red Winged Blackbird.

45

Agelaius Phoeniceus

- Mar. 17 Saw the first, this morning. There were only three or four of them, all males, but as the sun began to rise they commenced their usual song: they were perched on some low bushes in a large swamp.
- " 25 They are still here in spite of the deep snow.
- July 7 The young are now collected into flocks with their parents, but a few males may still be heard singing.
- " 25 They pass over every evening in a northerly direction in company with the Grackles.
- Aug. 9 There are still a few remaining in their favourite swamps.
- Sept. 27 A large flock of these, and Rusty Blackbirds roost in a large brush swamp in this vicinity coming in from the Westward just at dusk and departing in the same direction early in the morning.

1869

- Mar. 14 Several were seen at Concord Mass this morning.
- " 24 Saw a flock of about twenty migrating Northward.
- " 25 The low bushy swamps were full of them, all males, singing from the top of almost every tree and bush.
- Sept. 1 Saw a flock of nearly a thousand, going to roost in the reeds on the edge of Charles River, above Watertown.

1870

- Mar. 23rd Saw upwards of fifty during the day. They did not seem to be in nearly so large flocks as is usual on their first arrival, for on one occasion did I see more than ten together.
- " 31st Saw a large flock.
- April 7th Abundant everywhere: no females as yet.

Red-winged Blackbird

Agelaius phoeniceus.

1871

Mar. 6 Heard upon three males perched on the topmost branches of some tall oaks on the edge of a small pond: all in full song and very shy.

Mar. 8 A general arrival

May 5 Are now for the most part scattered through the meadows and bushy swamps although a few flocks still remain in the uplands. The females did not appear this season till about the middle of April. Both sexes are now so tame as to be shot without any trouble, which earlier in the season it was extremely difficult to procure specimens.

1872

Mar. 25 Thirty or more ♂ in full song with three or four *D. auricularis*, *Pipilo*

" 30 Gen. arriv. at Concord. ♂ scattered over the meadows.

1868 Meadow Lark

Sturnella Magna

Mar. 14 Saw the first one today; they have been absent during the most severe part of the winter.

Sept. 26 Saw numbers.

1869

Mar. 25 Saw one to day.

Dec 9 Saw three.

" 20th Saw a flock of about a dozen.

1870

Jan. 27 Saw a flock of five, which as is usually the case at this season, were very shy.

Mar. 2nd Saw a flock of five; they were exceedingly shy, and the males sang frequently.

" 10th Saw one to day. When I first noticed him he was sitting on the ground within a few feet of a Oriole (*C. borealis*) and during a long chase that I had after the latter bird kept him close company, invariably lighting within a short distance of his strange friend, whether upon the ground or a commanding tree top.

April 2nd They are getting quite numerous.

" 7th They have probably all arrived, and appear to be mating, chasing one another about the fields and singing vigorously.

Nov. 25 Saw several, the last of the season?

1871

Feb. 22 Seven were seen by J. P. Hinson: he also saw them in the same place about the 19th and was informed by a reliable person living in the vicinity, that this flock had been resident there through the winter: this I had already surmised as I have observed them in the same locality for several former winters.

45
1870

Feb. 28 Saw her

Mar. 6 Their numbers are fast increasing.

Nov. 23¹⁸⁷¹ Saw a flock in Belmont which always winters there

Dec. 29 In Belmont flock seen

872

1868

Rusty Blackbird.

49

Scelopophagus ferrugineus

- Mar. 14 Saw the first, five or six in number: they arrived from the South in company with a few Red Wings and immediately pitched onto a large swamp.
- April 29 Saw a large flock and shot three, all males: they have been thicker this Spring than I ever saw them before: they are never seen now as in the Autumn in the bushy swamps but they frequent the low Marsh swamps.
- May 6 They have been very numerous this Spring but they are getting scarce: saw three to day.
- " 8 Saw one.
- " 4 Saw numbers of them during the day & shot several
- Sept: 12 Saw the first to day.
- " 26 Saw a flock of about forty or fifty.
- Oct. 7 Saw large numbers of them.
- " 27 Saw large flocks this afternoon.
- Nov. 7 Saw a flock of thousands of these, and Crow Blackbirds. They lit on the ground in a pasture, and after remaining a few moments, they started off in a Southerly direction, and in their flight passed through the tops of the trees, coming within about one hundred yards of the place where I was standing. The screeching produced by their wings & by their excited cries was positively deafening, and resembled the sound of a gale of wind, blowing through a dense grove of tall pine trees. Although while on the wing they flew almost touching one another, yet they must have covered in their flight nearly an acre of ground.

1869.

- Mar. 26 Saw five flying.
- " 27 Saw numbers of them in or about the edges of low swampy wood, their favorite haunts in Spring: the males were all singing.

- Oct. 8 Saw vast flocks going to roost just at sunset in the bushes lining the banks of Concord river above the town. They kept pouring in from all directions, until there could not have been many short of a thousand. Sometimes they would all take flight at some imaginary danger, and after circling around for a few moments in a deep cloud, would pile headlong again into the tangled thickets.
- Nov. 13th Saw one to day, the last of the season.

1870

- Mar. 23rd Saw upwards of a dozen during the day. Many doubtless arrived yesterday.
- " 25 Heard a flock.
- April 7th Saw several immense flocks: have seen no females, as yet, however.
- " 9th Saw numbers of both sexes
- Sept. 26/0 Took Fennell's. Saw them occasionally in twos & threes.
- " 19 Saw one. Have not been nearly so abundant this Autumn owing probably to the severe drought. Saw the last Nov. 25th, a single bird.

1871

- Mar. 4 Two males were seen in a swamp near Concord (F. Peabody).
- " 13 Saw several large flocks for the first time.
- April 26 Still abundant on Concord river, though in this locality they are getting scarce.
- May 2 Saw one.
- " 6 Saw a large flock of both sexes, the last.
- Sept. 29 General arrival

1872

- Mar. 30 Gen. arriv. at Concord

1868

Tit Lark.

Anturus ludovicianus

- Apr. 14 Saw two flocks, both flying in a northerly direction.
- Apr. 14 Saw five flying over.
- May 6 Saw one flying.
- Sept. 12 Several were seen to day (R. D.)
- " 23 Saw one myself to day.
- Oct. 7 Saw several to day.
- " 26 Saw several.
- Dec. 22 Saw three flying.

Identification doubtful
Species at this time
confounded with
Esomophila alpestris

1869

- Jun. 6(?) Saw five.
- Oct. 8 Saw a large flock at Concord, Mass.

1870

- Sept. 21 Made their appearance in large flocks on the salt marshes.
- Oct. 24 A flock of forty or more at Belmont on open piece of cultivated hillside: rather shy and very active and restless.

1871

- Sept. 21 Appeared to day in large flocks in the neighborhood of Fresh Pond.
- Oct. 3 Found them at Concord Mass. in flocks of hundreds. In one immense ploughed field as many as a thousand were collected feeding on a species of Diptera that everywhere swarmed on the sandy soil. Although they all rose in the air at the report of a gun they soon returned to the ground again & I found it impossible to drive them entirely away.

1869

Burred Owl

Nyctium Nebulosum

Nov. 15 Took one to day in a grove of young cedars on a hillside. It was not at all shy and permitted a very near approach.

1870

Sept 8 Freshly Hatched. Mr. Saw a dead one & was told that it is abundant there.

Nov. 12 Took a ♀ in a grove of yellow pines: shot a crossbill out of the crevice in which it was sitting without disturbing it. Upon being brought down with a broken wing defended itself feebly, snuffing its bill loudly.

Dec. One was shot in a pine swamp: it was rather shy. A few days since a dozen of these birds just set up in a tubular iron shop in Boston: have now no doubt but that in winter it is the commonest Owl in the State and that not very few are resident.

1871

Jan. 21 One found in Boston to day, perching on the eaves of buildings, and finally killed by an office stool thrown at him as he sat on the roof of the News Exchange.

1868 Common Crow

Grows And. leaves

- Mar. 14 Saw a good many flocks flying about; a few remained around throughout the winter.
- " 18 Saw at least two hundred in different flocks, flying North.
- Sept. 26 Saw a flock of about thirty.
- Oct. 30¹⁸⁶⁸ The day was very windy and cold, and multitudes of Crows passed Southward, flying in small scattered companies here over the water.
- Nov. 2nd Still flying Southward in large flocks.
- " 15 Saw a flock of upwards of a thousand, migrating. One flock of a hundred or more, lit in a ploughed field, walking quickly about, searching eagerly for food, and occasionally fighting noisily for some choice morsel.
- Dec. Saw them occasionally all through the month.

1870

- Jan. 13th Saw several.
- Mar. 23rd Saw large numbers in loose scattered flocks flying in a Northerly direction. A few passed the winter with us as usual.
- " 31st Saw them all day flying Northward.
- July & Aug. ¹⁷ *Transonia* notch. quite frequent.
- Oct. 25 Saw large flocks migrating Southward.
- Dec. 31 Heard some of them occasionally up to this date.
- Jan. & Feb ¹⁸⁷¹ Saw them at intervals but not so many this winter.
- Mar. 3 I think that the migration has commenced as I saw several large flocks flying N.
- Oct. 28 Saw a large flock migrating, S.
- 1872
- Apr. 3 The height of the migration is passing.
- " 12 Still migrating.

of
e

u
c

p

1
9

J

White Bellied Swallow

- Mar. 18 Saw the first one of the season: he was flying in a northerly direction & quite low down.
- Apr. 2 Saw the first to day since Mar. 18th. They were flying around my boxes and quarreling with the Blue Jays.
- " 6 Snow fell yesterday to the depth of several inches and banished the Swallows for a time.
- " 8 They were around again this morning.
- " 11 Another deep snow: saw several swallows.
- " 14 They were flying around my boxes this morning six or seven at a time.
- " 13 They were seen to day by one of my friends, (M.D.) flying in large flocks over the surface of Fresh Pond.
- " 25 They are very numerous this spring: we had quite a snow storm to day the snow falling to the depth of several inches and during all the morning the surface of Fresh Pond was covered by a vast host of these birds: they flew close to the water every now and then dipping in: there must have been several thousands of them.
- " 26 Saw several hundreds on Fresh Pond to day: in fact there are some there all the time now.
- May 10 They are all now engaged in building.
- July 10 The young have all flown.
- Aug. 8 They are still abundant in the neighborhood of the Meadows & other low places.

1864

- Apr. 2 Saw a number of them flying around my boxes.
- " 15 Saw a number of them around my boxes.
- Oct. 24 Saw several passing Southward.

1870

- April 8th Two appeared about my boxes this morning.
- " 10 Abundant everywhere.
- July 28 Seen. notch. Up to the edge of the woods.
- Sept. 6th Seen in Kennebunk. No. 10 ponds saw them on the

flying about over the surface of the water

1871

Mar. 19 The first this morning, a single male flying about and hitting one of my Martin boxes.

April 1 Saw a single bird in our yard this morning the first since Mar. 19: the intervening weather has however been very cold and boisterous.

" 3 Saw three or four small flocks flying over the flooded meadows near Fresh pond.

" 6 Saw upwards of a hundred on Fresh pond.

April 20 Still frequent the pond in cloudy weather

Sept. 28 Saw the last a flock of thirty or more, on this pond.

1872

Apr. 5 One around my boxes.

" 6 Three. " " "

1868

Cross Blackbird.

57

Cinclus trivictor, purpureus sinens.

- Mar. 18 The first one was seen to day.
 " 19 Saw a flock of about thirty.
 " 23 Saw a flock of about twenty; snow about eight or ten inches deep.
 July 13 Every evening for the past week or two I have seen them passing Northward in companies of a dozen or so. This evening I saw several flocks composed of as many as forty or fifty, and several following, one in the wake of another toward the North. This second migration, if so it may be called I have often noticed in former years. They will probably return in immense flocks by about the 7th of November, as they did last year.
 " 26 Saw a large flock passing over towards the North.
 Sept. 15 Saw a single bird.
 Oct. 27 Saw large flocks of them.
 Nov. 7 Saw immense numbers of these birds mixed with Rusty Blackbirds (see page 49)

1869

- Mar. 14 ~~Mar. 14~~ Saw one this morning. It came swooping down from the very clouds, uttering its familiar call note, and had evidently just arrived.
 " 28 Saw upwards of a dozen to day, several of them females.
 Sept. 1 Noticed them all the afternoon passing over in large flocks toward the North, as is their strange custom at this season.
 Nov. 15th Saw one to day, the last of the season.

1870

- Mar. 22 Saw one just at sunset, pitch down into a grove of pines, that is a favourite breeding place of theirs in summer, and after uttering a few loud notes, settle himself for the night.
 " 23rd Saw several of both sexes.

58
1870

Mar. 25th 3 in the air or four.

April 3rd They are now probably as abundant as they will be, but, in this locality at least, their numbers fall far short of what they were in former years.

" 10 The flocks seem to be breaking up and the birds now go in pairs.

1871

Mar. 6 Saw three

" 9 A few are seen every day but they are by no means numerous as yet.

" 13 Are now abundant everywhere.

April 21 Have separated into pairs and are much less shy now than they were earlier in the season.

June 30 The young are now all flying. Observing to be reticent through the swamps just at dusk, I observed them in small flocks continually arriving and pitching down into maple thickets.

Were they undoubtedly come every night to roost, at this season.

July 18 Just at dusk observed them in flocks of hundreds constantly arriving, and pitching down into a large maple swamp near Spy pond: this accounts for the supposed Vothin migration noted above, as they come in from the settled region to the South when they feed during the day in the morning fields.

Oct. 9 Saw three flying over Fresh pond towards the S. W.

" 11 A large flock of this species mixed with *Set. ferrugineus* was seen in the swamps (N. W. corner)

Oct. 14 Saw several flying, S. the last.

1872

Mar. 25 Three in large flock of *A. phoeniceus*.

1868

Bald Eagle
Haliaeetus Lencoecephalus

59

Mar. 18 Saw several probably the young of this bird, as they appeared when flying perfectly black.

1869

Feb. 22nd Saw an adult bird of this species with the white head & tail, in Cambridge.

" 24th Saw an adult on Fresh pond, probably the same seen on the 22nd. He pursued a Gull (*Larus argentatus*) almost over me, but upon being fired at, relinquished the chase and turning aside, was quickly out of sight. His flight was very rapid, and was performed by quick, repeated flaps of the wings, with scarcely any intervals of sailing, and his white head & tail were very conspicuous.

Dec. 21st Saw a very fine adult - at Concord (Mass).

Duck Hawk

Buteo swainsoni

1861

Jan. 4

Saw a bird a *Chamaea fasciata* that I
suspect to be this species; its flight was
rather slow with alternate flappings &
sawings; it followed a *Sturnella* for a
short distance but soon gave up the
pursuit;

D
10
po
M
A
Jan
to

1868

Herring Gull.

61

Larus Argentatus

- Mar. 19 Saw one flying over Freshpond which has now broken up.
- April 18 Saw about twenty on Freshpond.
- Oct. 24 Saw one on Freshpond to day for the first time this Autumn.
- Nov. 15 The Gulls come up to Freshpond regularly now every morning, and will continue to do so probably until the water is closed by ice. They arrive usually just as the sun is rising, and remain all day unless they are driven out, swimming about in the middle of the pond if it is calm, but if the wind blows hard they pass most of the day on wing. They are very shy and no sooner do they perceive a boat putting off from the shore, than they rise in wild circlings, frequently until they are beyond the reach of vision, and disappear.
- Dec. 8 Shot a young bird of this species on 'the pond', as he was sweeping along close to the shore.

1869

Dec. 1

They have been abundant all of the winter.

- Dec. Common as usual on Freshpond during this month.

1870

- Jan. 23 Saw upwards of one hundred sitting in a close body upon the ice at Fresh pond.
- Mar. 10 They have been abundant through the winter, and still continue so.
- April 7th Still abundant.
- " 11 Saw several.
- July 11th Took off a hundred ^{the season} all immatures; been there through
- Nov. & Dec. Come up to Fresh pond from the sea every morning.

(See next page)

1871

Sept. 4 Cetus beach - Saw several acres floating on the sea a few hundred yards off.

Feb. 6 The ice having been removed from a small portion of Fresh pond principally in and out of the cove the Gull found it out directly and were found up to it front the bay very morning.

Mar. 10 Still frequent Fresh pond in large flocks. Saw several to day sail against an exceedingly strong wind, for several hundred yard without a single flap of the wing, and very swiftly.

April 7 Saw several on Fresh pond.

" 27 One was seen on Fresh pond. (H. Russell)

" 29 Three were seen on Fresh pond (H. Russell)

Nov. 9 Went down in the harbor among the shipping for Gulls when we found them comparatively unsuspecting. After shooting down one several others came swooping down to the rescue till we had killed four. This however was the only occasion before or since when I have known this occur.

1868

Common Blackbird.

Melospiza Peewee

Mar. 19 Heard the first one.

July 25 They are still around in small companies of four or five.

Aug. 8 Saw a young bird today following a Chipping Sparrow that had evidently been its foster mother.

x The Sparrow kept trying to drive off its troublesome offspring but the latter pertinaciously followed & refused to be discarded.

1869

19

1870

April 7th Saw a flock of five, flying

" 11 Abundant everywhere.

1871

April 4 Saw three or four

1872

Mar. 30 ♂ at Concord.

94
1868

Nelson's Snipe. (Continued from Page 66th)

Nov. 10

with dangling legs, they drop ~~down~~ again into the grass like so many Rails.

" 15 We have had quite a rain-storm; this afternoon I found the meadows full of Snipe & killed quite a number of them.

" 16 Shot a number of them this morning.

" 23 Started one from the middle of the road in Cambridge Port: it was probably benumbed by the cold, as it suffered me to get within a few feet of it, before it would rise.

" 26 While lying in a shooting booth this morning waiting for the coming light, I heard large numbers of these birds flying about over their favourite marshes.

Nov. 23 Several were seen to day on the Arlington meadows.

1869

" 11 Not seen to day.

" 12 Heard one just at dusk, high up in air making that wild humming sound, peculiar to the species.

" 13 I listened for some time this evening to a number of notes, which were increasing over a large meadow and heard one, which after emitting his downy note, descended the rest of the way to the ground with a shrill kee-kee-kee. I have on several occasions this spring listened to a male, who continued his wild flight for nearly an hour, without the slightest intermission. They seem to prefer fine moonlight nights for their concerts, and so far as I am concerned continue them through the hours of darkness for I have heard them as late as 11 P.M.

Sept & Oct. We had literally no Snipe at all, this Autumn on our meadows: at Concord it was the partridge, and is quite a disappointment of thing there, as their fall grounds are perfect for Snipe, and usually furnish the very finest stock they must have avoided the state altogether this season.

(Vide Page 68)

1868

Wilson's Snipe

65

- Mar. 17 I was informed that two were seen to day. It may be so, as the meadows are free from snow but still the frost is not all out of the ground.
- April 4 Saw the first one to day.
- " 8 About six inches of snow on the ground but the Snipe are still around as I saw one to day.
- " 11 Saw two.
- " 14 Flushed one several times and twice although there was a strong wind blowing, it rose, and flew for several hundred yards directly a sea wind.
- " 17 Saw six, and shot four, all males: upon hearing a sound unknown to me, I followed up the sound and soon came within sight of a Wilson's Snipe which was standing perfectly motionless on a small bump or tussock. I watched it for nearly fifteen minutes and during that time it sang perhaps six times. While uttering his strange song (which resembled the syllables; kue - kue - kue - kue - kue - kue - kue - kue, commencing slowly and deliberately and gradually increasing until the notes were blended together) it remained perfectly motionless, standing in an upright position. I then walked up to it and it squatted close. It rose at the distance of about fifteen yards from me and after flying a short distance in the ordinary manner it extended its wings and while floating in the air it began its strange song again but just as it was finishing, I shot it: it proved to be a male. I also wounded another Snipe which fell into a small pond, sitting buoyantly on the water like a small duck: upon sending my dog in, it fluttered up and flew to the opposite shore where it submitted to be taken without making any further effort to escape.
- " 22 Shot one and saw another.
- " 27 Saw one flying but they have nearly all gone.
- " 28 Several were shot.
- " 30 Shot eight: the day was still very very late.

1868

May 15 Shot three.

" 5 Saw one.

" 8 Saw one but as the day was windy and cold he rose very wild.

Aug. 17 Shot one apparently an old bird, in a ~~small~~ fresh water meadow at Rye Beach only about a hundred yards from the open sea. It had probably bred there, as I was informed by several persons that the same bird and its mate, had been seen there several times in July, and that they then acted as though they had a brood somewhere in the vicinity.

Sept. 5 Saw three in this neighborhood.

" 19 As the first, faint light of dawn, was beginning to appear, the Snipe began to fly in large numbers, over this watery retreat. They could be heard in all directions, and their notes sounded unusually harsh, and short, from the stillness of the surrounding atmosphere. The last few nights have been quite sharp for the season, & consequently, multitudes of these birds have been set in motion. Owing to the excess of water this year the birds are quite poor.

Sept. 24 This day was rainy & the birds very wild. At the first reports of our guns, all the Snipe in the vicinity rose, and kept joining one another, until finally a "wisp" of twelve was collected together, accompanied by a Pectoral Sandpiper. They must have kept on the wing for over an hour, now pitching down over the meadow, & skimming along close to the tussocks, now rising high in air and sweeping around in large circles, or perhaps flying out of sight only to return again after an absence of a few moments.

Oct. 10 Shot five. The weather was warm & the day still, & consequently they lay very close. On one occasion I saw six or seven started by a dog rise, & after flying a few yards (See page 64th)

1868 *Ind. Colored Sparrow.*

- Mar. 22 Saw about thirty for the first time this year.
 " 23 Heard an old male singing. The song of this bird varies in different individuals but as a general thing it comes nearer to the spring song of the House Breasted Grosbeak than any thing else.
 " 26 Heard several males singing just at sunset. It reminds one of a morning in the early part of summer, to hear their full, rich notes.
 " 28 The males could be heard on all sides pouring forth their clear songs.
Oct. 31 Saw several to day for the first time.

1869

- Mar. 26 Saw a single bird to day.
April 4 Saw a pair singing.
 " 12 Saw upwards of two hundred during the day. I feel the whole country would be covered with them if the males were all in full song.
 " 20 Saw none. It is a very rare bird.
Oct. 15 Saw one to day.
 " 26 Saw numerous. It is common.
Nov. 1 Still abundant.
 " 23 Saw quite a number of them, the last of the year.

1870

- April 9th Saw upwards of a dozen and heard the males sing repeatedly.
 " 22nd Saw one. They have been quite scarce this year.
Oct. 22 Saw three for the first time.
Nov. 2 Still abundant.
 " 21 I was at Watertown

1871

- Mar. 3 Saw them in Belmont: with the exception of an occasional chirp, they were quite silent.
 " 13 Saw one.
 " 29 Abundant everywhere in small companies with *S. norfolkensis* and *J. h. h. h.* April 12 are getting scarce. (Old No. 228)

83
1870

Wilson's Snipe
Gallinago Wilsonii

April 9th Saw two and took one of them, but was unable to find the survivor; soon after sunset it began to "drum" overhead, and continued it as long as I remained in the vicinity.

" 13th Started upwards of a dozen in the course of the day.

" 21st Saw about a dozen and took three.

" 25th Saw four.

" 26th Saw upwards of a dozen.

Sept. 8th Parling found Mr. just at dusk heard the harsh scarp of one of these birds flying over the small piece of reclaimed meadow on the edge of the pond.

Sept & Oct. All the Snipe meadows being completely dried up by the excessive drought, the birds were driven to the beds of ditches and streams and the shores of ponds, for food. What few I shot, were much emaciated.

1871

Mar. 20 Shot the first of the season a : it had probably just arrived as it was apparently much exhausted and very thin. A most painful search of the most likely meadows revealed no traces of others.

April 6 Three were seen on the Belmont meadows.

" 13 Started eight on the Belmont meadows and shot five.

" 14 Started five in the Fresh pond marshes.

" 15 flushed only two birds in a hard days tramp on the Belmont meadows.

" 17 Started five on the Fresh pond marshes.

" 18 Put up about sixteen in all on Deadham marshes.

" 19 Found only one bird on the Fresh pond marshes.

" 20 Saw eleven in all on the Concord marshes. The day was dark and cloudy with an East wind and a rain falling at intervals and the birds consequently very wild flying about in flocks like so many ducks.

" 22nd Saw upwards of thirty or forty on the Concord meadows and with Mr. Parker bagged twenty three.

" 24 Started about thirty birds at Concord.

(See page 23)

1868

Golden Winged Woodpecker.
Colaptes Auratus

69

Mar. 22 Saw two.

" 28 Heard several males singing and I think that several
have arrived within the last two or three days.July 4 A pair of these birds has taken up its residence in
our yard & they must have a nest in the stump
of some neighboring apple tree as the male sings
at all times of the day in spite of the heat.

Aug. 2 Saw one among the Franconia Mts.

1869

Mar. 9 Saw four for the first time.

1870

Jan. 4 Saw as many as half-a-dozen during the day.

" 17 Took one to day.

" 28 Took a male.

Mar. 2nd Saw five during the day." 4th Heard one." 19th Saw one this morning." 23rd Saw numbers and heard a male sing
for the first time.April 2nd The males are singing everywhere." 7th Probably all have come.

" 9 Shot a female in the act of singing.

" 16th Saw a male excavating his hole in a rotten
tree trunk.June 17 Nest with two eggs, excavated in the
side of an old house at Hyannis, Cape
Cod, a common practice there with
this bird, we were told.July 25 to Aug. 13. Franconia notch N. H. rather
frequent.Sept. 1 to 9th Parks of Newbury. No. Quite abundant.

Sept. 10 to 20. Newbury. No. Quite abundant.

Dec. 1 to 31 Saw them occasionally.

1871

Jan. 3^d Several frequent for the most part, the
 crechards, at this season: Jan. 12th 18th 20th (four
 together); Feb. 28. one.

Mar. 14 Heard a male sing.

" 16 Saw one this afternoon enter a natural hole in
 an old apple tree and disappear from view apparently
 settling himself for the night.

1868

American Quail.

71

Orlyx Virginiana

- Mar. 22 Saw a flock of six running about a bunch of weeds & brush near the side of the road. They have probably suffered severely during the winter.
- April 3 flushed a covey of about six from a piece of low swampy woods.
- " 22 One was heard to day singing "Bob White".
- " 27 Started a covey of eight and although we marked them down we could not afterwards find one.
- July 1 They probably were not diminished as much as was supposed, by the heavy snows of last winter, for the "Bob White" of the male can now be heard in all directions.
- Nov. 24 Found a covey of about a dozen birds. At the first rise they all went off in a close body, but when they lit they scattered a lay so close that it would have been impossible to have found them without the aid of a dog.
- " 25 Found the same covey again to day

1869

- Nov. 15th Noticed to day for the first time, the wonderful ventriloquial power of this bird. Having started a covey, I waited until they had run together again, and guided by their whistling crept up within about twenty yards of them. Their loud cries still continued, seeming to come from a small clump of bushes directly in front of me, when suddenly they sounded more distant, although still loud as ever. In a few moments I judged from the sound, that they were several hundred yards off, and increasing the distance rapidly, but hardly had I started to follow them up, than the whole covey rose together only a few yards ahead.

1870

(Slide next page)

1870

April 16th Still in flocks: started in bery of seven to day

1871 A

April 26 A bery of a dozen was started in Belmore ^(P. Atkin)

May 16 Heard the "Bob White" of the male for the first time

1868

Marsh Hawk.

Circus Hudsonicus

Mar. 26 Saw one as white as a Gull, and having the tips of his wings black.

Aug. 29 Saw one at Rye Beach.

Oct. 31 Saw one in the white plumage to day.

1869

Mar. 14 One was seen at Concord Mass.

14th several at Concord Mass.

1870

Mar. 23rd Saw a pair beating about over an open meadow, and followed by several Crows, which however they did not seem to regard with much concern.

Aug. 27 Rye beach. One came up at the report of my gun and tried to carry off a dead Seal, but the other barrel stopped him.

1871

Mar. 1 Saw a very fine specimen in the white plumage flying over an open stretch of upland. The Phoebe birds also appeared to day.

Mar. 23 Very abundant on Concord river: noticed two this morning performing some very singular evolutions: rising to the height of perhaps fifty or a hundred feet they would suddenly drop down, with nearly closed wings, then when within a few feet of the earth gliding up in a graceful curve, giving utterance to a harsh rolling kee-kee kee kee kee kee. This was repeated dozens of times over nearly the same place, the bird occasionally perching for a few moments as if to rest, then recommencing again. Also heard one of them give utterance several times to a still note so, something like the scream of *B. lineatus*.

1872

Apr. 3 Abund. at Concord.

[Faint handwritten text visible on the right edge of the page, including words like "the", "be", "m", "W", "B", "C", "r", "J", "A", "C", "18", "Ap"]

- Mar. 27 Saw for the first time this year.
- June 19 Started a female from her nest in Warren Mass. It was built in a birch, on the edge of a small pool, in a large open meadow.
- Aug. 15 Saw three at Bye Beach today; they hovered a moment over some wooden sheds, and then as if discovering the cheat passed on. I am told that they breed every year in the vicinity.
- 1869
- July 12 Saw numbers of them at Concord Mass. They fed on the greenland meadows in company with the Woodcock and were abundant.
- 1871
- Mar. 16 Saw two
- " 23 Concord Mass. Found them very abundant on the river in flocks composed of paired and single single birds. In windy weather they deserted the river for the small stilted ponds where I had excellent opportunities of observing their habits having them frequently within twenty days view. How unconscious of danger they threw off all their usual watchfulness and stiffness of carriage; some with heads immersed and feet kicking in air, searching the bottom for food, others chasing each other about with flapping wings and loud quacking, while those already paired keeping a little aloof from the rest, sailed along side by side uttering a sort of low whistling grunt frequently heard from our domestic Mallard. When the flock took wing the mated birds flew in pairs, two or three feet apart, but all keeping the same general direction.
- April 5 Saw five at Concord.
- Sept. 15 Five or six seen on Fresh pond.
- Oct. 8 Two large flocks on Fresh pond.
- 1872
- Apr. 3 Two at Concord.
- " 7 Hundreds at Concord, J. C. Melvin.

73

1872

Apr. 4 Large migration today.

1868

Common Pewee

77

Mar. 28 Heard two males singing; only about half the song is here.

Aug 8 Saw one to day.

Sept. 25 Saw one to day.

" 29 Saw one this afternoon.

Oct. 7 Saw one to day.

1869

July

Oct. 18 Saw one to day.

1870

April 9th Heard and saw a male

Mar. 25th Seen at Newtonville Mass. (E. J. M.)

Oct. 17 The last of the season.

1871

Mar. 19 One was seen at Concord Mass. (D. C. French)

April 6 Saw several.

1872

Apr. 5 One by J. Sprague, Greatville.

" 9 Two at Concord.

1869 to the ground, and starting again, whistled off with wonderful quickness.

1870

Mar. 26th One was seen to day, I think at West Newton.
 April 7th Saw one taken to day; upon dissection it proved to be a female, which contained eggs so fully developed, that they would probably have been deposited in it, day or two.

Sept. 12 Started several and a dense, moist forest of swamp maples.

Oct. 25 Concord Mass. Started thirteen flight birds, mostly among birches.

Nov. 13 Two were seen.

1871

Mar. 25 One seen in Belmont (C. Carter); I have undoubtedly seen him some times.

May 22 Saw one that undoubtedly had young as it acted very strangely, making a quivering raving sound and flying only a few yards at a time.

June 17 Started a brood of four young birds on a high hill covered with a tall growth of poplar trees. There was a heavy snow last night which may probably account for this. Although apparently of full size their flight was very slow and feeble.

Sept. 20th 21st & 20nd The weather was very sharp for Sept. and started along quite a flight of these birds. They took to the dense swamps and runs though a few were found in low lying birches. As many as thirteen were started in one day at Concord: all were remarkably large old birds and were just recovering from the month. Owing to the drought, they have been very scarce through the summer.

Oct. 19 & 20 The heaviest flight of birds passed through the state. The weather was very cold, the thermometer falling to 28°.

1868

American Woodcock

79

Scelopax minor.

- Mar. 28 Saw one in a piece of low woods where the ground was bare in spots.
- April 11 Flushed and shot (two males, & two females) in a low, swampy covert. One of them was out of range and hit in an open field, on the surface of the snow. Dimensions of a male which was of anything larger than either of the two females: From tip of bill to end of tail, $1\frac{1}{4}$ inches. From tip of bill to end of middle claw, $1\frac{1}{2}$. From tip to tip of wing, 18.
- May 25 Found a female with three young which were apparently about a week old: she lay on the ground perfectly motionless, until I got my hand within a few inches of her, where she rose with hanging legs, like a Rail, and after flying a short distance, tumbled over as if in her death agony.
- July 11 Shot three, two old birds and the third a young one, well grown and active on the wing. The old birds weighed respectively seven, and eight & one half ounces. They rose at the distance of about ten paces; and barely flew more than twenty yards at a time, proceeding for the most part in a direct line but where the covert was very thick, dodging about the tops of the bushes.
- " 20 Watched one to day for some time: the moment that he saw me he erected his tail and ran with great swiftness for twenty yards or more & then squatted!
- " 28 They have not changed their ~~territory~~ grounds as yet.
- Sept. 11 Shot one to day. It rose from the summit of a long, dry ridge where the ground was shaded by tall pines.
- " 29 Found one in a rather dry, maple swamp.
- Oct. 8 Found several, evidently flight birds, on a hillside among birch trees.

- 1315 Shot one in a small clump of barberry bushes.
 Nov. 7 Saw one on a hillside among birch trees & evergreens.
 " 14 One was shot and several more seen, the last of the season. The flight birds "coming on" just before the fall of the leaf were very abundant, and lasted several weeks, although but few birds were raised in this part of the country on account of the late spring snow.
- Oct. 8 Flushed three to day in low-lying birches. As we have had several touches of frosty weather lately it is probable that the flight has commenced.
- " 18 Shot one, flushing it on a high hill top among a scanty growth of birches.
- " 25th Started seven to day and took five of them. Although we beat the hillsides carefully, we found all our birds in the low-lying birch coverts and in the wet runs. They were all undoubtedly flight birds. They lay very close, permitting an approach to within a few feet, as as a general thing whistled less loudly than summer birds.
- Nov. 8 Got up six and took five of them. Three we found on the hillsides in dry birch covert, two in the wet-runs, and the sixth in a swampy maple grove.
- " 9 Took three, one on a hill-side, one in the runs, and the third among low-lying birches.
- " 13 Started two from a birch hill-side.
- " 15 Started two, the last of the season, from a birch hillside. One of them rose only a few feet in front of the dog, and after trying vainly to get through the thick branches, dropped backwards.

1868

American Gold Finch.

81

Chrysomitris tristis

- Nov. 28 Saw one in Am. They are not quite so numerous now as they were during the winter.
- " 29 Heard a male singing.
- April 26 The males have at last got their summer plumage and are singing on all sides.
- Aug. ? The males that have been for the most part silent during the past ^{two} months are now singing vigorously again.
- Nov. 14 Saw a small flock of these & Redpolls.

1869

- Feb. 27 They have been rather scarce this winter. Saw a small flock to day.
- Mar. 28 Saw a large flock the males all singing, although they have not as yet changed their plumage.
- Mar. 10 The young are all flying.
- Nov. 23 Saw several large flocks; they have been quite plenty all through the Autumn.
- Dec. 24 Saw a small flock of half a dozen.

1870

- Jan. 13th Saw two.
- " 31 Saw several in company with a large flock of Tree Sparrows.
- April 2nd Have not seen any for over two months.
- " 8th Saw a small flock; one of the males was singing freely.
- " 9 Took several of both sexes: they were all changing to the spring plumage; males singing everywhere.
- Apr. 11th From a note. Heard one in the notch; a string is probably from below.
- Sept. 2-9 Took Kennebuc, Me. rather uncommon.
- Sept & Oct Have them noted above as late as Oct. 5th Think I saw them at intervals through that month and the next but as spot centers; not recorded again till Dec 27

They frequented
 the depths of the forest and in common
 with most of the other Woodpeckers of that
 region, had the feathers of the tail deeply
 stained with the sap of the species trees.

1870

July & Aug. ¹⁴Trancosia notch. Rather scarce
 Sept. Oct. Nov. & Dec. Rather more scarce than usual.

1871

1868

Starling Finch

Starling Finch

- April 3 Heard and saw a male singing.
 Oct. 20 Heard several males singing.
 Oct. 8 Saw several to-day.

1869

Starling Finch

1870

- April 17th Several were seen.
 " 8 Seen at Newtonville Mass. (C. J. M.)
 Oct. 24 Saw two.

1871

- April 6 Saw two, both males in full song. Many others
 were also seen (R. Deane).

1872

- Apr. 3 Single bird; Willaby by Henshaw.

July 1871. *Truncorum* notch. With abundant males
 of silent and feeding young in nesting plumage.
 Aug 14. Kept almost exclusively in the tops of
 the buck trees.

July 1871. *Truncorum*. Saw numbers.
 1871

May. Detected a fine male in the top of a tall Elm
 in Dumburg: my attention was first attracted to it
 by its song which was quite loud and striking. Like
 that of *Myiarchus Canadensis*.

1868

Green Winged Teal

85

Acton Curdinensis

- Sept. 4 Started two from a small brook.
- Sept. 12 Shot a young male. He was swimming near the margin of a small pond, and he looked much larger than he, in reality was.
- " 18 Shot one that came down to my live decoy.
- Oct. 10 Saw one today. He lit in a small ditch but rose before I could get within range.
- " 19 Shot one this afternoon.
- " 24 Shot three this morning; an adult male & female & a young bird. The pond was entirely closed with ice, except a small channel in which they were swimming.
- Nov. 4 Sailed two in almost within gunshot; when they became alarmed at something & would come no nearer.
- " 6 Shot one of two that have lived on Sherman's pond, Waltham for the past two or three weeks. They sit rather higher on the water than the Blue Wings, and rise from the water with more ease & rapidity. Their flight is very swift and elegant & they, like most other ducks, always circle about a place before alighting. Their notes are varied: the most common is a very singular twanging sound, resembling the syllable "haink": I have also heard it utter a loud cry just before taking wing, precisely similar to that produced by a domestic hen upon being suddenly seized.
- " 7 The surviving comrade of the teal shot yesterday was not in the pond this morning.
- " 14 Upon trying to approach them in a boat they rose out of range and left the pond.
- 1870
- Sept. 12 One was shot on Fresh pond.
- Oct. 4 The last was shot on " " Unusually abundant this year.

1871

Sept. 6

An immature bird was shot among a flock of tame ducks on Fresh Pond and I was informed by their owner, that it had lived among them for ten days, even walking up a steep bank to the house where they were fed.

1868

Night Heron

Nycticorax nycticorax

- April 4 Saw one in a pine swamp.
- " 6 Saw a flock of about fifteen all in full plumage.
- " 8 Saw a large flock: six inches of snow on the ground.
- " 9 Saw a number of them.
- July 14 They may be seen every evening now, just at dusk passing over in small flocks, to the salt marshes where they feed during the night.
- Sept. 26 Heard one, but the greater part of them have left us. They pass the day in inactivity, roosting in the thick foliage of the maples and standing most of the time on one leg, with the other drawn up under their feathers. Their sight is very nearly as quick as their hearing, and it is useless to try to approach one without good cover. I have noticed that they seem to see more plainly in the day, than in the dark, as in the day time they will very rarely pass over you, but in the evening they will frequently come within half gunshot, although you may be in open sight. They may be very easily deceived by imitating their loud, hoarse cries.
- Nov. 3 Saw the last one of the season this evening.

1869

- April 15 Saw one passing over in the dusk.
- " 17 Saw one in the morning.
- 1870
- April 19 Saw one passing overhead shortly after sunset.
- " 22nd Saw a flock of about thirty and took one.
- Sept & Oct. Very scarce and left early on account of the + severe drought.

1871

- April 12 Saw a single bird. Upon being started from a grove of pines, it lighted in an ^{Apple} Oak tree in an open field.
- Sept 29 Still quite abundant.
- Nov. 17 Saw a single bird near Fish p. the last

1
4
2
8
6
1
A
A
Ge
1
1
2
3
2
2

1868

Great Blue Heron.

89

Ardea Herodias

April 9th Saw three in a Pine swamp in company with a large flock of Night Herons.

Sept. 30 Saw one flying in a southerly direction.

Oct. 10 Saw one.

" 17 Saw one at Concord.

1870

April 22nd One was seen in Lexington (C. J. M.)

Aug. 13th 81 Key beach. saw them nearly every day.

Sept. 2 to 10 ^{at} Forks Kennebec. very abundant on all the ponds and streams but as everywhere else exceedingly shy.

1871

April 26 Two were seen at Concord by C. Carter.

Nov. 16 Shot an immature bird.

1872

Apr. 9 One at Concord

" 10 " " Belmont

American Goldfinch
Coryphospiza tristis

1867

June 10

" " See them quite frequently; a few mixed
 in with almost every flock of *A. trichas*; also
 occasionally in small companies of six or ten.

" 27 Two among yellow pines & very silent. Feb 6 one.

April 20 About in small flocks, the males changing
 plumage.

May 2 The males have all attained the perfect summer
 plumage.

July 11 Although probably now breeding they frequently
 collect into large flocks; to day I saw as
 many as thirty or forty of both sexes feeding
 together on the seeds of some small grass,
 when startled they would rise together and
 after performing several evolutions in a low
 body pitch down again, acting precisely as
 in autumn and winter.

1868

Belted Kingfisher.

- April 9 Saw one hovering over a flooded meadow.
- Aug. 5 Saw one on a small trout stream high up among the Franconia Mts.
- Sept. 26 Saw several.
- Oct. 24 Saw the last one of the season to day on Fresh pond.

1869

Sept 16

Saw one on a small stream high up among the Franconia Mts.

Sept. 5th Saw one of these birds, on the rocky cliffs bordering the sea at Newport R.I.

Oct. 22nd Took one on Fresh pond this morning.

1870

April 21st Saw one.

July & Aug. Franconia notch. Quite frequent on both the lakes and on the mountain streams.

1871

April 7 Saw the first.

1872

Apr. 11 One on F. pond & one in Belmont, on Rock meadow.

Scamp Duck
Fulix Affinis

1869

Oct. 18 A flock of four came into Fresh pond this morning three of which were shot. They came in readily to a live Ballard decoy but were rather shy of a boat.

" 27 Two came into Fresh pond this morning and were shot.

Nov. 1 Took one of two that came into "the pond" this morning. I sculled down within long range without much difficulty, but after shooting one, the other would not leave the pond, although it became exceedingly shy. They swam rather low in the water, frequently lying over on one side, and pluming themselves. The only note that I heard from either of them was a low, hoarse creak. They rose with rather more ease than the generality of sea-ducks, and when fairly on wing, advanced with great swiftness. While flying, the markings on the wings showed with great distinctness.

1870

Oct. 29 An adult male was killed on Fresh pond.

1871

Nov. 2 Shot two on Fresh pond. Both typical affinis

Dec. 5 R. Deane started one from the ground in a humberk grove about twenty yds. from "the pond."

1868

Sparrow Hawk

Gymnuncus Spurverius

April 11 Found the remains of a Sparrow Hawk 11 ...
noon and ... some ...
was "proven the murderer."

" 15 R. Deane shot a female: stomach con- tains, small snakes,
grasshoppers, and other insects but no birds. The feathers
on the top of its head were glued together by tar, which
it had probably got, by trying to catch an insect
stuck to a tarted apple tree!

1870

Sept. 20 to 30 Forks Kennebec, quite abundant.

1871

April 15 Saw a beautiful male in a field where I
always see one or more every season. He was very shy
perching on the tops of some tall elm trees.

1872

Apr. 5 ♂ at Grantville, Newham.

94
1868

Wood Duck (Brought from page 95)

in person

Oct. 10 A flock of about a dozen, evidently flight birds & not those raised in this vicinity, came into the pond this morning. They were decoyed in readily by the tame decoys but only one of them was secured.

1869

Sept 5

in person

" 6

in person

" 8

Found this bird very abundant on Concord river and upwards of fifty down the day. The river has overflowed its banks and spread over a vast expanse of meadow land, thus affording to the ducks a fine chance of obtaining food. At night they resort to the plowed fields in great numbers, turning the soft ground covered with their droppings, and during the day employ their time in wading on the cranberries in the meadows, with which, I found the crops of many of them filled.

Oct. 7

Found them very abundant on Concord river and took quite a number of them. By this time the drakes had attained to the full splendor of their magnificent plumage, and no immature birds could be found.

I had a fine chance of watching their habits and noticed especially their persistency in remaining concealed when they thought that they could not be seen. On such occasions they would frequently allow our boat to pass within a few feet of them, without moving, and sometimes we found it impossible to start a flock from a small bed of rushes or low bushes, into which we had just seen them swim.

1870 Sept. 16/10. Toxos Kennelre: they were unknown here

Oct. 2 Saw two on Sherman's pond.

" 21 Shot three on Smith's pond: two which were (Vol. page 102)

1808

Wood Duck

95

- April 13. A female was shot to day from a w. h. swam.
- " 18 Shot a fine male this morning: he lit his
a small ~~shoale~~ swamp where the water was
about two feet deep. He sailed over the water very
gracefully uttering every now and then a loud
note resembling (Wilson) a wh. The Wood Ducks
kept by the proprietors of the Fresh Pond House
have stood the winter well, although kept in
an exposed pen made of slats: they are now quite
tame. The contents of the Wood Duck's stomach
were, a quantity of pure, white, sand, and a
hazel nut.
- " 27 Saw two on a small overflowed meadow: on creeping
after them they walked into ~~the~~ clump of trees on the
edge of the water where I shot a female, approaching
her without the slightest cover.
- May 2 A male was shot: but as its tail was worn
down almost to a stub & the plumage very
imperfect I greatly suspect that it had recently
escaped from confinement.
- " 5 A female was shot to day.
- July 25 Shot a young male: his body was for the most
part covered with feathers, but his wings had only
pin feathers and as he was of course unable to fly
he must have been ~~raised~~ in that vicinity. His
crop was distended by the seeds of various water
grasses.
- Sept. 19 They have been very abundant here this autumn
as several broods have been raised in the vicinity.
For some time they have been in the habit of
leaving their favourite swamps in small flocks,
just as the day was dawning, and again a short
time before sunset, and after flying a mile
or more in a southerly direction as is to spy
out the way, they ~~return~~ return, and pitch
again into their favourite retreat: this consists of
a number of broad ditches overgrown with bushes,

and communicating with each other in several
pieces. Here they pass most of their time and
here they may be found at almost any time
in the day although they sometimes visit
the larger ponds under cover of the darkness.

While watching some Teal to day, ^{in Fox Pond} I noticed a
movement in the bushes and out sailed a splendid
male Wood Duck, closely followed by another drake
& two females. They immediately joined the little
Teal, which with legs in air, and heads under
water were carefully searching the bottom, and the
whole group closing together, commenced swimming
along the margin of the pond. These Wood Ducks
then landed, and after dressing their feathers in
the manner of the domestic duck, and shaking their
feathers sideways they launched off again, and in
a few minutes approached the place of my
concealment, when getting the two males together I
fired killing them both. The females did not leave the
water at the report, so I was enabled to get one of
them with the other barrel. The males showed to
great advantage on the water, particularly when the
sun shone on them, through an opening in the bushes,
and when in company with the Teal, a continual
twittering was heard from the flock, almost exactly
similar to that produced by a company of Tree Sparrows.
The flocks when flying over the swamp, emit
frequently a loud "o'clark", "o'clark" very much like
the cry of the Guinea Hen, and on one occasion upon
starting a flock suddenly they flew off, "honking" like
geese. Upon a sunny day the males can readily be
distinguished from the female, while on the wing.

Sept. 22 A flock of four came in to a live decay on Fresh Pond
just as the day was breaking.

" 26 Saw three flying; the greater part of them has either
left us or been exterminated.

1868

Fish Hawk

Pandion Carolinensis

April 13 One was seen on Fresh pond.

" 14 Saw one in full plumage hovering over the pond.

Sept. 14 Shot two on Fresh pond, both young birds. They were not at all shy of a person on land but would not permit a boat to approach them. They poised themselves over the water exactly in the manner of the Kingfisher, at the height of about thirty feet and when they dove, they frequently completely buried themselves, and seemed to experience great difficulty in raising themselves again from the water.

Oct. 14 Saw the last one on Fresh pond to day.

69

51

Sept. 11 Saw one on Fresh pond.

1870

April 21st Saw one, the first of the season.

Sept. 26 10 Mope pond N.C. Very abundant and much more shy than I ever saw them before.

1871

April 3 Two were seen on Fresh pond.

May 15 One was seen on Fresh pond by J. P. Atkinson.

1872

Apr. 4 One.

1
of
a
p
A
J
to
L
18
A
qu
A
T

1868

Chipping Sparrow

Spizella breweri

- April 17 Heard several males singing today.
- May 6 Shot a male that was paired; it had ~~the~~ white tail feather; the female was of the ordinary color.
- July 5 They have just laid the eggs of their second litter, and the males are all singing again. At this season you may frequently hear the males singing in the darkest nights as late as 10 P.M.
- Aug. 9 A few of the males are still singing.
- Sept. 27 Still abundant.

- Sept. 28 They are now everywhere abundant, frequently the beds of reed bearing weeds, in large flocks, and rising suddenly at the least alarm to the tops of the neighboring orchard trees.
- Dec. 31st Saw one today in Watertown. Although we have had a good deal of snow and cold weather the ground is now completely bare and the weather remarkably warm.

1870

- April 19th Heard several males singing.
- July 28 Franconia notch. Saw them as far up as the charring continued: never in the forest as at Goshen last year.
- Nov. 2 Several at Watertown.

1871

1871

April 8 A male in full song
" 10 A general arrival

1868

Savannah Sparrow.

Passerculus iliensis

- April 17 Saw several and heard a male singing in a low meadow.
 July 14 The young are all out, and the old birds must have
 6 x laid a second time as the males are singing
 everywhere.
 Sept. 25 Saw several.

1869
 May 16 Found several.

July Found it common breeding at the
 old Washington on the old site.

1870

April 9th Saw and heard upwards of a dozen males
 during the day.

Oct. 21 Saw as many as a dozen on a piece of waste
 upland overgrown with rank weeds.

1871

April 12 A general arrival; saw and heard numbers.

1872

Apr. 3 One at Concord, another at Grantville, J. W. Hursham.

Wood Duck (from p. 94)

only wounded made out into the pond pursued by
 my retriever but after a dive or two disappeared, having
 probably reached the opposite shore and concealed them-
 selves, but though I beat it carefully, without success, with
 the dog. My friend J. Melvin of Concord has also had
 success in a wild bird this Autumn he dived and cling to roots
 &c. on the bottom long after life was extinct

1871

April 29 Number, was seen at Concord by J. C. Melvin.

1872

Apr. 3 About 12 both sexes at Concord.

1860

Swamp Sparrow.

103

Melospiza cinerea

- April 17 Saw one to day
 " 18 The males were scattered through all the swamps and were singing vigorously.
 May 5 Shot a bird to day that may be of this species: upon first hearing it I supposed that the song proceeded from some warbler unknown to me, & accordingly I immediately began a search for it. At length after a great deal of trouble I caught sight of it immediately just as it was finishing its song: to make sure I watched it a few moments longer, when rising to the top of a low bush it began again its singular song, and it had scarcely finished when I shot it: its song, if so it may be called, resembled the syllable *schee*, repeated four or five times and gradually rising, and was entirely different from the loud, echoing, *tr-r-r-r-r-r* of the male Swamp Sparrow. On dissection it proved to be a female.
 July 7 Heard several males singing.
 " 25 Heard numbers of males singing.
 Sept. 27 The swamps are literally alive with them. Heard and old male singing this morning.
 Oct. 16 Heard several old males singing to day.

1864

- April 7
 Nov. 2nd Still abundant.
 " 19 Saw two.

1870

- April 12th Heard a number of males singing.
 July 28 Franconia Notch. Heard and saw several in a small swamp just outside the Notch near the edge of the forest.
 Sept. 2 to 10 Nois pond. He saw them in large numbers on the shores of this lonely lake.

1871

April 7 Saw and heard several males.

1872

Apr. 12 Em. arriv. D. V.

1868

Yellow Rump Warbler

105

Dendroica coronata

- April 17 Saw four or five, all males.
- " 18 They were quite abundant this morning, and at sunrise the males, mounting to the topmost branches of the forest trees, began to sing on all sides: the song is between that of a Pine Creeper, and Prairie Warbler being poured forth almost as vigorously as the former and ascending like the latter. ~~Saw a vast number of them to day.~~
- " 25 ^{Saw a vast number of them} It snowed fast all this morning, and the snow covered the ground so that they were probably driven to the shores of the ponds in order to procure food: the shore of Fresh pond was covered by immense flocks of them for the distance of half-a-mile or more. They hopped nimbly along near the waters edge and sometimes when several came together they would fight vigorously for several moments when the weaker would be forced to retire. They all seemed to be proceeding in the same direction. There were probably several thousands of them collected together, nearly all males; in fact I did not see more than six or seven females in the whole multitude.
- May 3 Saw several.
- " 6 Saw large numbers of them.
- June 1 Numbers were seen at Portland, Maine.
- July 30 Saw an old male accompanied by his young, in the Franconia Notch N. H.
- Oct. 9 Saw several this morning.
- Nov. 7 Saw the last one of the season to day. They have been unusually scarce this Autumn.
- Oct. 12 They suddenly appeared to day in large flocks

and so numerous were they that it was impossible to go in any direction without seeing hundreds of them.

1870

April 7th Saw in male to day

" 21st Saw numbers the males singing.

May 3rd Still numerous.

Sept. 19 A general arrival.

Oct. 22 About the height of the migration: the whole country seems now almost alive with them, and in shooting specimens they are a perfect nuisance.

1871

April 13 Saw two, the first.

" 21 Are now quite abundant, the males in full song.

May 1 Have nearly all gone.

" 2 Saw upwards of fifty in the Fresh Pond swamps.

" 14 Saw two, the last of the season.

Sept. 19 A general arrival: saw them everywhere.

Oct. 13 They have been tolerably abundant for the last week and now absolutely swarm.

Nov. 3 Still very numerous.

1868

Canada Goose

107

Can. geese

- April 11 Saw about fifteen flying in a N. W. direction.
 Oct. 7 Five Geese came over 'the pond' this evening and circled around several times but they finally left.
 " 8 Saw fifteen flying over the pond.
 " 23 A large flock was started from Fresh pond this morning where they had passed the night.

24

- Oct. 28 A flock of five lit on Fresh pond this morning in a snow storm.
 Nov. 15 Saw a large flock migrating.

1870

- April 1st A large flock was seen passing to the Northward.
 " 7th Saw three large flocks on their way Northward, and have seen several others within the last few days.
 " 22nd Saw a large flock over Fresh pond.
 Autumn Did not see or hear a single flock, a most unusual circumstance.

1871

- Mar. 22 Flocks have been seen at intervals for the last two or three weeks.
 April 21 Saw a flock of twenty over flying Northward.
 Oct. 14 A large flock was seen flying S.
 Nov. 10 Three large flocks seen passing S. just before a snow storm.
 Nov. 30 Five were seen sitting on Fresh pond the greater part of the day.

1870

Carygoda jay

~~Serripus caryocarpus~~

Sep. 13

Forks Kennebec Me. Met this bird for the first time: very tame coming up within a few feet and eyeing me curiously. Flight performed by long glides and perfectly noiseless. Wipit on the ground on or to the old logs & stumps. Notes a peep, shrill, Hawk-like scream, and a chatter or recognition much like that of *C. cristata*.

1868

Virginia Rail

109

Rallus Virginianus

- April 18 Shot a female which walked fearlessly out for
small briar patch.
- " 25 Heard one singing this morning as it was
just beginning to get light. (Mistake; it was the Common Rail)
- " 29 Heard a bird in a large swamp, making a variety
of singular sounds; at times it made a noise harsh
and chattering then it sang almost exactly like a
male Spotted Sandpiper in Spring only in a much
lower key: I shot it and it proved to be a female
Virginia Rail. I also heard a number of others
producing similar sounds. ~~Shot three this~~
~~morning~~
- May 2 Shot three this morning, two males & one
female: two of them I shot on the ground but
as I was determined to flush the third, I had
to pursue it for some distance through the bushes
in which, under cover of the meadow tussocks,
it ran like a mouse. The song of this bird
if so it may be called resembles the syllables
ki-ki-ki ki ki ki ki ki ki; beginning slowly
and being run together at the end, and the whole
is delivered in a snarling tone not unlike the
scolding chatter of a young House Wren. As
far as I have been able to ascertain by shooting
the birds, this singular song is produced only
by the males.
- May 22 Watched a female for some time; she permitted me
to approach within a few feet of her before she started & then
to my great surprise she rose without the slightest
difficulty, and with legs drawn up flew for some distance
with nearly the swiftness of a snipe or ^{the} teal.
- July 11 Heard again to day the love song of the male
- " 18 Saw a Rail of this species, which was started by a
dog fly for some distance with legs drawn up,
zigzagging through the bushes almost exactly
like a Snipe & with great swiftness.
- Sept. 25 Shot one to day & heard an old male singing.

Oct. 16 Saw one to day.

1869

Heard several of these birds on first night, & the hope if course been here for some time.

1870

May 3rd Heard numbers,

1871.

April 19. A general arrival. Heard about a dozen males all of which probably arrived last night as there were none in the meadows at the 17th.

May 17 Saw a female caught by a dog: for a long time she refused to take any and finally when her breast pressed down under the dog's leg the water of a large brook, (which she had repeatedly probed by swimming) and remained under nearly a minute.

1868

Yellow Redpoll Warbler

111

Dendroica Palmarum.

- April 16 Saw a number this morning and heard several males singing; their song seems to be a compound of the songs of the Prairie and Pine Creeper Warblers and can scarcely be distinguished from that of the Yellow Rump Warbler.
- " 25 Saw a large number of them to day (see Y. Rump W.)
- May 3 Saw several.
- May 7 Saw one but they are getting very scarce.

1870

- April 11th Seen to day at Newtonville, Mass. (C. J. Mc.)
- " 21st Saw them everywhere to day.
- Autumn Did not see a single specimen

1871

- April 7 Saw a flock of six or seven all in full song.
- " 12 Are now very abundant everywhere, the males all in full song.
- " 22 Still abundant.
- May 4 Saw as many as a dozen in a large flock of D. virens.
- " 7 Saw three for the last.
- Oct. 15 One in immature plumage was shot (by J. T. Townsend)
- " 22 Saw several and took one in nearly the usual plumage.

The first part of the paper is
 devoted to a description of the
 general character of the
 country. It is a plain
 with a few hills in the
 distance. The soil is
 fertile and the climate
 is temperate. The
 population is small
 and the people are
 simple in their habits.

1868

Field Sparrow

113

Spizella monticola

April 18 Saw a number and heard several more
singing.

" 23 Shot a pair: the male had a pure white tail feather on
his tail while the female was of the ordinary color;
they had a nest containing four fresh eggs. Built in a
low spreading juniper.

July 16 Heard a male singing.

Nov 12th Saw several.

1870

April 26th Saw a male.

1871

April 15 Several males were seen and heard in Belmont
by F. P. Atkinson.

} *Chondestes* G. Gutterer
atrapalis Garrulus

1069

Oct. 1st Pursued one of these birds for some time this morning but it was so very shy that I found it impossible to get within shot. In all its motions it much resembled the common Hap-wing but its cry was quite different. [I now consider the identification of this bird very doubtful. W.B. 1884]

1868

Barn Swallow

115

Hirundo Horreorum

- April 19 Two were seen to day
 " 22 Heard one to day.
 " 25 Saw a number on Fresh pond to day in company with a vast host of White Bellies.
 July 14 The young may be seen everywhere sitting in rows on fences and the dead branches of trees; they can readily be distinguished from their parents, as they want the long tail feathers of the latter.
 Aug. 8 They are still abundant.
 " 15 They have been passing steadily Southward all day. At Pige Beach this afternoon taking it into my head to count the Swallows (all four species, but principally these and the White Bellies) that passed along the beach in thirty minutes, the result was one thousand, or thirty two thousand for the whole day.
 Sept. 5 Saw several in this vicinity.
 " 8 Saw several.
 Oct. 7 I thought that the Swallows had all left us, but to day, to my surprise I noticed a Barn Swallow skimming about the edge of a large swamp. In a few minutes he passed nearly over me & I noticed that several of his wing feathers were shattered and one or two wanting, to which circumstance was probably due, his presence at so late a period.

Sept. 20th in large numbers at Shuman's pond, N. H. M. L.

1870

April 22nd Saw the first to day.

" 29th Saw numbers.

July 28 "Sun. notch. As far as edge of forest.

1871

April 12 A general arrival; saw hundreds on Fresh pond.

July 14 The young have all flown and frequent
for the most part the marshes and low ground.
Saw them going to roost this evening in
large numbers on the sloping side of a
low sand bank, where they lit close together,
directly on the ground.

April 24 Heard a male singing to day.
 June 1 They are comparatively scarce this year.

1869

July 15 Heard a male singing

Oct. 25^d Took an adult male.

Nov. 25 Took one.

(?)

1870

April 14th Seen to day at Newtonville Mass. (E. M.)

" 26th Found them everywhere abundant to day.

July 14 Took two males, the last.

1871

April 6 A male shot in Belmont by R. Deane.

" 9 A general arrival: saw several males.

1
A
Ja
15
A
Ja
A

1868

Cliff Swallow.

" "

- April 25 Saw a pair to day.
 July 17 Saw a flock of several hundreds near Fresh Pond.
 They utter at this season, only a single harsh note.

1869

26

11.

1870

- April 30th Saw several.
 July 28 Fran. notch. As far as forest

1871

- April 24 A general arrival; saw numbers at Concord.

[Faint handwritten text from the adjacent page, including words like "De", "M", "A", "M", "C", "O"]

- April 25 ¹⁸⁷⁰ Found several males singing this morning.
 Aug. 7 Heard several males singing in the Franconia Notch.
 Oct. 10 Saw one to day for the first time this Autumn.
 " 11 Heard a male singing.
 " 12 Found several males singing.
 Nov. 1st They have been unusually abundant this Autumn, and are still around in large numbers.
 Nov. 6th Still abundant.
 " 20th Saw a number of them.
 " 23 Saw several.
 Dec. 11th Saw a male, and heard him sing as in Spring.
 The ground has been covered deeply with snow for several weeks past, and the weather intensely cold.

1870

- April 25 Heard a male singing.
 " 29th Heard several males.
 May 3rd Very abundant.
 July 1 Aug. Franconia Notch. Very abundant.
 Sept 16 Saw one.
 Nov. 10 Saw the last, a male.
 1871
 April 18 Saw the first a male (J. P. Atkinson)
 " 26 Very abundant.
 May 1 Saw only one in a long collecting tramp.
 " 19 Apparently a second migration, as I saw several dozens in the course of a short walk.
 " 25 Saw one, the last.
 Oct. 2 Saw several but they arrived much earlier.
 " 14 They are now extremely abundant.

Black-bellied Plover.

1870

Squatarola Helvetica

Sept. 24 Saw large flocks at Long island in Boston harbor: the flight is continued unusually late this year. Shot one at By beach Aug. 25. They fed both on the sea beach, and the upland pastures near the coast.

1871

May 24 The markets for the last few weeks have been filled with these birds; and told by the purveyors that *A. Virginicus* never occurs in Spring.

1868

Ruby Crowned Wren.

123

Thryothorus bairdii

- April 19 A bird probably of this species was seen to day.
 " 25 Saw a male and heard him sing several times: the song is very powerful for so small a bird: it has also a scolding chatter, not unlike that of the House Wren.
 " 27 Saw one.
 May 9 Saw several to day.
 Oct. 8
 1869
 April 24 Saw a male
 " 24 Saw a male
 Oct. 26 Took quite a number to day.
 Nov. 10th Took over the best of the season.

1870

- April 16th Heard the beautiful song of the male this morning.
 " 26 They were exceedingly abundant everywhere this morning, the males (which seemed to be in great ascendency over the other sex) all in full song.

1871.

- April 12 A general arrival: saw and heard numbers of males.
 " 27 Still abundant.
 " 29 Heard a male.
 May 11 Saw a female, the first.
 Oct. 13 Saw about a dozen: I think however they were scarce.

1872

- Apr. 12 Two B. Wrens.

1
4
7
3
10
A
A
W
13
J
M
C
to
A
L

1868

Sharp Shinned Hawk:

Accipiter Virens

April 28. Saw one sitting on a post, & got quite near to
it.

1869

April 11. Saw several in the top of

Sept. 2nd Saw a bird of this species catch, and kill,
a striped squirrel

1870

April 21st Saw one to day.

" 26th Saw one.

Aug. 3. Franconia notch: took a young male.

Sept. Oct. Nov. Cambridge: saw them occasionally.

1871

Jan. 7th Saw one Saw one probably the same, Dec. 30th

May 1. Have seen them at intervals through the spring.

Saw to day in a short walk no less than five, starting
them from a small grove of cedars

May 11 Still seem to be migrating as I see numbers
every day.

Surdus migratorius

1872

Feb. 12

Seen in Belmont near F. pond.

Mar. 4

Large flock at Watertown on the aspen beds.

" 25

Gen. arrival of Southern birds.

Apr. 6

Commenced singing in pairs. This evening

1869

Bartram's Sandpiper
Tringa Bartramia

127

- April 30 Saw one: it flew in a singular manner, never quivering its wings like a Spotted Sandpiper, & now sailing about for some time like a small hawk: it lit in several small meadows & also in a piece of plowed ground. but it was too shy for me to get a shot at it.
- May 1 Shot a female probably the one seen yesterday.
- Aug. 17 Saw them quite frequently at Rye Beach until Sept 1st. They flew over at an elevation of several hundred yards, and I rarely saw more than six together. I frequently heard their mellow call notes, issuing from the clouds on moonlight nights as late as 11 P.M.

Aug 24 to 30th. They were quite common at Rye Beach sometimes, although seldom lighting on the marsh. On clear moonlight nights the mellow call notes of the passing flocks could be heard at almost any

1870

May 6th Found one of these birds this morning in an apple orchard: it was quite shy but appeared perfectly at home among the trees, making its way through the branches without the slightest difficulty.

1871

April 26 Saw one in a pasture at Concord. It was very shy and active but I finally succeeded in shooting it: it proved on dissection, a female, with the ovaries so much developed that the first egg would probably have been deposited within a week or ten days.

[Faint handwritten text visible on the right edge of the page]

1868

Bank Swallow

129

- April 30 Saw one
May 2 They are now quite numerous.
Aug. 6 Saw several.
Sept. 5 Saw the last to day.

1869

1870

Sept. 1st Saw numbers migrating southward.

1870

July 28 Stranconia notch. As far up the valley as the farm

1871

April 22 Saw numbers at Concord Mass.

Bay-breasted Warbler

*D. castaneus*1870
JuneUpton, Me. found extremely abundant and
breeding by R. Pearson

Sept. 13. Took ^{one} in the autumnal plumage: it was
 x mixed in with a number of *D. striata* which
 it so precisely resembled in motions and general
 appearance that I took it for that bird.

" 22 Saw another specimen taken to day: it was in
 x the same piece of woods as the last but kept quite
 aloof from the small companies of *D. striata*
 that filled the tree tops.

" 26 Took still another in a low dark maple swamp.
 x ~~30~~ y

1871

Sept. 30 H. Henshaw took one in autumn plumage.

1868

Black & White Creeper Warbler.

131

Mniotilta varia

- May 1 Saw a male in a pine swamp.
" 16 They are all paired
July 13 Heard a male singing.
Aug. 8 Heard one singing.

1870

- April 26 Took a male.
May 3rd Saw several.
Sept. 17 The last.

1871

- April 21 Saw a male.
May 1 Are now quite numerous

Gos. m. b.

1870

Aster at. im. fallus

Sept. 26/10 Yorks Kennebec. Me. A very common bird
 here; saw many in flight. Plumage: very dry.

1868

Spotted Sandpiper.

- May 1 Saw one but they have probably been here for some time.
- July 13 They are continually around the pebbly shores of Fresh pond in companies of two or three, all old birds.
- Aug. 8 They may now be found in small companies on the salt marshes, but a few still frequent the shores of Fresh pond.
- " 5 Saw one on a small trout stream among the Franconia Mts.
- Sept. 26 Saw one on Fresh pond, but they are getting scarce.
- Oct. 13 Saw one shot on Fresh pond, the last of the season.

19

22

They are to be seen at Fresh pond, but they are getting scarce. They are continually around the pebbly shores of Fresh pond in companies of two or three, all old birds. They may now be found in small companies on the salt marshes, but a few still frequent the shores of Fresh pond. Saw one on a small trout stream among the Franconia Mts. Saw one on Fresh pond, but they are getting scarce. Saw one shot on Fresh pond, the last of the season.

1870

- May 3rd Saw one
- April 28 Saw at Newton (C. J. W.)
- July 28 Franconia notch. As far as edge of clearing; never in either of the lakes in the Notch itself.

1871

April 26 Saw one on the river at Concord.

May 2 A general arrival: saw several.

Oct. 14 One was seen on Fresh pond.

1868

Least Flycatcher.

135

- May 1 One was seen.
- May 22 They are now building. Saw a male rise into the air and sing this evening, for the first time this year. Saw ~~mount~~^{rise} into the air uttering a succession of "wits" and when they have reached an elevation of from fifty to ~~one~~ hundred feet, they begin to mingle in other notes, particularly the 'chelut', 'helut', so common in the breeding season: the whole occupies only a short time, & when it is finished, the bird darts down with the swiftness of thought & is silent for the night.
- May 9 Heard a male sing to day.

1870

April 28th Saw a male this afternoon.

1871

April 26 Heard a male at Concord.

May 2 A general arrival: saw three or four males.

Great Horned Owl?

*Bubo Virginianus*1870
Sept. 6

Hoopie pond, Vt. While in camp heard them all night long; frequently from the trees directly behind us would sound the deep, sonorous hoot to be immediately answered from the opposite shore; then the cry of a Loon from the foot of the lake softened by distance and the sighing night wind to be indescribably mournful cadence. The Owls kept up their hooting almost without intermission through the night, from sunset to sunrise: they were very shy however and we found it impossible to get near a sight of them. Their notes were a hoarse, hollow, hoo, hoo-hoo, hoo, hoo, varied occasionally by dropping the final two syllables and interjected by the quies as, gook for two, do, do. We were assured by all the most experienced hunters and trappers that they never venture down near a camp fire, as described by Audubon and Wilson, although the "Great gray Owl" (probably *B. cinereus*) often does so.

Nov. 1

Orville Belmont. It was very shy, quite as much so as a Hawk, flying the moment it caught sight of me: lit for the most part among the thickest branches of some Pine or other evergreen, and when it left its perch always made much noise and flapping: its flight was rather slow and clumsy with constant flapping of the wings: it however sailed a short distance before alighting, was followed everywhere by an immense number of Crows to which however it did not appear to pay the slightest regard. Saw it again and in the same place Nov. 7.

1868

Yellow Warbler

- Apr 2 Heard a male singing in a large swamp.
- " 3 There are a few males scattered through the rocks but the bulk of them is yet to come.
- July 14 They are now feeding their full grown young. Their notes are still to be heard, particularly at morning and evening, singing in a feeble, melanchant manner.
- Aug. 9 Still numerous.

1870

- May 3rd Heard two males.
- " 6th Heard a male.
- " 8th All the birds that I have seen so far were in the low swamps and willow hedges: not one has appeared as yet about the garden and orchards.
- " 13 A general arrival to day.
- Sept. 26 Saw two shot in a dense swampy thicket near Fresh pond.

1871

- May 1 Was quite certain that I heard the song of the males but it was so distant and faint that I could not be positive.
- " 5 Heard a male.
- " 6 A general arrival.

18

M

6

e An

Sept

1

10

18

11

Jan

By

C

1868

Rice Bunting.

Dolichonyx Orizivorus

May 2 At sunrise a male rose to the tops of the bushes in a thick swamp, and commenced jingling forth his delightful melody. Saw several more males; they probably pitched in there, being wearied by their long journey from the South as I never saw any there at any other season.

July 6 They are now in pairs, both sexes uttering their 'clink', 'clink', but occasionally one of the male will burst forth into song.

Aug. 8 Saw a small flock.

Sept. 16 They have all left us.

1870

May 13 Heard and saw several

1871

May 12 Heard several males. ("a general arrival" F.P.A.)

" 16 Saw the first female.

July 11 They are collecting into large flocks, and their clear metallic call now may be heard wherever

Sept. 19 Saw the last of the season flying over in company with two *S. striata*

Oct 14 An immature bird was shot by F.S. At Hudson near Fresh pond: it was extremely fat.

Black bellied Grouse

Squatarolla helvetica

1870

Aug. 19 & 31. Rye beach. Saw them nearly every day. rarely come over the marshes but frequented the sea beach; very hard to approach but easily deceived by imitating their whistle

1868

Yellow Shank Tattler.

141

Gambetta Flavipes

- May 3 Saw three on the borders of a fresh water pond, and watched them for some time: they were quite tame and walked fearlessly about, every now and then stopping and jerking their heads backward, and occasionally walking into the water so deep that they almost had to swim. Upon being started they flew only about fifty yards and then alighted again.
- Aug 15 Shot one at Rye Beach to day. They were quite common there until Sept. when the Tilt Tails began to take their place. They were deceived very easily by the wooden decoys, which, together with an imitation of their peculiar whistle, was almost sure to bring them down. In coming in to the stools, they generally sailed with their long pointed wings bent downward, but in their ordinary flight they propelled themselves by rapid and uniform beats. When shot at on the ground and only wounded, they would pretend to be unhurt, titting their bodies, and loudly reiterating their notes, but if they fell in the water they would quickly paddle their way to the shore where they would hide so closely that it was very difficult to find them.
- Sept. 15 Saw one to day near Fresh pond.

869

- Aug 10-28 Found the flight for the most part gone by at Rye beach, N.M. although small flocks were still flying occasionally.

1870

- Aug. 19 to 31 Rye Beach. Large flocks passed over the marshes every day. Mostly gone by at latter date. Flies in great abundance against a strong South wind: on still pleasant days only a few stragglers would be seen.

1871

- May 6th 7th 8th. Large flights passed over Out river marshes.

Mo
to
Sep

to
to
to

1868

White Eyed Vireo
Vireo Nonboracensis

- May 4 Heard a male singing.
- July 10 Heard several males singing vig. "1.
- Sept. 19 Saw a young male this morning: his attempts to sing were quite audacious.

1870

May 11 Heard a male.

1871

13
e. 6
F.
e. 7
Sep
"

00
1
Mo
v

1868

Cat Bird

145

Mimus Carolinensis

- May 4 Heard a male singing early this morning.
July 10th Heard a male singing.
Aug. 7 Saw numbers near Plymouth, N. C.
Sept. 19 Saw numbers to day.
" 25 Saw numbers.

Oct. 6th Saw several at Concord, N. C.

1871

May 11 Saw one, (Became abundant a few days after.)

1
A
Sep
18
M
A
M
"

1868

Chimney Swallow

5. under tables, in

May 4 Saw one flying over Fresh Pond in company with several other species.

Aug. 8 Saw numbers of them.

Sept. 8 Saw several.

1869

July 24 Saw three or four on Fresh Pond.

Sept. 10 Saw several passing Southward.

1870

May 3rd Heard one.

" 6th Very abundant everywhere.

1871

April 26 Saw the first at Concord.

May 6 Saw them in Cambridge

" 11 Quite abundant.

See
p
at

Ap

1868

Purple Martin

149

Progne subis

May 4 Saw one flying in a e. w. by direction and very high.

June 26 Several have been seen in this vicinity, this spring to day a male took possession of one of my boxes but the White Bellied Swallows all turned out, and drove him off.

Sept. 11 Saw several.

1869

Aug. 31st part at sunset while watching for Crows at a small, wooded enclosed pond, I noticed these birds in small flocks, lighting in the tops of the swamp maples which lined the opposite shore.

1871

April 14 Four seen at Concord (D. C. French)

1868

Gadwall Duck.

151

May 4 Saw one in a large swamp. (?)

18
A
p
Sep
a
15
A

1868

Blue Winged Teal

153

Querquedula Discors

- May 4 Saw a handsome male flying over a fresh water swamp.
- June 8 Shot a magnificent male to day. He was sitting perfectly motionless on a small pond and no doubt had his nest concealed somewhere in the sedge margin although I was unable to find it. While alive, his colors, particularly the white crescent before the eye, were very conspicuous.
- Sept. 19 These beautiful little ducks have been very abundant here this autumn & I have shot large numbers of them. They frequent for the most part small fresh water ponds or ~~even~~ ditches and are rarely seen on the larger bodies of water. They swim very close together and when unsuspecting of danger frequently immerse the head and neck in the manner of the Mallard. At times you see them swimming slowly along, jerking the head forward at each motion of the feet like the Coot. They rise at a single spring from the water, and when fairly started, advance at a good rate of speed. They alight almost exactly like a Snipe, and never fail to circle several times around the place on wing, as if to assure themselves of safety. Frequently they quack like a duck, and at other times they emit a harsh "calac" but their most common note, is a soft whispering, twitter. Saw the first at Rye Beach, Aug. 26th.
- Oct. 10 Shot one to day but they are getting very scarce.
- " 24 The last one of the season was shot to day on Fresh pond.
- 1869
- Aug. 25 Saw the first flock of about a dozen, at Rye beach et. H. this morning. Till my departure (Aug. 28th) they were on the "El pond" every morning.

1870

Aug. 23
" 27

Three birds seen three
 " " flock of twenty six quite tame
 and easily approached. When part were shot
 the remainder would not leave the pond
 until more than half were secured. If wing
 broken they nudged the shore where they
 hid very closely.

1871

Oct. 4

The last, on Concord river.

1868

Maryland Ground Warbler

Geothlypis trichas

- May 4 Heard several males singing.
- July 7 They have probably laid a second time as the males are all singing again.
- " 25 The males still sing occasionally.
- Aug. 8 Saw one to day.
- Sept. 27 Heard several.

Oct. 2nd

Look over

1870

- Sept. 2 to 10 Nope found. No. Abundant.
- Oct. 24 Saw an adult male.

1877

- May 2 Heard several males.

Hyperborean Thalerope

Phalaropus hyperboreus ^{Wilsoni}

1870

Aug. 24 Rye beach. Saw one on the "Eel" pond: kept
near the shore in the shallow water where
it paddled and swam alternately; very tame.

1868

Carolina Rail

157

Rallus Carolinus

- May 5 I have for some time supposed that the song of this bird (ka ee - ka ee - repeated almost without intermission during the hours of darkness) was produced by the Virginian Rail. This morning however I discovered my mistake, for I caught a male in the very act of singing: upon flushing it, it flew only a short distance and almost immediately commenced singing again.
- April 25 First heard one singing this morning.
- May 7 Heard a male singing and upon walking up to it it rose and after flying a few feet settled down again: it then crossed a large ditch swimming gracefully like a small duck: after a while I succeeded in flushing it again and shot it. Upon first hearing it, I was greatly deceived as to its distance. From one, supposing it to be at least a half a mile off, when in reality it was only about one hundred yards. Heard at least a dozen males singing in the large swamp this evening as the weather was moist and cloudy.
- July 7 Again to day, I heard, probably for the last time this year, the ka ee ka ee - of this strange bird.
- Sept. 7 To day I shot a number of these birds: it was raining fast most of the time, and the Rails rose with an ease and celerity, that astonished me. They started with a single spring rapidly doubling, and after flying perhaps a quarter of a mile, they would pitch headlong into the grass. At other times they flew in a more direct manner, with the legs drawn up behind, and the neck extended, and looking in fact not unlike small ducks. The Virginia Rails also, acted in a similar manner.
- " 12 Watched one of these birds for some time. He crossed & recrossed a small island only a few feet square, walking in a slow and pompous manner, jerking his tail rapidly, and like a pigeon, keeping his head in continual motion.

Oct. 7 Saw one to day.
 " 16 Saw one.

and several of these birds were most thin
 when seen, their fat is out.

1870

May²⁰ Heard numbers of them just at dusk. They
 have very possibly been here for some time.

1871 Oct. 21. Shot an adult male so encased in fat as scarcely to be ^{to fly} able.

1871.

April 6 (8) One was heard in the marshes by R. Dean & C. Carter.

" 19 Heard a male

Oct. 16 Six were seen, the last (R. Dean)

1868

Chestnut Sided Warbler.

159

Dendroica Pennsylvanica

May 5 Heard several males singing.

July 9 Heard a male singing to day.

1870

Sept. 16 Took one in the peculiar Autumnal plumage.

1871

May 15 A male in Cambridge. Several others seen by F. B. S.

100

Long tailed Duck.

Harelda glacialis

- 1870
Nov. 5 Two came into Fresh pond this morning in company with eight of *E. rubida*: they were quite tame and lighting by the side of a Duck just killed and down to my boat, while I
1871.
Oct. 24 scuffled up to the shore without any difficulty. A flock of seven adult birds came into Fresh pond but did not light.

1868

Black Throated Green Warbler.

161

May 5. Saw several males.

Aug. 5 Saw a male in the Franconia valley N. H.

Nov. 21st Saw one of the birds to day in a clump of Norway
+ pines.

1870

May 17 Probably arrived much sooner: saw numbers
July & Aug. Franconia notch. Quite frequent in the
spruce forest.

Oct. 1 Saw at Wattham.

Oct. 13 The last of the season.

1871

April 30 A general arrival: saw and heard several
males in Medford

18

11

1

M

C

i

1868

Nashville Warbler.

163

Helminthophaga Ruficapilla

May 5

Shot a male in a grove of Spruce Pines.

16

Heard numbers of males singing in Spruce Pine & Cedar trees.

1870

May 4th Seen to day, at Belmont Mass. (C. J. W.)

6th

Two more were seen to day.

Sept. 13

Last one of the season.

1871

Cedar bird

1871

Empidonax cedrorum

April 2 Saw a small flock.

May 7 Saw a dozen or more feeding on Hawthorn berries.

" 25 Made this appearance in large flocks

Nov. 10 Three four seen by R. Dean.

1872

Jan. 12 One in cedar grove in Belmont with three *T. migratorius*

Feb. 12 Three in Watutawon

" 18 Abundant everywhere

1868

Water Thrush.

165

May 5. Saw one to day.

Aug. 7. Heard two males singing in the Franconia Notch.

Sept. 22nd Saw one at Chumman's pond, Waltheim.

1870

May 15. Saw the first to day.

" 17. Very abundant.

Aug. 16th Saw six or seven in our garden, all the more strange, in that the season has been remarkably dry and hot.

Sept. 26. Saw the last to day; have been unusually abundant this Autumn, the more remarkable as the season has been very dry.

1871

May 16. The first in Belmont. (J. P. Atkinson)

" 17. Found them quite abundant.

" 21. Still abundant. several frequent our garden.

" 25. Saw two

Sept. 23. Two the last of the season (H. Henshaw) No date of arrival noted!

1
A
C

A
C

1
7
Sep
Ma
Sep
O

1868

Yawny Thrush

167

Turdus fuscescens

April 18 Saw several to day (Undoubtedly *T. pallasi* W.B. 1866)
 May 7 They are quite abundant now but although I have
 been in their haunts many times both before sunrise
 & after the sunset, I have not heard them sing as
 yet.

May 9 Heard a male sing just as it was getting light.

July 10 The males are singing everywhere and at all times,
 even in the hottest part of the day. It is a singular
 trait in this bird's character, that its song is seldom
 heard for a month or more after his first arrival,
 but in the hottest part of summer, when the
 young are full grown, he sings at all times of the
 day.

1870

May 18 Two at Newton

Sept 12 The last.

1871

May.

Sept 18 Took the last

Oct. 14 One was taken near Fresh Pond by J. P. Allen.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

1868

Towhee Bunting
Myrtle Gnatcatcher

169

May 5.

Saw a pair

" 16

A female was shot while in the act of building.

41

Oct. 5th Saw several and female which were all shot.

" 18

Saw one to day at Waltham.

1870

May 2nd Saw several males

April 28 Saw at Newton (C. J. W.)

Sept. 15 Saw the last.

1871

April 24 A male at Concord.

" 29

Abundant everywhere.

[Faint handwritten text visible on the right edge of the page]

1868

House Wren

171

Troglodytes Aedon

- May 5th Heard and saw many males.
- July 14th The second brood is nearly hatched and the males are singing vigorously.
- Aug. 9th The males are still singing.
- Sept. 19th Heard a male singing for the last time this year.
- " 27 Saw one to day.

1868
 123

1870

May 2nd A male was singing near the house this morning.

Sept. 22 Took the last bird of the season.

1871

April 25 One in Cambridge was seen by J. P. Allen

" 29 A general arrival; saw and heard several.

1
at
be

ja

C
M
18

1868

Green Heron

173

Butorides Virascens

May 5 Three were seen in a Pine Swamp.

June 23 Found two nests to day, both containing young apparently about a week old. The female of one nest walked slowly off of her young, and then took flight in silence, but the old bird of the second was more courageous, and lighting fearfully in a small tree almost directly above my head, walked gracefully through the branches, uttering at short intervals a succession of notes, resembling the syllable "kew" repeated four or five times, and the whole in fact so much resembled the song of the Yellow Billed Cuckoo, that I at first mistook it for that bird. The male was much more shy, keeping out of gun shot and uttering a hoarse "kaygh" very much like the hooting of the Barred Owl. The young when taken out of the nest walked with all the grace & elegance of their parents, they were of a light green color partially covered with white down.

July 11 Heard one to day. They pass over every morning to the salt marshes, ~~marshes~~ flying very swiftly with the neck lengthened out like a duck's. They always proceed singly, in this differing from the Night Herons which are almost always seen in small flocks.

Oct. 16 Saw the last one of the season to day.

1871

May 2 Saw one

" 6 Saw five all in the perfect spring plumage.

o/No

18

16

Co

To

By

M

"

"

1868

Blue Yellow Backed Warbler
Parula Americana

175

- May 6 Saw a male.
 " 24 They have not been nearly so common this year as they
 were last. Watched a female to day for some time: she
 hopped nimbly through the twigs every now and then
 darting down swiftly through the branches and alighting
 again with a peculiar jerk: ~~and~~ now and then she would
 sally out after a flying insect, snapping her bill loudly.
 " 25 Shot a female & saw several others.

1870

- May 15 Saw and heard several males.
 Oct. 6 Last of the season.
 1871
 April 30 Saw a male in our garden:
 May 14 There were seen
 " 15 ~~But~~ only one in the course of a bright morn.
 " 19 Very abundant

16
17
18
19
20

1868

Yellow Throated Vireo.

177

May 9

Saw two males to day.

July 13

The delightful song of the male vireo still be heard from the leafy arches of our forest tree.

Aug. 9

Heard a male singing to day.

Sept. 6

Heard an old male singing.

64

in several places.

1870

May 13

Saw several males.

1871

May 1

A male shot in Brookline Mass. J. P. Allen.

" 15

Quite abundant; heard several males.

1811

Bonaparte-legged Hawk
Accipiter lagopus

Nov. 8th Saw one of the A. Sancti-Johannis type flying over the mountains near Fresh Pond. Its flight was peculiar with exceedingly quick narrow flaps of the wing with short intervals of sailing.

1868

Golden Crowned Thrush.

179

Pieris Afrocapillus

May 9 Heard at least half a dozen males singing to day.

1870

May 6th One taken to day at Belmont (C. K.)

Sept. 19 Saw the last to day on a dense maple swamp.

1871

May 16 Heard a male; they probably arrived long ago.

" 17 Found them very abundant everywhere.

*Lincetia Sirex**Melospiza Lincetii*

1870

Sep. 1. 1870

Cam. Saw one taken near Tash front in
an open meadow among low bushes by St. Howard's

Oct. 8

Waterbury. Took a male in full plumage. Was
attracted to it, by its sharp angry chirp or
rather chuck, which was very similar to that
of *Junco hyemalis*. It was perched on a small
bush near an orchard, in a high open
locality, was quite tame and in general appear-
ance hardly to be distinguished from *M.*
melodia though much smaller and with
a rather conspicuous crest: both this and the
other were apparently alone.

1868

Solitary Tiro

May 4 Heard several males singing and shot one also saw a female.

June 29 A pair has bred in Clonham for several years, I watched the pair for some time to day. The female followed her mate through the thick tops of the humbercks, chattering at intervals exactly like a Yellow Throated Tiro: the male while with the female uttered a sound almost exactly like the creaking of a wheelbarrow but occasionally he would break out into his loud tweet, teew, teetee.

" 17 Heard a male of this species singing in an Elm tree which shaded the public square of Stridover Mass.

61

[Faint, illegible handwritten notes]

1870

April 26th Saw a male

Aug *Tranconia* *tritch*: saw only two during my stay: a remarkable contrast with *G. h. h.* W. H.

Sept. 28 Lost to day.

April 22 Heard a male at Concord.

Sept. 23 One by H. H. H.

10
1
No
18

1868

Wood Thrush
Turdus Mustelinus

181

May 1 shot a male.

1870

May 18 Two at Newton

1871

Red shouldered Hawk

1877

Buteo lineatus

Feb. 6th Came upon one sitting in an open water fall
 a few yards from the road where teams of all
 description were constantly passing. I drove by several
 times without his taking the slightest notice. When stopped
 directly in front of his perch he sat for several minutes looking
 at them. Finally he took flight and lit again a
 short distance off.

1877
 1878
 1879
 1880
 1881

Rose Breasted Grosbeak.
Guiraca Ludoviciana

1868

May 7 I saw a young male.

May 11 I saw a male in the
park near the house. It was
very tame and allowed me to
approach very close. It was
very fat and its bill was
very large. It was very
friendly and allowed me to
touch it.

1870

May 13th Saw a male

1871

May 15 Saw a male in Watertown,

May 16 Heard several males.

White throated Sparrow

Zonotrichia leucophrys.

1867

May 18 Shot a male: it was singing very lively
 & perched on a brush pile in a maple thicket.

1871

May 19 Shot a fine male: it was hopping about on
 the ground in company with two *Z. albicollis*
 and was quite silent. Though badly wounded
 it managed to crawl into a pile of stems and
 escape.

Sept. 2 A male in immature plum. taken by R. Dean.
 " 7 Shot a ♂ in our garden. They were both in
 the immature plumage and were in company with
 a large flock of *Z. albicollis*.

186

Warbling Vireo.

Vireo Gilvies

- May 10 Heard one singing in the top of a high Lincen tree.
- July 14 The males are still singing.
- Aug. 9 Heard a male singing.
- Sept. 13 Heard an old male singing to day.

1870

May 13th Heard several males.

1871

- May 29 Heard a male
- July 11 Quite abundant.

1870
June

Concord Mass. quite numerous breeding.

Apr
18
M
J
S
1
N
o
o

68

Lupiant Flycatcher.
Tamias Carolinensis

- May 10. Saw one to day.
 " 6 They were seen at Concord Mass. to day.
 Aug. 9 They are still numerous.

x
 Sept. 3 Saw several to day.

1870

- April 27 Seen at W. Newton (C. G. W.)
 July 28 Franconia notch. Saw them up to the edge
 1871 of the woods.

1871

May 6 Saw two males which until I had shot and
 dissected, I took to be a pair, as they kept each
 other in close company, lighting side by side, and followed
 one another in all their flights.

18
16
C
7

Yellow Billed Cuckoo

Coccyus americanus.

May 9 Heard one to day.

" 23 Something must have happened to the Cuckoos as I have
seen only two so far, and the orchards & woods should
now be full of them.

1870

May 20 Heard a male. Very scarce this year.

Sept. 26 Saw one shot.

1871

Red-bellied nuthatch

1876.

June 29th Muskogee Island. Shot a female that had ^{that season} been incubated
July 25th to Aug 13th Quite abundant at Beauvoisine

Swales: were rather silent and kept
+ company with all the small birds
indifferently; young in nesting plumage
well concealed; were not confined to any
particular species of tree but seemed to prefer the
Aug 13th Saw one adult male in Cambridge
hopping about the trunk of an elm tree.

Aug 19th Very abundant at Sky Beach. H. J. W.

Aug 30th most partial to the groves of yellow pine
hopping about in companies of six or seven
but occasionally came into the oaks
and even ventured on to the houses and
outbuildings, hopping about the eaves.

Sept 26th 9 Rather scarce at the Herks of the Tennessee
River: frequented the spruce forest in
company with the Herks &c.

Sept. Oct. to Nov. 12. Unusually abundant in this vicinity. Seen
almost exclusively in the Yellow pine groves, sometimes in com-
panies of six or seven, but more frequently singly or with the
roving flocks of *P. atricapillus*: then they so much resembled
in general color and motions as to be hardly distinguishable
when they ^{were} high up among the tree tops, like them hanging
downwards from the extremities of the branches or pinpoints
and rarely running about the large branches and trunks
in the manner of *S. Carolinensis*. Their notes, which at the
times I very rarely heard were very shrill and feeble. On
one occasion I found one of these birds a long distance from
any trees, in an open field hopping about an old rail fence.

1877

Jan. 12th Found one in a Yellow pine grove in company with
+ a number of Creepers & Titmice.

1869

- May 11 A male was seen to day.
 " 13 Saw several males.
 " 15 Saw a female
 July 14 The song of the males is now seldom heard, they
 and their young, being too busy I suppose, in
 opening pea pods, eating cherries and committing
 depredations generally.
 Aug. 9 They have not left us yet, for I heard to full,
 rich notes of a male to day.

1870

- May 11 Saw a male with a young one sitting in a
 cherry tree in a full bloom which seems
 to be a sign for the appearance of this bird.
 " 12 They seem to be all about as they
 were in the fall of the year.

1870

- May 6th One seen at Cambridge Mass. (J. A. Allen)
 " 7th Two more were seen to day.
 " 13 A general arrival.

1871

- May 9 A general arrival; saw and heard numbers
 of males. The vegetation is decidedly ahead of the birds
 this year, as the cherry blossoms are beginning to fall.
 " 12 Saw the first female.

Yellow-bellied Woodpecker.

Colaptes auratus

1870

Sept. 24th Fort St. Vrain, Colorado. Saw them nearly every day.

" 28 Camp in pine woods near Fort St. Vrain.

4871

1868

Prairie Warbler.

195

Dendroica Discolor

- May 14 Saw a male and watched him for some time. He would light about the middle of a cedar tree and slowly ascend to the top, jumping from twig to twig, occasionally stopping and uttering his song; chee, chee chee chee chee chee beginning slowly and quickly increasing in rapidity and shrillness; when the bird is near a peculiar quivering on the ear is produced by the song.
- " 16 Saw about a dozen males in an old pasture overgrown with cedar trees & barberry bushes; they spent most of their time in the cedar trees but ~~sometimes~~ often descended to the low bushes, and occasionally to the ground itself. Sometimes they would chase each other through the tops of the trees, clucking meanwhile almost exactly like the Field Sparrow. They seemed to be all males.
- June 27. Heard several males singing.

1870

- May 17 Found them unusually abundant.
- Sept. 22 Took a single specimen among barberry bushes.

1871

- May 17 A general arrival, saw numbers of males in. P. etc.

American Woodcock.

1871

Philotula minor

Nov. 3 Started five at Concord Mass. among the birches.

" 10 Flushed single bird, a very small male, in Wetmore on a birch hillside: sportsman says that the call note of the flight is always composed of small bird. Saw no many more that I am convinced that there must have been quite a flight in the last few days.

Dec. 13 Shot the last a very small male bird, which we started in a small scattered ~~wood~~ ^{brush} ~~line~~ ^{after} daybreak: it had evidently dropped in from the North as there was only one patch of ~~white~~ ^{white} wash, on the ground where it had been sitting and ~~upon~~ ⁱⁿ ~~direction~~ ^{direction} we found its stomach entirely empty: it was however in good flesh though not fat, and ~~rather~~ ^{rather} ~~hardly~~ ^{hardly} as it rose. The country has been frozen up here for weeks and the mercury for days in succession has fallen to 0°.

1868

American Bittern.

197

May 14

Heard one in a large meadow.

" 16

I shot a male. It was standing erect in a

X

meadow and every few minutes it would stretch out its neck and drawing in its head suddenly, would throw it out again with a jerk at the same time uttering its peculiar "pump-kle-unk"; this it would repeat several times and then stand erect as before. Upon being approached it crouched in the long grass.

Oct 7

Shot one to day, the last of the season.

" 9

Heard one in Northam

" 11

Heard one in Northam

Oct. 5

Shot one at Concord Mass.

1870

June 27

Heard the "stake driving" of a Bittern across the widest part of the bay a distance of at least a mile & a half (St. John's Bay.)

Sept. 2 to 10

Took 12 Kennerly. very common on all the ponds and streams. Very tame and when fired at out of range frequently would not move when among long grass usually squatted at our approach. Found them very good eating.

Nov. 3

Took the last. Wing broken & only, it defended itself with the utmost fierceness, ruffling up its feathers, opening wide its mouth, and uttering cries or rather roars, so loud that they could be heard for nearly half a mile. When placed near the edge of a large pond it walked slowly along the shore a short distance, then wading ~~out~~ into the water struck out boldly, tossing over the waves, and swimming in a most un-Herodotus manner: it proceeded several hundred yards in this way but finally returned to the shore again.

1871

April 12 Started out on Rock meadow, Belmont.
" 22 Saw them at Concord
Oct. 4 The last on Concord river

9
18
Ma
18
Ma
Sep

Trochilus Colubris

- May 15th Saw several: noticed a male pursuing a Chipping Sparrow; the latter soon got weary of it and lit in a pear tree but the Hummingbird still continued the assault expanding the feathers of its throat and darting about the head of the other: the Sparrow took it all very coolly apparently regarding its small opponent with extreme contempt. The cherry trees are in full bloom which, I have always noticed, is the signal for the reappearance of this bird and indeed all that I saw today were in or about the cherry trees.
- July 10 Saw one today, poised in front of a flower.
- Aug. 8 Saw a young bird of this species.

July & Aug Found them very common at Gosham N. H. They affected the most sombre depths of the mountain forest, and were equally abundant along the edges of the clearing, where they found food in the numerous species of wild flowers.

1870

May 14 Saw a male.

Sept. 19 The last

1871

May 18 Saw two: and unusually late this year as the cherry blossoms are all down.

1871

May 18 Saw several

Sept. 17th Saw the last.

1868

Red Eyed Vireo.
Vireo Olivaceus.

- May 16 Saw and heard a number of males
- July 14 The males are still singing vigorously
- Aug. 7 Heard several males singing in the Franconia notch.

1870

- July & Aug. Franconia notch. Very abundant.
- Nov. 2 Took the last of the season in Watertown

1871

- May 21 Heard a male in our garden.

[Faint, illegible handwriting]

1966

May 10 *[illegible]*

1967

May 21 *[illegible]* in orchard just over garden.

1868

Scarlet Tanager.

Pyrranga Rubra

May 16

Heard several males singing.

Aug. 5

Saw a male

1870

May 20

Saw a male.

Sept. 26

Saw the last of the season; saw them frequently since the 1st of this month in the dark shaded thickets near Fresh pond where with many other birds they came to feed on the berries of the nightshade.

1871

Hudson's bay Titmouse

Parus Hudsonicus.

1870

Oct. 27, Concord Mass. Took ^{up} as single specimen the first for the state. It was accompanied by one or two *B. atricapilla* only, although only in ~~the~~ neighboring pine & woodland I met with a large company of *P. atricapilla*. Then it precisely resembled in general notions and in the only note I heard, a low fee de de uttered in a drawing, pensive tone; it was however at once distinguished from them, by the absence of the black cap which forms so striking a feature in the plumage of that bird. The locality was the edge of a piece of second growth Oak & Pine, ~~the~~ in extent.

1868

[Maryland]
~~Delaware's~~ Ground Warbler
 [Geothlypis trichas sw.]

205

May 16

Shot a fine male. I found it in an old vine on a rocky hillside in Lexington. I was first attracted by hearing its ~~trill~~ which differed considerably from the chuck of the Maryland Yellowthroat. Upon following up the sound I soon perceived it hopping nimbly through the bushes; it soon passed on to another clump jerking its tail as it flew and lighting on a low bush I shot it.

" 25

Shot another male to day. I found it in a low vine where it hopped among the roots of the trees almost like a mouse. It was very unsuspecting & permitted a near approach.

" 26

Saw one building to day in a ground juniper; it was collecting the barks of the red cedar and as far as I could see, was a male, for it had the black dash under the eye.

1
116
J
C
A
48
M
M
M
"

1868

Tight Hawk.
Charlton's Pipit

May 2d

Heard two.

" 28

They are now quite plentiful. Saw several males diving down and making the humming noise common to them in the breeding season.

Aug. 7

Saw one near Plymouth N. H.

Sept. 19

Saw one this evening.

" 26

Saw several.

Oct. 5

Saw one.

89

Aug. 31st

Saw numerous small flicks passing Southward just at dusk.

1870

May 13

Saw at Newton (C. J. M.)

1871

May 22

Heard several at Concord.

" 26

Saw numbers flying about just at dusk

x

1870

May 21st Heard a male

Oct. 1 Saw one: have been ~~very~~ abundant in the swamps around Fresh pond. Looked several so very fat that the grease exuded from the skin holes and spread over the white plumage.

1871

Black Poll Starling.

209

- Sept 3rd Saw several, then during the day and shot three, one of which was a female.
- Sept 17th Saw numbers in the Autumnal plumage, and took several.
- " 24 Saw numbers and took several.
- Oct. 1st They seem to have all passed by.
- Nov. 6th Saw one to day.

1870

- May 17th Saw a male.
- " 21 General arrival.
- June 12 Saw one to day in Cambridge.
- Sept. 12 Found them abundant; were seen as soon I think as the 8th by J. C. Henshaw.
- Oct. 12 Their numbers are beginning sensibly to decrease.

1871

- May 17 The first of the season, a fine male.
- " 20 A general arrival.
- " 26 The height of the migration: took sev. ♀ in Autumnal plum.
- " 28 Heard only one to day.
- Sept. 5 Heard several times this evening the faint chirping note of this bird passing over, the advance guard of the migration.
- " 13 Saw two and shot one, in the marsh swamp.
- " 16 So now getting abundant.

18
6/10

18
10
10
10
10

Cape May Warbler.

Dendroica Tigrina.

1868
 May 25 One was seen to day in a thick growth of young pines interspersed with a few deciduous trees; it was observed to pursue several insects on the wing.

1869

May 1st As I write, a beautiful male of this species, is hopping nimbly through the branches of a cherry tree within a few feet of the window, and were it not Sunday it might fare hard with the little fellow. In motions he resembles most of the Dendroicae, now launching out after a passing insect, and returning with a quick flit of his full-spread tail, now descending almost to the ground, and, alighting against the trunk of the tree, ascending again by quick sidelong hops, searching (thoroughly, the bark, for any concealed insect, and anon pausing an instant to repeat his simple song (a rather feeble *schu, schu, schu*, rising quickly and ending abruptly, in fact more like the song of the Redstart than any thing else). Occasionally like the Baltimore Oriole, he passes from blossom to blossom, bending forward stiffly, and sucking the honey from each, and this habit I never noticed in any Warbler before. Since I wrote the last he has commenced to sing much louder and bolder, and his song now comes pretty near that of *Mniotilta Varia*. I have repeatedly driven him away from this particular tree but he still persistently returns, although dozens of the same species are within a short distance.

He remained all that day in the nest in the tree.

1870

May 21 Saw a male.

1871

May 25 An adult female was taken in Cambridge to day by B. Deane: it was in company with a male *D. maculosa* in a thick spruce tree near a garden.

[Faint handwritten text, possibly a page number or date]

[Faint handwritten text, possibly a name or title]

[Faint handwritten text, possibly a list or notes]

Black Throated Blue Warbler.

*Dendroica caerulescens*May 25
June 7

A male was seen.

A male was seen at Portland Me.

Oct. 5th

Saw one at Concord Mass.

1870

May 16

Concord: two males taken (H. Henshaw)

July & Aug.

Franconia notch. Very abundant; young just
 able to fly Aug. 1st males singing as late as
 early Oct. The young and adult males always
 went in little companies by themselves, the
 females keeping in small separate groups. ~~one~~
 never did I find them together except on one
 or two occasions when they were mixed in
 with several hundreds of Warblers & Sparrows
 that formed one of those great companies
 roaming the wood at that season and locality.

Sept. 19

Took a male; Sept. 28 a female; Oct. 12 a male.

Oct. 13

The last of the season; a male.

1871

May 15

A male singing in Watertown.

" 17

Took a female.

" 19

Saw two males.

" 22

Took the last a female.

Sept. 27

Took a male in a pine swamp.

1868

Indigo Finch

- May 13 Saw 1 male.
- July 20^x Heard a male singing loudly & vigorously.
- Aug. 7 Heard several males singing near Plymouth N. H.

1870

- May 21 General arrival.
- July 28 Franconia notch: saw them all the way up the valley to the edge of the woods.
- Sept. 22 The last

1871.

- May 21 Heard a male in Cambridge Port.
- " 22 Abundant way down
- Sept. 29 Took a young o the last.

Leach's Petrel

Pterodroma Leachii

1874

Oct. 8 I shot a male on Fresh pond, probably the
 first ever taken in N.S. It came in just as the
 day was breaking and after flying low over the surface for
 a few moments lighted and immediately began plucking
 itself and dipping the water. I scrambled up to it without
 any difficulty and shot it on the water.

1868

Olive Sided Flycatcher.

Contopus Borealis

- May 23 Saw a male today: he was very shy and perched
 only on the tops of some very tall, dead, Sycamores,
 calling out every few seconds *pe-lee*: this, heard above
 the rushing of a brook over which he was sitting, sounded
 very sweet & plaintive. When near him a shrill *pit*
 could be heard before each call.
- June 16 Found two nests today: The first was built on the
 extremity of an apple tree branch; the other on the
 horizontal limb of a spruce pine. The females of both
 nests left them before I got under them, and
 sitting on some dead branch near uttered in a
 complaining tone, notes resembling the syllables
pill, pill, pill, and occasionally varying it to *tu,*
pu, pu, described by Audubon. The males were
 very quarrelsome chasing the Grackles, Robins,
 &c. from the vicinity of ~~the nest~~, and once I saw
 the female leave the nest, and chase a Crow for
 nearly half a mile. Sometimes when the mated birds
 would seem to fall out with each other, and would
 fight fiercely for several minutes. The females were
 rather shy, but the male of one nest, showed great
 spirit, darting down around my head and
 snapping his bill fiercely.

17 Found a nest today.

18 Found a nest today.

Found it one of the commonest in the
 hills of the Houghton Park. The
 female parents seemed to be very
 of the mountain stream down the side
 of the tree was changing which I saw
 constantly. I saw many
 insects. Occasionally a pair of
 whet, passing, but rather
 a very twitter and then
 at the light field, then

213

1874

[Faint, illegible handwriting]

[Faint handwriting on the right edge of the page, including the number 16 and the word "Mac"]

1868

Wilson's Black cap Flycatcher.

Myiodytes Fusillus

May 25

Shot a male & saw about a dozen others. They were exceedingly active, hopping nimbly through the branches and every now and then pursuing a flying insect. Their song was low and fall, and somewhat resembled that of the Yellow Crowned Warblers.

" 31

Saw several at Concord Mass: they were in company with several Black bell Warblers nimbly pursuing their insect prey through the blossoming apple trees.

1870

May 11 Saw a male.

" 20 Took three males. Their song was very like that of *Seiurus bairdianus*, though perhaps rather fuller.

1871

May 48 Saw one; these were seen in the swampy H. Ken.

" 25 Took the last a female.

pu
10
A
a
u

1868

Whige - Poor, Ill.

221

May 28 Saw a pair on a rocky hillside, among a second growth of oaks; they were comparatively shy rising ~~at~~ about thirty or forty yards, and mounting immediately to the tops of the trees; while flying, the male was quite conspicuous on account of his white tail feathers.

July 28^{*} Heard a male singing at Plymouth N. H.
1871

April 30 Heard the beautiful note of the male in a garden in Cambridge this morning.

808

Mourning Warbler.

June 1

A male was shot to day near Northend, Maine. It was found in a clump of evergreens growing on an elevated cliff near the sea.

It will probably be the same as the one seen at Northend, Maine, in the autumn of 1887. The male was shot on the 1st of June, 1888, at Northend, Maine. It was found in a clump of evergreens growing on an elevated cliff near the sea.

[Faint handwritten text visible on the right edge of the page, including words like "Ac", "Al", "C", "M", "O"]

1868

Black & Yellow Warbler.

*Dendroica Maculosa*May 31st

They were seen building at Portland, Me. Last year they were quite numerous here but this season I have seen none.

Aug. 1

Saw a male feeding a young bird in the Franconia Valley.

1870

May 20 Several males

July & Aug. Franconia notch: quite common; took the young in this first plumage

Oct. 1 Saw one.

1871

May 17 Saw a fine male

" 19 Saw a male.

" 25 A male was seen. (B. Deane)

Sept. 21 Took one in the immature plumage

" 30 Five were taken in the first plumage, in company with *D. striata*, and all in immature plumage

AM
18
18

18
18
18
18
18
18

Meropodites Canadensis

May 30

Numbers were seen at Fort Howard, N. H.

Aug. 1

Saw a male accompanied by numerous females & young, in the Franconia Notch N. H.

1870

May 20 Shot a male.

1871

May 19 A general arrival: saw several males.

" 21 Saw one.

" 27 A male in full song in our garden.

Sox-colored Sparrow
Passerella iliaca

1871

- April 13 Saw the last, a single bird to day.
 Oct. 1 Saw a single bird
 Nov. 3 They are now quite abundant.

1872

- April 2 Single bird in flock of Junco hyemalis
 " 22 Have now probably all gone. Saw only them or four
 the whole time about Cambridge & heard only one or two
 A few were seen at Grantville by H. W. Hubbard!

1868

Great Crested Flycatcher.

Majiarctus Crinitus

June 1 A pair was seen at Portland Me. & the
+ female shot.

1870

June 9

Concord Mass. Took a pair; the female was
on the point of laying her first egg: male quiet
tame, and silent: female very shy and wary,
keeping out of sight among the thick foliage
of the scrub oaks where I found the pair, and
reiterating in an angry tone a note much
resembling that of *Merula Swainsoni*.

Sept. 22

Took a young bird in very ragged and im-
perfect plumage near Fresh Pond in an
apple orchard: it was in company with a
number of *S. sialis*, perfectly silent and
so very shy that it was a long time before
I could get within range.

Long-eared Owl

Otus Wilsonianus.

1870

Sept. 5 Fishing pond, Nc. saw one that had been killed in the vicinity.

" 20 Found a pair in a small swamp near Fresh pond: were quite tame permitting an approach to within a few yards, then flying a short distance would alight on some low branch, when sitting their motions were like those of *B. nebulosus*, quickly turning their heads at every sudden sound, then closing their eyes and apparently dozing. The peculiar color and arrangement of the feathers of the face, causes them to present a wild alien or a most imp-like appearance.

1871

Nov. 30 Shot one near Fresh Jr. and have now no doubt of their wintering.

1868

Common American Coot.

Fulica Americana.

- June 3 Saw one on a small pool near Fresh Pond. It swam silently out of the bushes, and then remained motionless on the water, scuffling one; and once it rose on the water & flapped its wings like a duck.
- Sept. 19 Saw the first one this morning. While standing on the margin of a small, narrow, pond, I heard a scuffling sound similar to that produced by the common, domestic hen, but much harsher, and in a few moments the Coot, hearing an answering note from the upper end of the pond, rose with a heavy whirring sound, and joined its comrade.
- " 25 Shot one on Fresh pond.
- " 31 Saw one light, just at daybreak, almost in the centre of Fresh pond, & scuffling out to it, I shot it.
- Oct. 8 Saw one on Fresh pond.
- " 13 Shot one on 'the pond'. It came in readily to my tame decoy.
- " 16 Shot two on Fresh pond this morning: they were swimming quite near the shore, and only one was killed at the first shot; the survivor however after flying off some distance returned and alighted near its companion when I secured it with the other barrel. Being only wing broken I determined if possible to secure it alive, and after chasing it about for some time I managed at last to catch it. It swam quite fast, & when hard pressed, it would dive, and swim under the boat at the distance of about eighteen inches below the surface, on such occasions making use only of its feet in swimming. When captured it bit and scratched furiously, but when let loose in the boat, it became quite calm, & began picking up small pieces of clay & other substances.
- " 27 Shot the last one of the season to day. It was swimming through the bushes on the edge of a small pond.

1869.

Oct. 5 Took a fine male of this species at Corner to Mass.

1869

Oct. 14 Took a pair of immature birds, on Fresh pond.
 " 15 Took three on Fresh pond this morning. They
 were quite shy of my boat rising out of range,
 but going on shore, I walked up to them with-
 out any difficulty.

1870

Sept. 13 One taken on Fresh pond.

Nov. 9 One came into Fresh pond this morning and after
 being chased about all day was finally shot. This
 bird acted in a most strange and unique manner (for a Coot)
 For the first place contrary to their usual custom it lit near
 the centre of the pond, where several of us chased it about for hours
 sometimes flying, then diving, with all the ease of a sea
 Duck and submerging several hundred yards under water
 it escaped all the pursuing boats, with ~~us~~: frequently
 we lost sight of it altogether for ten minutes or more, then
 it would reappear a short distance off treading lightly over
 the waves. Finally late in the afternoon, it took a long
 flight & settled on a high bank near the waters edge
 then ran across an intervening strip of land to a small
 pool where it was shot. It proved a very old, high plumage
 bird. Earlier in the season these birds were quite frequent
 on "the pond", coming in singly or in pairs at daybreak,
 lighting near the shore, and unless shot, remaining
 through the day, in company with the tame Ducks
 feeding near the shore the margin of the water. They were
 usually quite tame and easily approached and shot.

1871

Oct. 6 Took the first ever shot on Fresh pond, Oct. 7 & 8
 specimens were also killed, after that no more were seen.

Peters's Sparrow

July 7 Saw a male & several females at Springfield, Mass. The male kept in the top of a large tree on the skirts of the city, & sang almost exactly like the common Purple Finch.

July 20 Saw an old male accompanied by a female & several young in Belmont, Mass. They in company with a few Baltimore Orioles were hopping about in search of food in a newly-sown field.

Wilson's Snipe (contin. fr. pag 6.)
Gallinago Wilsonii

1871

April 26 Beat the Concord meadows carefully and started only one bird

May 1 Four were found on the Fresh pond marshes. One of them shot by Mr. J. Vesbit. These were the last of the season. The flight has been in this section of the country unusually large this year, commencing early and lasting longer. We found ~~our~~ best sport at Concord although we tried Southam and other noted localities. The Concord meadows are very large, extending for miles on both sides of the river and offering every attraction for the birds. At this season they were covered by a short growth of green grass, and being almost perfectly unbroken by mounds or tussocks, the birds were invariably very wild, rising out of range, until driven back into the runs or broken ground on the edge of the meadow where they frequently lay like stones. Several singular tricks of this bird were observed. On one occasion we started one that pitched near the edge of a broad ditch entered the water, swam across and walked into a thick birch cover on the other side; upon seeing in the dog it would fly a few yards with dangling legs, then drop to the ground and run over the leaves like a Sandpiper without in the least attempting concealment. When we finally did succeed in driving it out it took a long flight across the open and pitched into another thicket of birch and scrub oak; here putting it up again it soared directly up like a Woodcock and was shot as it was tipping a high birch tree. On another occasion, while walking up along the side of the river where the banks are high and dry, we came late in the afternoon, to a small promontory of perhaps a few rods square, stretching out into the river, with a surface broken into mounds and with hillocks. When nearly opposite this, two birds started from the edge of the water, and flying across

Cistothorus Stellaris

- May 20 Heard several males singing to dawn. They spring to the top of a reed and with tail erect pour forth their strange song: this is varied; sometimes, chip, chip, chipper chipper chip, but more commonly however chip, chip tr tr tr or ending precisely like the song of the male Swamp Sparrow.
- June 27 Watched a male for some time, which was amusing himself by building a nest on "his own hook".

1870

- May 11 Heard a male
- " 24 " several.
- Sept. 19 Took the last

1871

- May 11 Heard a male on Rock meadows, Belmont.

Wilson's Snipe (Cont. from p. 234)

hit upon it. Upon going to the spot we flushed eight the first rise, and four or five more the second. After then we killed them or four and marked the remainder down in the next meadow: following them we found that the meadow was absolutely alive with birds and we had good sport till dark. Monday two days after this we visited Concord again and went immediately to the little promontory where we had such luck before, but neither here nor in the meadow above could we start a single one. We then went down to Great meadows where we had fair sport through the day, returning in the afternoon it occurred to us to try our old ground once more and scarcely had we entered it when six birds jumped up and in a few moments four more: following them into the meadow above, what was our surprise to find that also full of birds, starting in a few rises twenty five or thirty; all then we marked down across the river and in going back to cross the bridge happening to pass the promontory again we got some six or eight fresh birds. The next day we visited C. again and but this ground again the first thing in the morning without success, but an accident compelling us to take the noon train home, we were unable to visit it in the afternoon, when however I do not doubt we should have found it stocked as before. All these days were warm, sunny and perfectly clear. Now when came these extraordinary numbers of birds? we could not have driven them up from the meadows below as we secured nearly all that we saw there, and none of the survivors flew in that direction. Neither could they have been driven in by other sportsmen, as there was no shooting on any of the river meadows on either day, and there being no other Snipe grounds for miles. Another remarkable fact was that in neither

1868

Long Billed Marsh Wren.

Cistothorus Palustris

- July 15 I saw several of these little fellows to day for the first time. In habits they are precisely similar to the Short Billed species; they have the same lively, saucy, air; the same irregular, jerking flight; the same scolding chatter when the nest is approached but their songs differ widely, the love notes of this bird being much more harsh & rolling than those of the short billed cousin. The nests of which I found several (all however false ones erected by the male probably to lead the intruder away from the true nest) could be seen at the distance of several rods as all the reeds adjoining the nest were so drawn over and around it that they only rendered it the more conspicuous. The male scolded furiously whenever I approached any of the empty nests; the true nest I could not find.
- " 25 Found a number of nests that appeared to be fresh and as the meadow in which they were built was small I immediately set about searching for the nest which should contain the eggs or young of the cunning little fellow, as the case might be. After a most careful search I discovered the genuine nest, containing five young newly hatched, and an egg. This nest was built among the thickest & tallest meadow grass, and was placed so much lower than the others, that I found it only by accident.
- Sept. 19 Heard several young males attempting to sing.
- " 25 Saw several.

1870

Sept 24 Found several.

Oct. 21 The last of the season: had much trouble in finding.

it as it would rise directly under my feet and fly
but a few yards at a time. frequently my dog would
"stand" on it, and when ordered to "fetch" it, almost
catch it in his mouth as it skulked among the stems
of the tall, rank reeds.

1871

1868

Common Crossbill

230

Curvirostra Americana

- Aug. 6 Saw large flocks of these birds among the Franconia Mts. They were flying about in all directions just above the tops of the forest trees, but nowhere did I see any perched.
- Oct. 7 Saw several in this vicinity.
- " 10 Saw several.
- Nov. 6 Saw several in company with a few of the White-winged species.
- " 7 Saw one this morning.
- " 13 Saw a small flock of these birds in Waltham, about half of them males and the remainder females, hopping about on the ground in a stubble field, like so many sparrows.
- Dec. 12 Shot a handsome male and saw several more.
- " 26 Saw several.

1869

- Jan. 31 Saw a large flock.
- Feb. 24 Shot a fine male & saw several others.
- " 27 Saw several.
- Mar. 18 Saw one to day.
- " 28 Heard one this morning.
- April 14 Saw a small flock.
- May 11 " " "
- " 21 " " "
- " 21 " " "
- " 3 " " "

1870

- July 25 Saw a flock of four in C. ...
- " 28 to Aug 13. Very numerous among the Franconia Mts. In company with *C. leucophaea* were continually flying about and lighting on the spruce trees high up on the mountain sides.
- Oct 22 to Dec 31. Very abundant in vicinity of

Cambridge. The first two or three
 weeks very restless, always flying about
 and never apparently lighting anywhere.
 Took in Oct. to the ground of yellow
 pine: very tame and silent feeding quietly
 on the seeds of the cones and seldom stirred
 at the report of a gun fired directly under
 them: at times while feeding kept up a
 musical, chattering, rattled each other,
 like *Spiz. monticola* under similar circum-
 stances. Only other sound, a loud, clear,
 call note. Males and females about
 equal in number. Seldom though occasion-
 ally were accompanied by *C. leucophaea*.
 Rarely observed in flocks of over twenty: noted
 also that the same flocks were found
 in same place day after day but if all
 killed, no others would take their place.
 Saw one on one occasion (Dec. 27) saw a pair
 feeding on the ground in company with
A. linaria: were evidently misled as I thought
 great distress when the *A.* was shot, and
 would not have the spot.

- Jan. 12 A flock of twenty or more. Jan. 27, two males.
 Feb. 2. Feb. 22 two on Yellow pine at Concord, Mass.
 May 1 Saw a small flock in Watertown.

1868

Great-Horned Hawk.

Buteo borealis

Aug. 5
x

Saw several among the Franconia mts. They were remarkably tame & unsuspecting, allowing an approach to within twenty yards distance and in one instance a bird of this species followed me for some time alighting directly over my head and uttering his shrill he, he, he, he.

1870

Sept. 1 to 9

Very abundant at Forks of Kinnick Haines. Remarkably tame and shot without any difficulty. When startled from the ground they often sit wildly by the light and light and at "start."

1871

Sept. 16

One was shot near Fresh pond by Mr. Deane.

Wilson's Snipe (Cov. p. p. 286)

place did we find either birings or munting
of the birds; this showed conclusively that they
were not in the habit of feeding there, otherwise
these signs would not be wanting, and both
meadow and prairie were well adapted
to furnishing food for such a bird as a Snipe
being both of the same character, dry and
covered with billocks.

Oct. 16 Four were shot to day on the Fresh pond marshes,
two were heard passing over on evening in the latter part
of Aug. by R. Deane & lost through Sept. the weather was
so dry that only a few stragglers were observed. A flight
commencing to day lasted till about the 30 Oct.

One day Mr. J. Nesbit with his brother, killed down birds
on our marshes. While on a visit at Centerville Cape Cod
I was assured by several old and reliable sportsmen
that this bird winters there regularly in considerable
numbers, living in springy places on the edge of
the salt marshes

1872

Apr. 6 One near Goswold, R. Deane.

" 7 One by Nesbit

" 9 Saw on at Goswold.

" 13 Four by Nesbit

" 16 Snow and rain storm & fresh a m. J. Snipe, 14 seen
by R. Deane.

1868

Semipalmated Plover.

243

Actitis semipalmatus

Aug 14

Saw a large flock of them at Pige Beach to day. There they were abundant till the 1st of Sep. when I left. They associated with the Peeps and Sandlings, and were found in equal numbers both on the sea beach and on the marshes. Their motions were exactly similar to those of our Common Robin; advancing by short runs they always stood erect, and pausing an instant, they would bend forward quickly; and pick up something, and then advance as before.

1869

Sept. 20th

Saw a large flock of these birds at Thurman's pond, Waltham.

1870

Sept 24

Saw four at Long island, Boston harbor.

~~May 25~~

May 25

Heard several on Charles river

3
Ar
18
pa
Ar
0
1

368

Red Breasted Tropic

245

Macrorhamphus Griseus

Aug. 15 Shot six to day. They flew in small flocks, and I called them in with the greatest ease, by employing the whistle of the Yellow Legs.

1870

July 11 Saw several flocks at Spruce. They
x gunners then said that there had been a
small flight for several days.

Aug 13 to 31 By beach. The flight had entirely passed
by did not see a single bird.

1871

12

09

15

g

18

1

10

1868

Pectoral Sandpiper.
Maculata

247

Aug. 15th Saw numbers to day at Rye Beach. Their flight was rapid and their call notes harsh and low. I found them generally either single or in pairs although they were sometimes found in company with the Yellow Legs. Upon being approached while on the ground they would frequently squat flat like the English Snipe but they were quite shy. I never saw any of them on the beach. By the 1st of Sept. they had become quite numerous.

1869

Aug. 21-28 During this time I found it sparingly at Rye Beach N. W. although the great flight undoubtedly passes much later.

1870

Aug. 13th to 31 Rye beach. saw them every day. They were singly or in twos and threes, sometimes in company with *H. minutilla* but were commonly separate: affected the marshes never feeding on the sand beach.

1871.

10
the
a

Sep
18
Aug

18
No

In
C

A
N
u
na
be
m

1868

Yell Talc Godwit

249

- Aug. 16 Saw the first one to day at Rye Beach. By September they became much more numerous keeping company with the Common Yellow Legs but they were much more shy than that bird coming up to the decoys with less readiness and being whistled in with more difficulty. They were called Winter Yellow Legs by the gunners as they saw that they remain in that vicinity until very late in the autumn.
- Sept. 15th Shot one to day near Fresh Pond.
- Oct. 10^x Saw two to day.

1869

- Aug. 24-28 They occurred sparingly during all this time at Rye Beach N. H.

1870

- Nov. 30th A flock of six was seen to day in a fresh water
x meadow at Newtonville Mass. (C. J. M.)
- Aug. 18 to 31 Rye Beach: common as usual.
- Oct. 21 Saw the last of the season on Fresh Pond.

1871

- April 29 One was seen at Concord
- May 6th, 7th, 8th. Large flights passed over. But nine marked and numbers were killed by the gunners. At this season they differ in plumage from Autumn in being more marbled above and with larger and more numerous spots on the under parts.

1/2

At

00

1.

Ref

A

1

1868

Great Northern Diver

Aug. 16 Saw several at Rye to day but as late as the 1st of September they had not begun to fly regularly.

Oct. 3 * One was seen on Fresh pond this morning.

1869

Sept 11 - One seen at Rye. It was seen at Rye on the 11th of September. It was seen at Rye on the 11th of September. It was seen at Rye on the 11th of September.

1870

Sept 26-10 Forks Kennebec. Common in all the neighboring lakes: we heard them at all hours of the night and but seldom in the day time.

Nov. 23 One came into Fresh pond this morning and after plucking and washing himself for an hour or more, flew out.

1871

10

Ar
o

24

~~Ar~~
Ar
11

1868

Solitary Sandpiper.

253

Aug. 17 Shot one to day and found them very abundant on the open marshes of Rye during my whole stay. They were almost invariably found in pairs and their call notes were precisely similar to those of the Spotted Sandpiper.

Sept. 21 Saw one flying.

[Faint, mostly illegible handwritten notes, possibly bleed-through from the reverse side of the page.]

Aug. 1870
Aug. 2 *Tranconia notch.* While fishing on Profile Lake saw one of these birds, standing on an old log, remain perfectly motionless for three hours, and apparently asleep: early in the afternoon

it had swooped down to the cabin, with fixed wings, from a vast height, and ^{quite} expanded suddenly, at once assumed the above position.

Sept. 26/10 Fort's Kemmber, saw single birds occasionally.

1871

May 15 Saw several.

Oct. 4 One in small pond in the wood at Concord, the last.

1868

Least Sandpiper

255

Actodeonectes macrilitta

- July 16 Saw three to day for the first time this summer.
 " 17 Shot fifteen to day on a salt-marsh. Their flight is very swift and irregular and their call note a soft mellow tweet.
 Aug. 19 They are very abundant at Bye Beach but nevertheless there are certainly three Semipalmated Sandpipers to one of the present species.

1870

- July 11 Saw several large flocks of either this or (*C. semipalmatus*), at Spinnich Mass.
 Aug. 13 to 31 Bye beach. quite common going in flocks of a dozen or more in company with *C. putrescentia*.
 Sept 21 Saw a large flock on Charles river

1871

- May 13 A flock of thirty or more was seen. H. P. Russell
 " 19 Found large numbers on the Charles river marshes. they kept for the most part alone, though I saw one flock of a dozen or more. lay quite close in the long grass like so many *Gallinula*.
 " 28 Still abundant.

1868

Semipalmated Sandpiper

257

Aug. 17 Shot the first at Bye Beach to day. They were very common there, indeed much more so than the Least Sandpiper. They were found in equal abundance on the sea beach and on the marshes. In their habits they were almost precisely similar to the Least Sandpipers but their notes differed widely, being harsh and low. They were quite playful some chasing each other along the water edge and uttering a twittering chatter, different from the common call note.

1870

1871

Little Ark
Mergulus alle

Nov. 15th The whole country along the East coast was to day alive with these birds. A heavy gale from the East prevailed all day, with driving sheets of rain, and the highest tide that I had occurred for five or twelve years. Driven by the fury of the elements they sought refuge in the fresh water ponds & rivers of the interior, and many fell exhausted in the fields & meadows. In Fresh pond they were killed by dozens, some in usually in two's & three's more rarely in flocks of thirty or forty. They were very tame though sometimes restless; several were killed with the ears & some taken alive & unhurt into the boats. They floated very lightly on the water, frequently were seen to flap their wings, even continually dipping their feathers frequently turning nearly over on their backs, when shot, ^{held the} ~~incredible~~ rolled completely over & floated with the white breast up. When fired at & rising they usually rose on wing and removed to the other end of the pond; when one was shot in company with ^{one or two} others they usually dove rising within a few yards of the place, but a large flock ~~which~~ find into usually left the pond. Their power of diving so far as we observed was very limited as they neither remained under very long, nor proceeded far beneath the surface. Their flight was slow and rather labored bearing a strong resemblance, as several noticed, to that of the Noddycock & they rose from the water with but little difficulty. On Charles river in Cambridge they swarmed & many were killed on Mystic pond, Arlington, hundreds were seen, on Punkapoog pond, Canton, they were shot in numbers and seen even found swimming in a pond in a farmers barnyard; they were taken up the Merrimac river as far as Lawrence, on Cochituate lake & in fact on nearly every pond & river within twenty miles of the coast. On Concord river at Concord, they occurred in large flocks very much exhausted and

1868

Sandling Sandpiper.

259

Aug. 18 Saw the first one at Bye to day and they were quite numerous during all the time that I was there. They were found invariably on the sea beach never visiting the marshes.

1871

N. alle (from p. 258)

Some were seen alive as late as the 19th while many were picked up dead. On Irish ground several specimens shot the 16th, 17th were found filled with small Alewives that they had eaten. Only one out of twenty seven that I examined had any fat on its fish, while many were quite incipitated.

1868

Turnstone

261

Sept.

Aug. 19

Shot a very handsome male at Tye beach to day from a large flock that came up to my Sallow Log decoys but this is the first time that I ever heard of their visiting the marshes. They frequented for the most part pebbly beaches where in company with the Peeps they searched for their food. Their flight was very rapid and direct and on the wing their varied colors were very conspicuous. Upon the ground they moved almost exactly like the Peeps with which they kept company. The only note that I ever heard them utter was a rolling whistle.

1871

16
A

J

1

1868

Piping Plover.

263

Aquialitis Melodus

Aug. 19 Saw two on the beach to day. They kept company with the Peeps and Ring necks, and their habits were so precisely similar to those of the latter bird, that they can be distinguished from them only by their color, but unlike them however, I never saw the Piping Plover on a salt marsh. (Bye Beach)

1870

July 1 Muskeget island. Common breeding.
" 11 Ipswich Mass. Very common breeding on the
* sand hills

1871

1
A
18
fi
10

1868

Bonapartes Gull.

265

Aug. 19 Every day I noticed them passing steadily over the sea in a southerly direction at a distance of about a mile from the shore. In stormy weather however they passed closer in and frequently lit on the beach. Their flight was very even and regular, and they seldom paused or turned aside.
(Bye Beach)

1870

July 11th Saw a small flock at Sprinwick: just the
1871

1868

1 1/2 1/2 1/2

Aug. 20

Was present at the shooting of this bird. He was walking along the margin of a freshwater pond at Rye Beach, and in movements and general appearance while alive he bore so great a resemblance to the common Yellow Legs that I mistook him for that bird.

1869

Aug. 24

Shot a number of this species at Rye Beach. It was shot in the shallow water of the pond in a very deep mud, common to the pond. It was very fat, and the wings were very dark. It was a very fat bird, and the wings were very dark.

1870

July

Spencer Mass. several were shot.

10
A

1868

Golden Plover

269

Charadrius Virginicus

Aug. 22 Saw here at Rye Beach flying Southward.
By the 1st of Sept. they became more numerous
but still they were not abundant. They
frequently flew over the salt marshes and one
that was shot while I was there was running
along the mud in company with a large flock
of Yellow Legs.

10

7

00

18

00

1868

Surf. Duck.

271

Pelecanus Perspallata

- Aug. 23 Saw either a female or a young bird at Hampton
N. H. on its way Southward.
Oct. 13 A young bird of this species came into Fresh pond
this morning & was shot. We have not had even an
Easterly wind for some time, but last night was quite
cold.

1870

- Oct. 17 Shot one on Fresh pond; sculled over to it
with saw, as it sat with its head buried in
its feathers and apparently asleep; this
was nearly an hour after daybreak.

181

10
A

1868

Great Marbled Godwit

273

Limosa fedoa(?)

Aug. 27

Saw one shot at Pipe Beach: its flight was slow and heavy, and on the wing it looked not unlike a Green Heron.

10
A

1868

Ash Colored Sandpiper.

275

Tringa Canutus

Aug. 27

I shot three flying: they came up to the decoys readily, sailing when they got over them not unlike Yellow Legs. Their call note was something like "Pill, pill willl."

16
A
J
1
p

1868

Common Tern.

277

Sterna Hirundo

Aug. 29 Saw one at Rye Beach. I saw numbers afterward flying Southward in company with the Bonaparte's Gulls but on stormy days they frequently passed over the marshes.

Sept. 11 Saw one on Spy pond. It kept circling about over the water and after catching a fish, it invariably carried it a few rods before swallowing it.

" 14 One was shot on Fresh pond.

1870

June 29 to July 2 Found them breeding on the island of Muskeget in east upper basin
 x company with *S. Macroura* and *S. Paradisia*. The nests were placed on the ground, or the eggs laid in the piles of sea weed and up by the tides. The birds were continually in sight in multitudes, hovering over and descending on to their eggs, beating about close to the ground like Gulls, or out over the water darting down like arrows, on their prey. They were wary they universally rose three or four hundred yards before us, and hovering overhead just out of range kept up a continual racket that was almost deafening. If occasionally one less careful than the rest, was brought to the ground by a shot, the others immediately ceased their noise and for an instant there was an almost perfect silence, as from all sides with nearly dead wings they came gliding down to a common center, the fallen bird, then prising themselves on flapping wings a few feet above it, they ~~perched~~ thrust themselves with redoubled energy; if another shot was fired and another bird killed they became the more daring and enraged, but if the bird was

missed or slightly wounded out, they immediately dispersed or bolted off with it, as the case might be. Against the Owls (see page 288) they had a perpetual feud, following them wherever they went, and continually harassing them. Their cries were a short hoyst, and harsh, peevish ti-arrs, and when pursuing one another a rolling t-t, t-t, tee, tee. They seemed to live together in almost perfect amity, seldom quarreling with one another. They frequently sat on the bare sand bars for hours in large companies and on such occasions were exceedingly shy. How neat and careful of their plumage they invariably kept their tails elevated when walking over the wet sands, and we always found the plumage, even of the sitting birds scrupulously clean and free from stain. This bird so precisely resembles *S. macroura* in notes, motions and general appearance that we found it impossible to distinguish them when seen a low, unless by the color of the bill when very near. The latter birds were however much less in number, and lived in a separate colony in a different part of the island. It was quite impossible to estimate the number of birds breeding here but there were certainly many thousand pairs. We found but few eggs far advanced and not a single young bird; the eggers however informed us that late in the season they always succeed in raising a goodly number of young.

1868

Killdeer Plover.

279

Actialitis Vacciferus

Aug. 31

Saw one flying over a fresh water marsh at
Rye Beach; its long tail and pointed wings
made it look more like a pigeon than a
plover. Its call note was a sharp "de de de de".

Roseate Tern

Sterna paradisica

1870

July 1. Mustang island. Not nearly so common as
S. hirundo, v. still abundant, breeding. Flight
 much slower and more direct than that of *S. hirundo* and
 easily distinguished at any distance by its long grass
 colored tail and ~~stiff~~ harsh note. Mixed freely with
S. hirundo and bred among them.

1868

Sandpiper

281

Aug. 31 I shot one today from a flock of Sandlings and Least Sandpipers. It had all the motions of the common Peep, but its note was a short tweet and when flying the white on the rump was very conspicuous. (Bye Beach)

1870

Aug. 26 Took one at Bye beach: it is apparently a rare species there.

Se

1868

Black Tern

283

Hydrochelidon fissipes [unclear]

Sept. 1

Saw one shot on a fresh water pond at Pipe
Beach. (It was probably *Hydrochelidon plumbea*
W.B. 1871)

284

Arctic Tern

1870

Sterna macroura

July 1. Kustigat island. Common, breeding on a bare
sandy bar in a colony separate from *S. hirundo* & *S. para-*
disia. Habits precisely like those of *S. hirundo* for which
see page 277.

1868

Least-Bittern

285

Andetta Exilis

Aug. 11

Shot one to day in Arlington. It flew like a Green Heron with the neck extended and the legs stretched out behind, and lighting in the top of a bunch of bullrushes clinging to their tall stems. While on the wing its varied colors made it very conspicuous.

286

1871

Buddy Duck
Orismatura vilida

- Oct. 21 A single bird was taken on Fresh pond. Saw
them in the market from the ~~the~~ part of the
state as early as Oct. 11
- " 23" Six were shot on Fresh Jr. The last have been
unusually scarce this fall.

1868

Hooded Merganser.

287

Lophodytes cucullatus

Aug. 11 Shot a young female to day, in a string line that
x must have been raised in the vicinity. It was
flying up a small stream and on approaching
the bridge on which I was standing it rose
considerably: at the shot it fell broken winged
into the stream and almost immediately died
but soon reappeared when I killed with another
shot.

1869

Nov. 11th Sculled on to one on Fresh pond this morning,
and shot it

" 27 Saw one on Fresh pond.

1870

Nov. 11 Took the first of the season this morning. Saw
the frequently till Nov. 29. They came to the
pond in small flocks or in twos and threes,
fished in shallow water diving with great ease.
were rather suspicious of anybody on shore, but
I approached them in my boat without much
trouble; never attempted to escape by diving unless
pounded but left the water at once, rising with
some little difficulty, but when fairly on
wing proceeded with extraordinary neatness,
much more dexter than most, with few
feeding long in one place even when our disturbed
flesh soiling and bank as to be almost unnoted.

1871

Oct. 17 One taken on Fresh pond.

Nov. 27 Saw a flock of about thirty flying over the pond.

Short-eared Owl

1870

Bachyops Cassini

July 1st Mustangat island. Found a number of these Owls on the island: they were all probably one family as the four specimens that we took (and the ^{one} ^{we} ^{saw} ^{all} ^{we} ^{saw}) were two young of the year, and two old birds hatched out to a remarkably light color. These birds seemed to prefer one particular part of the island, but ranged all over it sitting during the hottest and brightest portions of the day in some clumps of bayberry, or in or bed of marsh grass, and coming forth in search of food early in the afternoon, particularly if the weather was cloudy or rainy, and continuing their marauding ~~perfectly~~ through the night. We found in their stomachs remains of the "Arvic." Brewer and of the Terns: the latter however appeared to form their favorite food and on several occasions we caught them in the act of feeding on these birds: this they did in a most peculiar and idiosyncrasy way, eating only the flesh from the breast, and leaving the head, wings, tail, and legs entire and attached to the nearly pickled specimens: in the space of an acre or two we found as many as two hundred of these remains. Whenever they went they were always followed by a mob of several hundred Terns. The Owl seemed to regard with the utmost indifference being with quickly flapping wings at the sight of their lifted feet, then disappearing with the quickness of thought on an unfortunate mouse, with the screaming throng ~~circled~~ about him or dashing down within a few inches of his head: we frequently heard this uproar of the enraged and frightened birds long after it was too dark to see either Owl or Terns. Whenever we happened on them in the middle of the day, they almost invariably rose out of range and with hanging legs and clumsy flight removed a few hundred yards and settled again. On one occasion, I was baffled for a long time by one that whenever I approached him, rose ~~bright~~ in the air, then coming directly overhead sailed about in circles, with easy flight far out of range, and keeping up a continual, kee, kee, kee, kee, kee: in a harsh and rhythmical. If I left the place he immediately alighted again but let me hide myself ever so carefully, he would not come down so long as I was in the vicinity. No. 2961

1868

Passenger Pigeon
Cotopistis Migratoria

289

Sept. 9 ^x Saw a flock of about forty flying over in a southerly direction.

1870

July 1st ^x Muskeget island. Started a young female among the long beach grass.

" 6 Young female feeding on the ground bushes in our garden; very tame.

Sept. 2 to 10. ^x Lakes Hennipsee. Quite abundant; usually found in the vicinity of the grain stubbles where they fed in large flocks; when started rose at once to the tops of the dead stut, on the edges of the fields; put at all stay allowing an approach in any sight. Extremely graceful and well timed attitudes. Flight in all, at times slow and labored as when flying from one tree to another, but when passing over the open in a direct course, inordinately swift and beautiful. Frequently lit in large flocks in the very tops of the Beech trees where it was next to impossible to find them among the dense foliage; always got under way with difficulty on such occasions making much noise and confusion. A about this time an immense flight passed through Mass. where in many places they were killed by thousands. At Cambridge they flew over in large flocks for three or four days roosting by night in the pine woods.

1870

Oct. 21

A female shot by W. D. Scott in the asparagus bed on the Coolidge farm beyond Mt. Auburn in East Water town. '70 of Scott's m. s. catalogue. The skin of this bird is probably now in the Princeton College (N. J.) collection. I write this note partly from memory but chiefly from the above mentioned m. s. catalogue which is in my possession; March 21, '89.

/
y
c

1868

Autumnal Warblers.

Dendroica Strata

Sept. 12 Saw the first to day.

Oct. 11 They are now getting scarce, and it is about time that they should be, as for the past month they have literally overrun the county. They migrated for the most part by night, and on clear nights especially, they passed over continually during the hours of darkness, one company rapidly succeeding another. In the day-time every piece of woods was alive with them: they might be seen also in the fields, hopping on the ground in company with the Blue Birds, or clinging to the rails of the fences.

So
So

6

1
Co

M

1868

Pied-billed Grebe

293

Sci

Podilymbus podiceps

Sept. 14 Two were shot on Fresh pond, this morning. saw one then myself in the afternoon.

" 15 Watched two on the Glacialis for nearly an hour & finally secured both at a shot. They were an adult & a young female, the latter of which must have been raised on the pond, as its wings were covered, only with pin feathers.

" 26 Saw one on Fresh pond.

Oct 1 Saw several on the pond to day, the last of the season. Observations of the season. This bird is

x exceedingly difficult to get a shot at: if pursued in a boat they dive once or twice, at each rise showing only the head & a portion of the neck above the surface, and then no matter how smooth the surface of the water is, you will see no more of them for five or ten minutes, when you will discover them perhaps half a mile off, swimming along seemingly with the whole upper half of the body exposed. It is very seldom that you can force them from the water: when they do fly however, the rise with considerable difficulty, but when fairly under way, they proceed with considerable speed, stretching out the neck to its full length, and continually turning the head from side to side. When under no apprehension of danger, they float lightly on the water, showing much more of the body above the surface, than many of our Ducks.

1869

Oct. 11th

x During the last week I have found them very abundant on Concord river. The stomach of one opened a few days since contained in addition to the usual hairy pellets a brown nearly five inches in length.

Nov. 12

x

One of these birds has taken up his abode in a certain cove of Fresh pond, where he has lived for nearly a month, so cunning that the usual

caution is of no avail in approaching him, no sooner does he see anything suspicious, than he dives immediately, and rises far out in the pond.

1870

Aug. 23 - Rye beach. Took one.

1871

Sept. 15 - Three over seen on Fresh pond and one secured.

Oct. 30 - Have been rather abundant this season; took
 * the last at Concord to day; it had been living
 in a certain part of the river for the last
 month and had become very fat.

1868

Turtie Dove

295

Zenaidura Carolinensis.

- Sept. 18^x Saw one flying over a low, bushy, meadow.
" 19^x Saw one this morning, probably the same
bird, in the same place.

Short eared Owl

Brachyotus Cassini

1871

(Continued from page 288)

several by marking the places where they lit, then returning
up to them at full speed, when they became confused &
squatted till we were within a few feet of them. The Terns
on such occasions never of much assistance, hovering about
by over the Owl and distracting his attention as well
as serving as an excellent guide to the places where they
concealed.

1868

Pigeon Hawk.

297

Hypotriorchis Columbarius

Sept. 29 Saw one to day.

1869

Oct.

They have been unusually abundant this Autumn. Took one to day at Concord Mass. It was sitting on a post in an open meadow and seemed to be remarkably tame and unsuspecting.

1870

Jan. 7th Saw a small hawk to day which I took to be this.

Handwritten text from the adjacent page, including fragments like "1", "A", "P", "H", "C", and "1".

1868

Black Duck.

299

Anas Obscura

- Aug. 15^x Saw four at Rye Beach N. H. The gunners there say that they breed in several fresh water meadows in the vicinity.
- Sept. 30 Saw three this morning. They came directly over me, although I was sitting in a boat without the slightest cover, answering the quacking of my live decoy, with almost precisely similar notes.
- Oct. 2 Shot a female of this species, & saw numbers of others.
- " 3 A flock of seven came nearly in to my decoy, swimming with great speed, but when they had approached to within about one hundred yards, suspecting something, they would come no nearer.
- " 5 Saw one on Fresh pond.
- " 9 The morning was quite frosty, & I saw numbers of them: the greater part of them however, has already passed by.
- " 29 Saw one this morning but they are getting scarce.
- Dec. 3 The last one of the season was shot to day, on Fresh pond. It was among a flock of tame ducks & unlike most of its species, was either so tame or so stupid as to permit an approach to within a few yards.

1870

- April 7th Saw several flocks flying over in a Northerly direction
- July 11^x One at Ipswich, Mass.
- Aug. 3rd *Sarcocornis motac.* Saw one on Profile Lake
- " 13 to 31 Rye Beach, came into the Eel pond nearly every morning: the larger flocks however rarely lit.
- Sept. 2 to 10 *Lopho. Pennsylv.* nearly every pond of any size had its flock or two composed of birds, heard in the vicinity: all well on the wing and as shy as elsewhere.
- Nov. 19 Saw the last.

1871

300
1868

Ruddy Duck.
(continued from page 302)

When feeding, if two are together, one of them remains above the surface a few moments after the other has disappeared, in order to make sure that all is right and then, lowering his head, he disappears with the quickness of thought. Upon shooting one that had just come up from one of these dives I have frequently found his bill full of a species of fresh water shrimp, about an inch & a half long, and of a bright scarlet color. They very seldom take to diving when pursued in a boat, unless they are wounded, although when a flock is scattered, or a single bird is pursued for some time they will try diving, and in a short time they become very expert at it, showing only a small portion of the head above the surface at a time.

1869

- Oct. 9th Five were shot on Fresh pond this morning.
" 14 Saw a flock of about a dozen on Fresh pond.
" 19 Took two on Fresh pond this morning.

1870

- Oct. 4 A single bird taken on Fresh pond; East. storm yesterday.
Nov. 15 Shot the last to day. Have been rather scarce on the pond this Autumn, very few were seen in Oct. although we had much frosty weather, but Nov. 2, 3, 4 and 5th three pairs shot respectively each morning eight, ten, and eight. The weather was not so cold as some that we have had found thin was no apparent cause for this flight. They seemed much tamer than usual this Autumn and not a single bird that lit on the pond escaped. On one occasion I heard one utter a noise like the peaking of a rusty hinge. In diving they made use of their wings as well as feet, as I saw by watching a wounded bird. Bled much more freely than any other bird, when wounded.
Dec. 28 Saw several ducks in Boston market said to have been shot on Cape Cod a few days since. Vide p. 286

1868

Ruddy Duck.

301

Crismatura Rubida

- Sept. 30 Just as the day was breaking a flock of at least thirty of these birds came into Fresh pond, and after circling around it several times, they lit in the middle. As several other boats put off after them, I was obliged to pull on to them without the slightest caution, in order to get the first shot. After discharging both barrels at them, as only two or three birds flew, supposing that the remainder must be all wounded, I pulled into the midst of them, but I soon discovered my mistake, as they began to scatter in all directions, but many of them would allow me to get within ten feet of them before they would leave the water. We killed the greater part of this flock before the survivors would leave the pond. I noticed only one old bird in the whole number.
- Oct. 1 Shot several out of a large flock that came into the pond.
- " 13 Two young birds were shot on the pond this morning. The last few nights have been quite cool, which probably started them along.
- " 14 Two were shot on the pond this morning.
- " 19 Shot a number from a flock of about twenty that came into Fresh pond this morning. They were very shy but as they would not leave the pond we secured a good number of them.
- " 23 Saw numbers on Fresh pond, but they were so shy that it was impossible to get within shot of them.
- " 26 Saw three on Fresh pond.
- " 28 Observed a flock of five about the pond all the afternoon. They were however so shy that I was able to procure only two of them, although they could not be seen to leave the pond.
- 27 Shot one on Fresh pond this morning just as it was getting light. I was attracted to him by his loud harsh notes which were entirely different from the "quack" of the Black Duck or the notes of any other species with which I am acquainted.

- Oct. 30 One was shot on Fresh pond.
 Nov. 7 Shot one this morning on Sherman's pond in
 Waltham. The pair to which this bird belonged have
 lived on this pond nearly all the Autumn. For
 an hour or two in the morning they fed near the shore,
 diving where the water was about six feet deep, but
 during the latter part of the day they remained
 in the middle of the pond, sitting close together, and
 not varying their situation a rod for hours.
 " 6 Saw two on Smith's pond, in Arlington.
 " 19 Shot an adult male to day, the last of the season.
 Dec. 4 Saw to day, on Fresh pond, swimming in an
 opening in the ice a small Duck, which as far as I could
 make out through my glass, was a young bird of
 this species.

Observations of the season. The Ruddy Ducks have been very abundant on Fresh pond this Autumn but quite scarce on Spy & Smith's ponds, where they usually ~~shoot~~ shoot large numbers of them. In the first part of the season they were very tame and unsuspecting, but those that came later were much more shy. When a flock comes into 'the pond', if they are fired at from a distance and missed, they generally leave at once, but if one or more are killed the survivors remain in the pond, until only two or three are left. They rise with great difficulty owing to the small size of their wings, but when fairly under way they proceed with wonderful rapidity, skimming along close to the surface of the water and seldom circling about before alighting as some other ducks are wont to do, although when very shy I have occasionally seen them circle about high in the air for some time, and afterwards descend to the water again. When they strike the water they close their wings & the weight of their heavy bodies causes them to shoot over the surface for the space of several yards. They sit rather low on the water and swim with extreme rapidity, indeed it is very hard to catch up with them unless you have a light boat. (See Page 205)

1865

Tobacco Duck.

303

Melanetta melanotos

Oct. 1 Three of these birds came into Fresh Pond in company
 * with a large flock of Ruddy Ducks, & one of them was
 shot.

1867

Oct. 11th A young bird of this species was caught to day
 * in a cornfield at Concord, so exhausted that
 it was utterly unable to fly. He had been severe
 storm last night, which was undoubtedly
 the occasion of its being found in such a
 place.

1870

Oct. 23. One was taken on Fresh pond.

1871

Oct. 13 Took two immature birds on Fresh pond; they
 have been shot on the pond several times before this

1868

American Teeter

305

Qidemia Americana

Oct. 3

An old male came into the pond this morning; at first upon being pursued by a trout he would take to flight, and flying low over the surface of the water would alight again at some distance, but at length receiving a wound in the wing, he took to diving and soon became as bad as any Grebe, swimming long distances under water, and showing only a portion of his head above the surface. He was killed the next day.

[Faint handwritten text visible on the right edge of the page]

1868

Pine Siskin

Chrysomitris Pinus

- Oct. 9 Saw the first one to day.
 " 26 Saw several flying. They are exceedingly abundant
 this Autumn.

1869

- Jan. 14 Saw several this morning.
 Mar. 24 Heard one this morning.
 " 27 Saw a flock, consisting of several birds
 flying over the water.
 " 28 Saw a flock of several birds
 flying over the water.
 " 29 Saw a flock of several birds
 flying over the water.
 " 30 Saw a flock of several birds
 flying over the water.
 " 31 Saw a flock of several birds
 flying over the water.
 " 1 Saw a flock of several birds
 flying over the water.
 " 2 Saw a flock of several birds
 flying over the water.
 " 3 Saw a flock of several birds
 flying over the water.
 " 4 Saw a flock of several birds
 flying over the water.
 " 5 Saw a flock of several birds
 flying over the water.
 " 6 Saw a flock of several birds
 flying over the water.
 " 7 Saw a flock of several birds
 flying over the water.
 " 8 Saw a flock of several birds
 flying over the water.
 " 9 Saw a flock of several birds
 flying over the water.
 " 10 Saw a flock of several birds
 flying over the water.
 " 11 Saw a flock of several birds
 flying over the water.
 " 12 Saw a flock of several birds
 flying over the water.
 " 13 Saw a flock of several birds
 flying over the water.
 " 14 Saw a flock of several birds
 flying over the water.
 " 15 Saw a flock of several birds
 flying over the water.
 " 16 Saw a flock of several birds
 flying over the water.
 " 17 Saw a flock of several birds
 flying over the water.
 " 18 Saw a flock of several birds
 flying over the water.
 " 19 Saw a flock of several birds
 flying over the water.
 " 20 Saw a flock of several birds
 flying over the water.
 " 21 Saw a flock of several birds
 flying over the water.
 " 22 Saw a flock of several birds
 flying over the water.
 " 23 Saw a flock of several birds
 flying over the water.
 " 24 Saw a flock of several birds
 flying over the water.
 " 25 Saw a flock of several birds
 flying over the water.
 " 26 Saw a flock of several birds
 flying over the water.
 " 27 Saw a flock of several birds
 flying over the water.
 " 28 Saw a flock of several birds
 flying over the water.
 " 29 Saw a flock of several birds
 flying over the water.
 " 30 Saw a flock of several birds
 flying over the water.
 " 31 Saw a flock of several birds
 flying over the water.

1870

- July & Aug Franconia notch. Saw them occasionally;
 not nearly so abundant as at Gorham last year.
 Aug 26 Cape Beach. Saw several.
 Sept 26 10 Forks Kennebec. Quite frequent
 " 19 General arrival. Unusually abundant through
 the Autumn till Nov. 1st when they began
 to get scarce; saw a small flock, the last
 Nov. 12. Fed for the most part on the seeds
 of the various weeds, flying in flocks of a dozen
 or more, but Oct. 17th found them in immense
 flocks feeding on the wilder trees; a few directions
 found their crops filled with a species of minute

back home: they were now very tame and unsuspecting following an approach to within a few feet as they hung head downwards, like so many Titmice, searching carefully every twig and leaf for their minute prey, and uttering not a sound in the least the report of a gun fired directly under them: in this way they fed for nearly a week when suddenly they deserted the Willows entirely and returned to their nests & Birch trees.

1871

April 16 Heard a male singing like Gray's nuthatch
 May 19 See them nearly every day
 May 28 I have seen none since May 19th

1868

Florida Gallinule

309

Gallinula Galiata

Sept. 2 A young male was shot to day (by W. Deane) in a small pool near Fresh pond.

Oct 9 Shot one & wounded another badly: They were swimming along a ditch & when sitting on the water looked not unlike a Seal: they rose with dangling legs, flying ~~not~~ like the Common Rail, but rather swifter, & flew only a short distance. The bird shot was a female.

1
0
1
ch
1
p
m
1
3

1868

Mottled Owl.

Scops asio

Oct. 10 Shot a Gray Owl of this species: it proved on dissection to be a female.

1869

Nov. 10th Found one to day asleep in a Woodpecker's hole.

1870

April 24th Found a nest in an old Woodpecker's hole; eggs four well advanced; female sitting. ^x male in another hole about five hundred yards off.

June 23rd Found sitting in small apple tree with ^x four young well able to fly; young sit together in a row touching back to back; male in the nest tree; female and young red; male gray. Commoner than the ^x *Scops asio*. affects for the most part the evergreen groves; notes, the usual whistling note, and a long loud rattling ^x *birdy* seldom heard.

1871

Feb. 5th Found numerous signs of one of these Owls in and about an old Woodpecker's hole but the bird was not there.

1870

Aug. 13 to 31 Pege Beach, quite common; judged from dissection of several specimens that they were sitting on their eggs.

Oct. 5 Tejs were shot and many more seen on Charles river marshes by H. Henshaw. Contrary to their habits in Summer they are found exclusively at this season in the beds of tall sedge that grows on the margin of the creeks and ditches. Here they find such a perfect refuge, that it is at times almost impossible to flush them. The best time to take them is when the tide overflows their retreat and they are forced to sit exposed to view on the tops of the floating reeds. In such occasions they scarcely move at the report of a gun and as many may be procured as are desired.

1871

June

Oct. 7 About two hundred were seen on the Charles river marshes by H. Henshaw: a heavy Easterly Storm prevailed at the time, probably driving them in.

" 9 Saw about fifty on the Charles river marshes. They kept pertinaciously to the beds of tall sedge rising about ten yards ahead and when driven to the extreme end doubling back instead of taking the gun marsh. They were on this occasion quite shy, having probably been frightened by other collectors, as they usually keep very close. Heard from them only two notes, one a very harsh, low, grumbling one, the other a true Passerine Chiff, like that of *M. melodia*, the other.

1868

Buffle-headed Duck.
Bucephala Albeola

Oct. 20 Shot a young male on Fresh pond.
" 24 Saw several on Fresh pond.

1869

Oct. 21st Five were shot on Fresh pond this morning. They were quite tame, permitting of a very close approach.

1870

Nov. 3 Took the only one that I saw during the Autumn.

187

Least Tern

Sterna fuscata

- 1870
 July 1st Saw a pair at Westgate flying over the island
 does not breed here.
- " 11 Small colony breeding at Ipswich four nests
 among the sand hills in the space of two or three acres;
 eggs laid in a slight hollow in the bare sand, all the eggs
 fresh but in one nest a young bird just hatched and
 a fresh egg; the greatest number of eggs in the nest
 three; birds rather shy, hovering round over the breeding
 ground, keeping up a great noise, all females, flight
 extremely graceful, & often performed with a great elevation
 notes, a harsh creaking indescribable sound and the
 rest of the common Tern, on the wing, look no larger than
 the white-bellied swallow. When one was brought
 down by a shot the others showed but little concern
 more hovering over it like the larger species

1868

Ruffed Grouse

Bonasa Umbellus.

Oct. 24

Saw a bird come into Fresh pond this afternoon that I took to be a Ruddy Duck. It made the circuit of the pond (about a mile or half), flying at the height of about twenty feet above the water, and then pitched into a grove growing near the edge of the pond. Thinking such an action singular for a duck, I followed it up and to my surprise, it turned out to be a Ruffed Grouse.

1869

July & Aug. *Tranconia notch*, said to be abundant; heard a male drumming July 20th.

1870

July & Aug.

Tranconia notch, said to be abundant; heard a male drumming July 20th.

1871

June 17

Found two broods of young birds. Although about the size of Bluebirds, they rose quite easily uttering a chirping note, and flying a few yards, as if up and settling usually under trees or bushes. The mother was very bold, coming up with in a few yards and uttering a sound precisely like the whining of a dog, and also a series of checks in rapid succession.

Dec. 5

Saw one in the market from N.H. with the first five primaries pure white (this whole length); the rest of the bird was picked.

1868

Canvas-backed Duck

317

Atya Vallisneria

Oct. 24

A flock of eight Ducks came into the pond this morning, two of which at least, must have been males of this species. The flock was first into, and two of them "stopped," but both however escaped by their dexterity in diving. I then got within "excellent shot" of another of the flock, a beautiful male, whose chestnut head & neck, white back, & black tail, were all set forth clearly, in the sunlight, as he floated buoyantly on the dark water, but owing to an accident, I was prevented from firing at him until he had taken the alarm, and got out of range.

1868

Golden Eyed Duck.

319

Bucephala Americana

Oct. 27.

Started a small flock from Fresh pond this morning before it was light enough to ~~be~~ to shoot. The first faint rays of dawn were beginning to light up the Eastern sky, and the pond smooth as a mirror, was lying bathed in the silvery light of the moon: the mingled rush and flutter of the flock, as it left the water before my boat, was distinctly audible, and in a few moments the shrill whistle of their wings began to sound full and clear on the still morning air, as they got fairly on wing and swept about the place in wide circles, growing each moment fainter and fainter, until it was lost in the distance. The effect was indescribably fine: the moonlight paling before the coming dawn, and that faint, yet clear murmur stealing through the still air.

" 24

Saw a flock of six on the pond but they rose before I could get within shot.

1870

Nov. 8

Shot one on Fresh pond: it was quite shy and restless flying and lighting several times before I could get within range.

CHAPTER 1

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

1868

Pine Grosbeak.

32

Pinicola Canadensis.

Oct. 31 Shot two young birds of this species. The weather in the early Autumn unusually cold this year, and consequently large numbers of the northern birds have been driven Southward.

Nov. 14 Saw several.

" 24 Saw several.

Dec. 5 Shot three old males this morning in splendid plumage: they in company with two young birds were feeding upon the berries of a red cedar tree, and were very tame & unsuspecting.

" 12 Saw a flock of about twenty.

" 17 Saw a small flock.

" 26 Saw a flock of about a dozen.

1869

Jan. 2nd Heard some to day.

" 3 Saw four or five.

" 5 Saw several hopping about on the surface of the snow among some tall rank weeds, on the seeds of which they were feeding like so many sparrows.

Feb. 22 Saw three young birds of this species this morning.

Mar. 1 Saw one to day.

" 17 One was heard in Watertown.

Oct. 26th Heard several. No more seen through winter.

1870

Oct. 24th One at Belmont among cedars. Oct. 30th one; Nov. 1st one; Nov. 14 four; Nov. 24 one.

1871

Jan. 12 Flock of eight or ten at Belmont among cedars.

" 18 Flock of seven or eight among cedars, very tame, fed on cedar berries broken: when to pieces before eating, flew to rather slow and sang light chuck over the tops and through the hollows of trees, during flight, the report of a gun and some little agitation for a moment caused them to scatter, but they soon gathered again.

1
1

1
0

0
1
8

For
1

1

1868

Hairy Woodpecker.

323

Picus villosus

- Nov. 6 Sp. to a young female.
 " 13 Saw this morning what must have been the *Picus canadensis* of Audubon, but as I unfortunately had no gun, with one I was unable to secure it. Its motions were very like those of the Hairy Woodpecker but its loud, harsh, "kr kr kr kr kra-a" repeated every few moments was entirely different from any note that I have ever heard pronounced by that bird. While I was watching it, a Thrush suddenly made a plunge at it, imagining probably that he had found a prize, but it so he was badly mistaken, for the Woodpecker threw up around his head, as if to receive the would be murderer's sharp beak, when the latter thinking better of it, withdrew in disgust. This bird was very much larger than the Hairy Woodpecker inasmuch as at first sight I took it for a Golden-winged Woodpecker.
 Dec. 27 Saw one of these birds to day.

1869

- Mar. 9 Saw one to day.
 Found it evidently common in the woods about the fort of the same name.

1870

- Jan. 20th Took a female of this species which had the tail so deeply stained that I judge it to be a Northern bird.
 July & Aug. *Stranocoria virens*. Saw only one (Aug. 11)

Handwritten text on the right edge of the page.

Handwritten text on the right edge of the page.

Handwritten text on the right edge of the page.

Handwritten text on the right edge of the page.

Handwritten text on the right edge of the page.

1868

White-winged Crossbill.

325

Curvirostra leuciptera

Nov. 6 Saw several males and females accompanied by a few Common Crossbills.

" 25 Shot a pair of handsome males & saw numbers of large flocks. They were very restless, continually flying about, and I found it very hard to get a shot at them. Some of their notes resembled those of the Red Crossbills, but one was precisely similar to the call note of the male Goldfinch.

" 28 Shot a female to day.

Jan

1869

Jan. 15 Saw a large flock of these and the Common Crossbill.

" 16 Saw a single bird of this species to day.

1870

July 25 - Aug 19. Very common in the vicinity of the Pacific House, Francisco notch (see page 234).

Sept. 22 to Dec. 31. Quite abundant in this vicinity; very restless, occasionally light in winged plumage and colors in company with *C. fusca*. much more active however than that bird and apparently always on wing; very silent when alighted and quite tame and unsuspicious. When any of the flock are killed or wounded show much more solicitation than the other. Notes, a crackling, guttural, or star, as if flying, and a clear, resounding, metallic *coo*, still totally different from that of *C. fusca*.

1871

Jan. 2 are getting more abundant: feed much on the ground hopping about on the snow: first detected the loud call note in the female.
Jan 3rd 4th (at Chelma beach). 7th

1871

Jan. 10th A large flock in company with *A. linaria*: bit
 was old dead oak, clinging to the bark like
 so many juncos, hopping sideways up & down.
 " 21 Flock of twelve, all females, feeding on the
 buds of a small elm tree, Cam. 28th same flock.
 Feb. 3 again the same flock and in the same place.
 Feb. 14th Feb. 22 (Concord) Feb. 28th eight, Mar. 6th four.

March 21 A small flock.

April 29 Came across a flock of five two of them males
 in good plumage and the others females: one of the
 former was singing in a twittering, disconnected
 sort of way, something like a young Song sparrow.
 Have not seen or heard of any before for over than
 a month.

1868

Red-tailed Hawk.

327

Buteo borealis

Nov. 6 While riding got almost directly under one of these birds.

" 7 Shot a very fine female from my wagon. She was sitting on a tall tree by the roadside and did not appear to take the slightest notice of me. Upon dissection I found her stomach distended with the remains of mice but no birds.

" 16 Shot a male from my wagon: he was much smaller than the female shot on the seventh, and of a lighter color generally.

1871

Feb. 6 Saw one sitting on the topmost remaining twig of a small Waffle tree.

Mason's Bunting

1871

Colinus harrisi

(Collected from page 342) by an apple orchard. Near the centre of the field however was a slight hollow filled with a growth of rather rank grass although there is more water there at any season, and here I at last found the birds. The male on being pursued took to the apple trees where he sat lengthwise on the branch in ~~an~~ erecting position and here I shot him (Jan 23rd.) But was unable to discover either the female or the nest after a most careful search.

1868

Lesser Redpoll
Aegialitis Linaria

329

Oct. 31st

Saw several large flocks this morning.

Nov. 17

Shot one this morning; from a flock of about a dozen.

Dec. 1

Saw several this morning.

1869

Jan. 9

Shot an adult male this morning and saw several more.

Feb. 17

Saw a large flock to day.

" 22

Saw several small flocks.

Mar. 20

Saw a flock of about thirty.

1869-70

Sept to May. Neither saw nor heard of any in this State.

1870

Oct. 26th

Saw several large flocks; soon became very abundant feeding on the birches to wit flocks of thirty or more occasionally accompanied by a few of *C. pinus*;

Dec.

very restless most of the time; about 31st one full plumaged male in a dozen birds.

1871

Jan. 2nd

Saw large flocks; soon accompanied by *C. tristis*; feed on the tall weeds, especially about on the surface of the snow. Saw 4th (Chalson beach);

Nov. 7

Have suddenly taken to the apple trees in all the orchards in large flocks feeding greedily on a species of bark louse, very small, of a bright green color, very common and comparatively quiet; run in the grass half an hour or more in the most trees when the flock flies out to another tree.

- 1871
 you also, glass always remains; are much more abundant than a week ago: notes; a guttural call note, usually when flying, the voice of *C. tristis* uttered in almost precisely the same tone; the males also frequently sing, both when perched and in the wing, a short simple, but very sweet, strain, uttered as it were in one breath, and rapidly rising to the highest note where it is broken off. Jan. 10th, 11th, 12th, 17th, 18th flocks of one hundred or more.
- Jan. 27 Heavy fall of snow yesterday: saw only a few single birds in a long tramp.
- " 30 Another heavy snow storm: saw a flock of fifty or more feeding both on the various waxy *Chenopodiums* and on the apple trees. Feb. 6th a small flock.
- Feb. 13 A small flock. Feb. 22, twenty or so at Concord. Feb. 28
- Mar. 4 Saw a flock of twenty or more, the males all singing in concert. Mar. 6, several, Mar. 13 - Mar. 15
- April 7 Saw a small flock probably the last.

1868

Great Black-burne "Swallow"

331

Larus Marinus

Nov. 19 Saw several on Fresh pond today in company with the Herring Gulls.

1870

Dec. 26 Saw a pair of adult birds harassing a *Larus argentatus*, diving down and being driven from above.

1871

Gold-winged Warbler
Helminthophila chrysoparia

1870

May 15th Took three birds of this species all males. Two were shot from dry hillsides among young oaks; the third in a thick birch swamp. One in immature plumage had the black on the throat entirely wanting; all were singing.

1871

May Seen at Newton by H. A. Purdie.

" I saw five between Concord and Concord, four of which (one of them a female) were shot; found one in company with a small flock of *L. striata*, in an apple orchard, the others all in birch thickets; like most of this species they were quite restless, taking some of flight, and the males singularly silent for the season.

1868

of
Winter Wren.

- Nov. 23 Saw one in a old wood pile. He hopped about very nimbly, and vanished and reappeared in air more like a mouse than a bird. The only note that I heard him utter was a short, guttural chirp.
- Dec. 4 Shot a male at Fresh pond. He was hopping among the bushes growing near the edge of the water, now disappearing behind a rock or a fallen log, now hopping out on some projection and jerking up his tail displaying all the time great activity & sprightliness.

1869

- Jan. 9 Shot one this morning: he was hopping nimbly about over the surface of the snow under the concealment of some tall rank weeds.

- Oct. 6th Saw one at Concord, Mass.
- Nov. 10 Saw one to day at Nuttinton
- " 13th Saw three to day.
- " 23 Saw one to day.

1870

- Jan. 4th Saw one to day.

July & Aug. Extremely abundant at Franconia notch
The woods everywhere are full of them: sometimes solitary, sometimes families of young barely able to fly, they are hopping about all the old logs and fallen tree tops: frequent

they followed. The shipping troops of Hesters
 + that filled the woods: the female sang as July 29.
 Notes of the young, a shrill, plain tone, a tickle like
 "cheepo coo" and more frequently a dissipa-
 tent rattling "tick tick tick."

Oct. 13 One in Lexington.

1871

June 3^d Saw one in Waltham: it hopped in
 and out through the stems underpinning
 of a barn: ground covered with snow.

Sept. 18 One was shot in the swamps near Freshford
 by J. D. Dow.

" 23 Four or five seen (H. Henshaw)

1868

Blue Jay.
Cyanura Cristata

Nov. 25 Saw several to day, but they do not seem to be as abundant as usual this winter.

1869

Jan. 23 Saw one to day but they are rather scarce this winter.

" 25 Heard several at Concord.

Feb. 27 Saw several.

Feb. 28 " " " "

" " " "

" " " "

" " " "

1870

Jan 7th Saw several to day.

" 28 Saw a flock of a dozen or more

July 26 to Aug. 13. Rather numerous at Franconia notch.

Sept 2 to 9. Forks Konnebec. N.H. Extremely abundant here for first time saw them continually passing Southward in companies of fifty or more and flying high frequented mostly the edges of the spruce and spruce green the birch.

Sept. to Nov. Cambridge's common as usual.

Nov. & Dec. Resident but rather scarce

1871

Jan 12th 18th Feb. 13 Feb. 22 numbers

2

18

Sept

18

to

18

18

18

18

18

18

18

18

1868

Buff-breasted Merganser.

Mergus Americanus

Dec. 8 Saw an adult male and a female or young, on
Tremn pond. They remained on the water only for
a short time, & then after flying around the pond
a few times with wonderful rapidity, they went
out.

1869

Several in fine plumage, on Tremn pond.

1870

Sept 6th Forks of Kinnabec. Mr. Howard a family
of eleven on Koyic pond the young
barely able to fly: when told they breed there
every year; very shy: rose with difficulty,
dove well; notes scarcely like those of the
Hullards.

Oct. 1

Nov. 23 Abundant on Concord river: shot several by
covering a boat with pine boughs, when we paddled on
to them without the slightest difficulty: took one
that had just swallowed two perch of which must
have weighed at least $\frac{1}{4}$ of a pound: found the gizzard
completely filled with fish bones

o

o

o

f
g
o

o

o

1868

Great Northern Thrush.

339

Collyria borealis

Dec. 12 They have been comparatively abundant this winter
Saw one to day.

1869

- Nov. 14th Saw a very white one to day.
 " 23rd Saw three during the day. One that we shot was
 in the act of catching a Golden Crested Kinglet,
 which it pursued for some distance, dashing through
 the thick cedar branches with surprising speed
 and recklessness. Near the hind-spring of
 another we found a dead Snow Bird firmly
 pressed in between the twigs of an upper
 branch. All three birds were very shy.
 " 24 Saw one.
 Dec. 3rd Saw two.
 " 25 Saw one of these birds to day, which although
 I judged by its white plumage to be an old bird,
 was very tame, allowing me to get directly
 under it.
 " 31 Took one to day, the same bird and in the same
 place as that seen on the 25th.

1870

- Jan. 3rd Saw one.
 " 6 Saw a bird of this species in the same place
 precisely as the one seen Jan. 3rd. It must be
 a young bird as its plumage is remarkably dark.
 " 13th Saw a remarkably white specimen, but he was
 so shy that I found it impossible to get within
 range.
 Feb. 6th Saw one make a sudden dash into a large
 flock of Tree Sparrows.
 Mar. 10th Took a male. He was extremely
 shy and very restless, continually
 flying down to the ground and then
 up to the next tree. His stomach
 contained nothing but insects.

1870

Mar. 31st Took a male of this species. He was perched
 x on the topmost bough of an oak, and singing
 vigorously. His notes were few but very sweet
 and his song altogether reminded me of the
 Robins.

June 16 One was seen

" 31st Took a specimen in rather poor plumage; it
 was being chased about by a Blue Jay, before
 which it gave way with but little resistance

1871

Jan. 10 Adult apparently; lighted on topmost twig
 of elm tree; boldly when sitting, inclined to
 fly.

" 12 One at Belmont: very shy; flight very
 graceful & swift: lighted on topmost twig, Feb. 24.

Mar. 7 Shot a female in very brown plumage: it kept
 flying from post to post of a rail fence, frequently
 alighting on the ground: its gizzard was filled
 entirely with Coleoptera.

" 24 Sang on at Concord Mass. extremely shy & restless.

Oct. 25 Saw a ♂ at Concord: it was perched on the
 topmost twig of a tall Oak tree & singing beautifully.
 Shot this bird in precisely the same place Nov. 5.

1868

White-breasted Nuthatch

Sitta Carolinensis

Dec. 14 Saw several to day. They have been unusually abundant so far this winter.

p
1869

Jan. 9 Shot one to day and saw at least a dozen others.

Mar. 8 Saw one.

1871

H. m. s. s. s. s. s.

C. m. s. s. s. s. s.

1871

May 22

To the tree of these birds, one in Lincoln is the other like in Concord. In the former place I saw a single male 1870 and at Concord a pair May 25th 1867. In both localities the meadow in which we found this species was of rather a peculiar character. Dry under foot, the surface was broken and irregular with numerous little hillocks covered with cranberry vines and at our last visit June 17th with a thick rank growth of the Indigo plant.

The first bird was shot on sight but in the Concord meadow, we were first attracted by the song of the male a single st-iff, uttered at intervals of a minute or more. This note is uttered by the bird either when perched on some tall weed or when concealed among the meadow grass, and usually ceases upon the approach of any person. When pursued they keep the ground until almost trampled or running like mice through the grass: their flight is performed in a most peculiar manner, and is very variable: sometimes it is very like that of *Am. candidatus* but rather more undulating; at other it is a succession of highly exaggerated sweeps, the bird rising and falling eight or ten feet in each, flying but a short distance then dropping suddenly among the grass.

June 11. Took a pair on the Concord meadow, the female rich ~~with~~ unmistakable signs of incubation. The male seemed very anxious about the safety of the nest, which was evidently somewhere in the vicinity, frequently or soon sang and kept up a constant chirping.

" 21. Found a pair breeding (evidently) on Deane's Goolidge's farm in Cambridge. The locality singularly enough, was a mowing field of tall hard grass, on high dry land and bordered on one side

1868

Shore Lark.

343

Eremophila Cornuta.

Dec. 17. Three were shot to day on a barren, gravelly track near Charles river.

Feb. 24 Shot a young bird of this species. The flock, consisting of six or seven individuals, after performing various evolutions, swept along close to the ground with great rapidity, and alighted in a ploughed field where they ran nimbly over the rough frozen ground.

1869

Mar. 25 Shot one out of a flock that was sweeping low down, over the fields.

April 16 Saw a flock of about twenty.

May 10 Saw about 10.

June 6 Saw a flock of about 10.

July 10 Saw a flock of about 10.

Oct. 28 Saw a flock of at least fifty.

Nov. 22 Saw a flock.

Dec. 7 Saw a small flock.

1870

Jan. 27th Saw a flock of five the first this winter.

Oct. 30 Saw three flying at Concord: their note is almost precisely similar to that of *Anthus ludovicianus* but a trifle more prolonged and powerful.

1872

Apr. 3 Large flock flying over ploughed fields at Concord.

1868

American Goldfinch.

345

Chrysomitris tristis

Dec. 19

Saw a large flock and shot one.

Laughing Gull

*Chroicocephalus v. trichostia*1870
July 1st

Mustegat island (off Cape Cod).

Found about twenty five pairs breeding. Nests placed for the most part, among the tall rank beach grass that grew on one end of the island: some however were found in the stunted ~~ivy~~, among the Ferns; all were quite neatly constructed of dry grass, arranged in circular form. The number of eggs varied from one to three.

The birds were all adults in full-plumage: when a nest was approached, the parent birds would come over head sailing about in perfect silence, at a respectable distance but ^{when we were} within twenty yards or so, of the eggs, they would burst out into their shrill laughter, which was ~~at~~ taken up by others, all over the island; this was a perfect guide to the vicinity of the nest, as it was never uttered until we were close upon it. Their flight was extremely graceful and beautiful, performed usually at a great height where they would sail round and round in pairs, and at all times they reminded me of eagles, ^{more} than gulls. Always very shy, and wary, it was extremely difficult to get a shot at them, but if one was killed, usually the mate, and sometimes many others, would hover round; they were easily brought down by a slight wound. Their usual call note, was a loud ha-ha. but their ~~loud~~ shrill, maniac laugh was something most unique and startling, resembling no bird-note that I ever heard, before. We never saw them fishing ~~near~~ the island, but they frequently sat for hours on the sand-bar in company with the Ferns; these latter however seemed to be at enmity with them, always chasing them while flying.

April 1 ...
 ...
 the line of ...
 with the ...
 house.

1870

July & Aug. *Tranconia viatica*. Abundant: swarmed
 the woods in families of five or six flying
 from one "stub" to another, often by the
 two or three close together and a branch
 were very noisy keeping up a continual
 chirping, which I took to be a call for
 food by the young, although the latter
 were so well grown and strong in the
 wing that I could not distinguish the
 flight of the adults.

Sept. 2 to 10 Forks Kennebec. Me. saw several but they were
 by no means numerous.

1872

Apr. 3 Several migrating at Concord

Ohio Packard Herpetology
 Garter Salamanders & Aneides

1877
 May

Sept. 26 Saw the first to day. Sept. 28 H. Kinsman found
 the swamps filled with them and took nine, including
 both types; I also saw one in our garden; for the
 next four or five days the swamps were absolutely
 alive with them, then they disappeared almost as
 suddenly as they came!

Nov 4th * Saw one today in Hultthorn.

1870

May 2nd Saw two, apparently a pair.

Sept 28 Last seen.

1871

May 1 Heard a male

" 2 Three males were seen (F. P. Atkinson)

1870

May 15 Saw a male.

July & Aug. *Tranconia notch*. Not frequent.

Sept. 27 Saw several.

1871

May 14 A general arrival: saw and heard several
males.

Oct. 2nd Took a female in Halesburg, Mass.

1870

May 1st Took the "S. Sticinus" variety of this bird.

Nov 30th Took the last one (a *S. Swainsonii*) at
Hudson Mass. Have been quite abundant
during this season, frequenting the
dark damp woods & occasionally
coming into the gardens. All but
the one last mentioned, typical *Sticinus*
seem much shyer than the *Swainsonii*
variety and are very hard to get a shot
at.

Sept 4th 73.

July 28 to Aug. 13. *Isomiconia* notch. Very abundant;
examined a dozen or more & all found
unmistakable *Swainsonii*. At all times
very tame and unsuspicious; found
everywhere in the woods; kept on the
ground; the only note that I
detected beyond a doubt from this bird,
was a low "p" sound, much like that of *S.*
fuscus but in a rather higher key.

Sept 9 First seen; continued quite frequent in
the dark woods till Sept 29 when I
saw the last: both varieties were seen.

1870
Sept 10, 1870

[Faint, illegible handwritten text, possibly bleed-through from the reverse side of the page.]

1870
 June
 1871

One taken at Large Umbagog Me. by R.D.

1870

July 28

750

Aug.

13

Stramonica notch. V. H. Switzer, 1870.
 females feeding their broods of young
 just out of the nest; frequented principally
 the dark, rocky ravines up on the mountain
 sides where a stunted growth of maples
 had spruce & fir, females very silent
 for the safety of their young and bold
 at such times; otherwise exceedingly shy.

The so called song, pause, is only a note
 uttered by both sexes, quite brief, somewhat
 but very peculiar sound; repeated incessantly
 by the female when the young are in
 danger. By Aug 5th young fully fledged:
 easily distinguishable from parents, and
 scattered about everywhere; found one
 backward brood on Aug. 3rd just out of
 the nest. They precisely resemble E. swin.
 in general motions but are perhaps a little
 more active, and unlike that bird
 always perch among the foliage never
 as far as I noticed uttering a direct
 chirp or other exposed notes.

1871

Purple Sandpiper
Tringa moribunda

- Oct. Secured a fine specimen in the market, that
 was taken on Newburyport marshes.
- Oct. 30 One was taken (by H. W. Henshaw) this
 morning on Whittowson point, Cambridge.

1850

353

Connecticut warbler.
Geothlypis trichas

Sept 8 to 29th First specimen taken near Fresh pond by H. G. Arrow on Sept 8th. On succeeding day he took seven, and on the 10th three: all of these were taken in a low lying maple grove of small extent, with a dense undergrowth of ~~small~~ bushes, laurels, Alder &c. here they continued abundant until the 26th, when their numbers began sensibly to diminish. On the 27th we saw two, 28th three and Sept 29th I took the last one of the season.

At times in the early part of the season this place seemed absolutely full of them; some days we took as many as thirteen, and always on such occasions they would be as abundant as ever ~~on~~ the next morning.

In the neighboring swamps, (and some there are every ^{where}) a few ~~are~~ always to be found, but this was evidently the great rendezvous. They seemed at all times very lethargic and inactive, keeping much on the ground, where they moved about in a deliberate manner in search of their insect food. I also frequently observed them endeavoring to swallow worms and grubs of such size as to cause them much trouble. Their gait was a firm quick walk, not unlike that of *S. auricapillus*. When startled by any thing, they would fly a few yards, and alight on some low branch, there sitting perfectly still and motionless in a watchful listening attitude, that always reminded me of *T. Swainsonii* under similar circumstances.

Whether within three yards, or twenty, now you must shoot, or lose the opportunity altogether, as upon the slightest further movement either forwards, or backwards they would plunge at once into the deepest recesses of the swamp, where it is impossible to look for them. I know of no bird so easily brought down by a shot, but if only slightly disabled, they conceal themselves with the utmost expedition, and frequently crawl down into holes several feet under ground. Sometimes as many as six were found within the space of a square rod, each however acting quite independently of the others. On dark

rainy days their habits were entirely changed, at such times they seemed to be migrating, keeping much among the higher branches of the trees, passing from one to another, and even taking long flights across the open, to the Willow rows on the neighboring road side. The only note I ever heard was a sharp peevish, and almost angry chirp. This was rarely heard, except early in the morning or when much excited by any thing. Upon one occasion a pair of them, joined in a mob of Swamp Sparrows, and other small birds, on an Owl, imitating their loud shrill notes. They were at all times readily distinguishable from *G. trichas*, which they otherwise sorely resemble, by their unusually slow and deliberate movements, and especially by their wanting the upward jerking motion of the tail, so common to that bird. Their flight was very rapid, and on the wing they were hardly to be distinguished from *S. noveboracensis*. They were invariably so extremely fat, as to render the task of skinning a extremely difficult one, some birds had not only the body, but even the head, neck, and wings incased in thick layers of that substance, many such when alive being scarcely able to fly. Out of upwards of sixty specimens, I found only six adult males.

1870

- Sept. 7 Beat this favorite swamp to day for the first time and started three, one of which I shot.
- Sept. 12 Saw three, 13th one, 14th one
- " 16 Shot seven two of them adult ♂, and saw several more.
- " 18 Six were shot, and several more seen, two or three of them in the adjoining swamps. One of them secured was a fine adult ♂.

! nest
luc
u

.
ca
/

small

.
try
at

.
my
ing
the.

lot.

u

les.

